

ALYTES INTERNATIONAL TOURNAL OF RATEACHOLOGY



Amphibia Mundi

A0UT 2005

Volume 23, N° 1-2



International Society for the Study and Conservation of Amphibians

(International Society of Batrachology)

EAT

Laboratoire des Reptiles et Amphibiens, Muséum national d'Histoire naturelle, 25 rue Cuvier, 75005 Paris, France. – Tel.: (33).(0)1.40.79.34.87. – Fax: (33).(0)1.40.79.34.88. – E-mail: ohler@mnhn.fr.

BOARD

Presiden: C. Kenneth Dodd, Jr. (Gainesville, USA). General Secretary: Annemarie OHLER (Paris, France). Deputy Secretary: Alain PAGANO (Angers, France). Treasurer: Stephane GROSJEAN (Paris, France).

Deputy Treasurer: Rafael De Sá (Richmond, USA).
Counciliors: Lauren E. Brown (Normal, USA), Alain Durous (Paris, France); JIANG Jianping (Chengdu, China); Esteban O. LAVILIA (San Miguel de Tucumán, Argentina); Thierry Lodé (Angers, France); Miguel Verxes (Amsterdam, The Netherlands).

TARIFF FOR 2005

TARIFF FOR 2005 INDIVIDUALS	
Regular 2005 subscription to Alytes (volume 23) + ISSCA + Circulytes	50 € or \$
Student 2005 subscription to Alytes (volume 23) + ISSCA + Circulytes	25 € or \$
Special offer: gift half-price subscription of one year for a colleague of your choice:	Half of price above
Regular 2005 subscription to Alyxes (volume 23) alone Student 2005 subscription to Alyxes (volume 23) alone Back issues of Alyxes: any single issue Back issues of Alyxes: any complete volume 23) alone Back issues of Alyxes: any complete volume (1 issues) Back issues of Alyxes: any complete volume 1 to 22 (1982-2005) Regular invey-act (2005-2009, volumes 23 to 27) individual subscription to Alyxes + SSCA + Circalyxes Regular invey-act (2005-2009, volumes 23 to 27) individual subscription to Alyxes + SPEXIAL OFFER: five-year (2005-2009, volumes 23 to 27) individual subscription to Circalyxes, with complete set of back issues of Alxxes (1982-2005, volumes 10 22 (1004)	46 € or \$ 23 € or \$ 15 € or \$ 25 € or \$ 40 € or \$ 660 € or \$ 225 € or \$ 200 € or \$ Alytes + ISSCA + 725 € or \$
	1080 € or \$ 1200 € or \$ 2160 € or \$ or more 2400 € or \$ or more

Important notice: from 1996 on, any new life or patron individual subscriber to Alytes is offered a free complete collection of back issues of Alytes from the first issue (February 1982) until the start of her/his subscription.

INSTITUTIONS	
2005 subscription to Alytes (volume 23) + ISSCA + Circalytes	100 € or \$
2005 subscription to Alytes (volume 23) alone	92 € or \$
Back issues of Alvtes: any single issue	30 € or \$
Back issues of Alytes: any double issue	50 € or \$
Back issues of Alytes: any complete volume (4 issues)	80 € or \$
Back issues of Alytes; complete set volumes 1 to 22	1320 € or \$

Circulytes is the internal information bulletin of ISSCA. Back issues of this bulletin are also available: prices can be provided upon request by our Secretariat.

MODES OF PAYMENT

- In Euros, by cheques drawn on a French bank payable to "ISSCA", sent to our secretariat (address above).
 - In Euros, by direct postal transfer to our postal account: "ISSCA", Nr. 1-398-91 L, Paris; if you use this mode of payment, add 2.30 € to your payment for postal charges at our end.

 In US Dollars, by cheques payable to "ISSCA", sent to Rafael O. DE SA, Associate Professor, Department of Biology, University of Richmond, Richmond, VA 23173, USA (e-mail: rdesa@richmond.edu; fax: (804)289-8233).





INTERNATIONAL JOURNAL OF BATRACHOLOGY

July 2005

Volume 23, No 1-2

Alutes 2005. 23 (1-2): 1-24

Amphibia Mundi. 1.1. An ergotaxonomy of recent amphibians



Vertebres: Reptiles et Amphibiens, USM 0602 Taxonomie and Collections Département de Systématique and Evolution, Muséum national d'Histoire naturelle, 25 rue Cuvier, 75005 Paris, France Sathonio (Propular free

The new publication series Amphibia Mundi was presented by DURIOS (2004a). This will be a series of taxonomic catalogues and regular lists of taxonomic novelties concerning the Ameriuan, that will allow users of taxonomic data (biologists, conservationists, administrators, etc.) to find updated information on the state of the art. Contributors to this ambitious endeavour are welcome and should contact our editorial board, either to write some contributions, or to provide information, or to correct some of the mistakes or omissions that our catalogues will unavoidably contain. This first issue of the series presents a list of taxonomic novelties in treent amphibians, i.e., basically a list of new nomina (Dusois, 2000) recently proposed for amphibians. Information on these novelties must be provided within the frame of a given taxonomy, and respecting strictly the Rules of the International Code of Zoological Nomenclature ("the Code"; ANONYMOUS, 1999). These rules, often designated as "Linnaean", have force of law for all zoologists worldwide except those who expressly state that they are following other rules, but then the nomenclature adopted is incompatible with a "Linnaean" one (for details, see Durinus, 2005o). The exponency used as a framework for Amphibia Muntil deserves, a few comments.

In most zoological groups, and especially in those like the amphibians, which are currently the matter of numerous phylogenetic works often followed by drastic reappraisals of relationships, any given taxonomy is bound to be provisional. This is by no means problematic, as long as one understands the "heuristic value" of taxonomy (e.g. MANN, 1981). Taxonomies are not only "results" of phylogenetic and taxonomic research, but may serve as satiring points for further research, as they provide hypotheses on relationships that can be tested. For each zoological group, until we have reached in "final taxonomy"; agold that is legitimate but which will probably remain out of reach for many decades yet, any taxonomic frame must be viewed as a "working taxonomy" (Dubots, 1999) or more shortly an expressionney (Dubots, 2005a).

Taxonomy under the "Linnaean" system consists in two different aspects (e.g., Dusots, 2005a): establishmen or use of taze, and allocation of ranks to these twax. These two aspects are independent and widely different. Establishment or use of taxa is a scientific work that relies on a philosophy of taxonomy: it requires a decision regarding which information is believed to be important or crucial to be carried by taxa and their nomina. Many authors consider that taxonomy should be "phylogeneric" i.e., that taxa should, as far as no soable (but see DELORME et al. 2004), be "monorhetric sensus."



Hennig" or holophylate. Taxa are hierarchically nested within one another, some being more inclusive than others, and there is a single hierarchy of all living beings. A distinct matter is the ranks that are given to these more or less inclusive taxa. Despite several attempts in this respect, there is at present no homogenizing principle that would allow equivalence of taxa at a given rank in different groups: a family of brief is by no criterion equivalent to a family of frogs (Duons, 1983). Ranks are arbitrary and subjective, as are the nomina of taxa. However, just like for the latter, this does not mean that they are uscless or harmfull and that they should be abandoned. Ranks provide a useful, if not indispensable, system of hierarchisation and indexation of taxonomic information (for more details, discussion and references, see Duxons, 2005a). A careful use of ranks allows them to play an important rôle in the robustness of ergotaxonomies, such robustness of ergotaxonomies, as they are meant to be useful not only to phylogeneticists and taxonomists but also to all other users of zoological nomina.

To avoid unnecessarily frequent changes in ergotaxonomies, especially back and forth movements between two related tuxonomic schemes, any ergotaxonomy chosen for a group should be largely conservative. To attain this goal it should perferably afford primary key ranks (e.g., ordo or familia; DUROIS, 20056), to tax that are widely recognized as valid, i.e., that are considered by most authors, on the basis of apparently reliable data, as corresponding to well-supported clades. Such taxa and their nomina are likely to remain unchanged for long periods, which will be appreciated by non-taxonomist users. In contrast, taxa that are more controversial, being less robustly supported by the current set of data, should be afforded secondary key ranks (e.g., legio or phalancy) or even subsidiary ranks (e.g., superfamilia or subfamilia) (for more details, see Durois, 20056). This philosophy was followed for the choice of the ergotaxonomy used in this issue of Armbhikia Mundi.

In the ergotaxonomy presented below, subfamilies and tribes are recognized only when supported by published phylogenetic hypotheses, even when provisional; some of these taxa are likely to change, but this will not affect very much the overall familial scheme. At higher levels, although hypotheses about the relationships between the provisional families as recognized here do exist (for recent data, see e.g.: Haas, 2003; Hoegg et al., 2004; Roelants & Bossuyt, 2005; San Mauro et al., 2005), they are not yet consensual and are still likely to be modified in the coming years. Until a robust cladistic hypothesis is widely accepted, it seems better to refrain from recognizing taxa of rank suborder between family and order, especially as this would raise various nomenclatural problems concerning their best designation (for more details, see Dubois, 2004b, 2006). At any rate, in the future, the two nomina Archaeoba-TRACHIA Reig, 1958 and Neobatrachia Reig, 1958 must be definitively abandoned, for two distinct but complementary reasons; (1) these nomina are junior homonyms of the nomina Archaeobatrachi Sarasin & Sarasin, 1890 and Neobatrachi Sarasin & Sarasin, 1890; (2) the nomen Archaeobatrachia Reig, 1958 was proposed for a taxon that is clearly paraphyletic (references above). The nomen NEOBATRACHI Sarasin & Sarasin, 1890 is the valid nomen of the subclass of recent amphibians, that has sometimes been called Lissamphibia Haeckel, 1866. The latter nomen must also be abandoned, being an invalid junior synonym of Ватваснія Brongniart, 1800. More details on nomenclature of higher taxa (above superfamily) of Amphibia were provided by Dubois (2004b).

Rather than recognizing suborders, a better solution for the time being is to recognize higher ranks in the family-series, i.e., superfamilies (ending in —onto,) and optimalities (ending in —onto,) and optimalities (ending in —onto,) and superfamilies (ending in —onto,) as redefined by D'EBOS (20058): these taxs do not require the use of other nomina than those of families and may be easily abandoned or modified whenever changes are brought to the clade-taxonomic scheme. The cladistic scheme of SAN MARINO et al. (2005), which largely agrees with other recent studies (EHAS, 2003; SORLEANTS & BOSSLYY, 2005) was used as the basic framework for recognition of these higher family-series taxs. For fossil groups, SANCHEZ (1998) and S. E. EVANS et al. (2005) were largely followed. As explained by D'UBOS (2004-8, 20058), any higher taxon that only includes one taxon of frost colower rank, a situation that is sometimes made necessary for taxonomic balance and homogeneity, bears the same nomen as this lower taxon: e.g. englating Partonomos and superfamily Partonomos and Superfamily Partonomos.

Durois 3

or superorder † ALLOCAUDATA and order † ALLOCAUDATA. In such cases, the two ranks are redundant, which causes no nomenclatural problem as long as this does not require formation or recognition of a distinct nomen for each rank (for more details on this controversial question, see DUBOIS, 7005A)

The general ergotaxonomic frame used here is conservative at the family level: most of the familiae have been used for more than a century, and correspond to clades that are consensually recognized by most current authors. In most groups, the ergotaxonomy retained is similar to that given in HUTCHINS et al. (2003), but there are a few important differences, largely related to the inclusion of extinct taxa, but also in a few cases to the acknowlegement of recent cladistic data. Unlike the recent lists of FROST (1985), DUELLMAN (1993) and GLAW et al. (1998), Amphibia Mundi provides information on fossil taxa. This has some bearing on the taxonomic frame retained. Because many fossil taxa are known only from partial skeletons, their inclusion in the taxonomy of recent amphibians results in some uncertainties. To limit the impact of this problem, a conservative familial ergotaxonomy was adopted here whenever phylogenetic relationships between taxa are still unsolved or controversial. These taxa were maintained in comprehensive families, which may be split later whenever relationships between them are better understood. Not doing so would result in having many genera unallocated to families, which would simply have to be listed as "incertae sedsis" at family level. Given these premises, the taxonomic-nomenclatural scheme adopted here for some families needs a short discussion:

- (1) For the "discoglossoid" frogs, the taxonomic scheme of SANCHIZ (1988: 18) was here followed, with a single family including the ALYTINAE, BOMBINSTORNES, DISCOGLOSSIME and f) COMENTAGE, as the relationships between these four groups are still controversial (HAMS, 2003; HORGO et al., 2004; ROBLANTS & BOSSUNT, 2005; SAM MAURO et al., 2005). Additionally, a few problematic fossil genera are simply referred to the family without subfamilial allocation. The family as here recognized will most probably have to be dismanded when the relationships between all its genera are better understood. In the meanwhile, the valid nomen for this family is BoMMENTORINES, as pointed out long ago (Diross), 1984). As the International Commission of Zoological Nomenclature decided not to use its plenary powers to protect the nomen DisCOCLOSSIME (see Dirosts, 1987a), the Code's Rule of Priority must be followed. The nomen BOMBINGTORINE has been used repeatedly in the recent years (e.g.: FORK & CANNATELLA, 1993; BIJU & BOSSUYT, 2003; MAGLIA, 2003; CANNATELLA & HILLIS, 2004; ROELANTS & BOSSUYT, 2003; so it cannot be rejected as a nomen oblitum.
- (2) The case of the "pelobaroid" frogs is similar. Recent discussions have not yet led to a consensual hypothesis for relationships among groups (Gardic-Padis' et al., 2003; HASA, 2003; CANSATELLA & HILLIS, 2004; HOEGG et al., 2004; ROELANTS & BOSSUYT, 2005; SAN MAURO et al., 2005). A provisional conservative scheme with a single family Princentmen was adopted here. This family includes four subfamilies (Macountment, Princentmen, Princentmen, Schemotomans, and several fossis genera that cannot be allocated to subfamilies in the present state of Knowledge, especially because of apparent convergences between Princentmen and Schemotomans in their fossorial adaptations.
- (3) Two subfamilies are recognized here within the family Propose following B. J. EVANS et al. (2004, 2005). Priority requires that the subfamily including Xenopus and Silvaran be called DACTYLETHRINAE, as already pointed out repeatedly (Dubots, 1983, 1984, 1985, 1987b-c).
- (4) The epifamily Ranoma as recognized here corresponds to the "Neodatractuan" of several reauthors. This clade is robustly supported by most recent analyses (e.g., HOEGG et al., 2004; Van DER MEIJDER et al., 2005). It includes two well-supported large clades, recognized here as the superfamilies Humanus and Ranomas, and two smaller groups of uncertain affinities (HOEGG et al., 2004), recombigathere as the superfamilies Hanomavanomas and Sociolassions.
- (5) No subfamilies are currently recognized in the family Burowman, although this huge asseming clearly consists of several subclades, some of which have a limited geographical range whereas others have a much larger distribution. In case future works support the formal recognition of

subfamilies, several family-series nomina are already available and should be used to nominate them rather than coining new nomina (DUROIS, 1984: 34-35, 1987a: 24-29).

- (6) The results of DARST & CANNATELLA (2004) and HOEGG et al. (2004) suggest that the subfamily PSEUDINAE Fitzinger, 1843 should be considered a synonym of HYLINAE Rafinesque, 1815, not a distinct subfamily
- (7) The recent finding (DARST & CANASTELLA, 2004) that the genus Brachyophalas Firzinger, 1826 (including Pyllophryne Izecksohn, 1971, according to KAPLAN, 2002) is phylogenetically nested within eleutherodacylines, so usually understood, suggests that the taxon including these genera should be called Brachestheannes Günther, 1858 instead of Electrisconcythams Luxt, 1954 (as used e.g. by DUBLIAMA, 2003). The genus Cornagator Cope, 1862 was recently recognized for a large part of the species usually placed in Eleutherodacylus Duméril & Bibron, 1841 (CRAWFORD & SMITH, 2005), and the latter cenus might have to be further soil:
- (8) The family Resume as understood here is a very conservative group which corresponds to the epifamily Resume as recognized by Vences & GLAW (2001) and VAN DER MEIDEN et al. (2005). This huge assemblage includes a number of taxa whose relationships are not yet clarified and most of which are here provisionally treated as subfamilies, following DUBDS (2003) but adding the Mantessame and Rescontinuate. Treating the latter as families makes the Resumes paraphyletic (Vences & GLAW, 2001; VAN DER MEIDEN et al., 2004, 2005). This family will probably have to be split in several families, but these may correspond only in part to the subfamilies as recognized below, so this move appears premature. Changes are here brought to the following taxas:
- (a) VAN DER MEIDDER et al. (2005) recently pointed to the well-supported existence of a previously underected radiation in African ranid frogs that includes all genera placed by Dussoi (2003) in the Coccetenome Noble, 1931 but also the genera Afrana, Natabbarachus and Pyxicapha-lua. This finding is acknowledged here in placing all these genera, as well as the clearly related Amienta and Aubria, in the same subfamily, for which the nomen Princementage Bonaparte, 1850 has pri-critical.
- (b) The data of VAN DER MEIDEN et al. (2005) also suggest that the genus Occidezyga is a member of DEROGLOSSINAE (as already proposed by DUBOS, 1987a, 1992), and therefore the subfamily OccideZYSMAE in DUBOS (2003) is here downgraded to the rank of a tribe of the latter.
- (c) In contrast, the same data also strongly suggest that the genus Cerambaranchus and related genera are not members of the Demociosansea and that the tribe Construenteement of Dumots (2003) should be provisionally treated as a subfamily of its own. The valid nomen for this subfamily is CERTORIENTEEMER BOURDER; 1885, no TO. PLITTMENTMENT LAURENT, 1986, as suggested by VAN DER MEIDEN et al. (2005). The genus Barachyloides, placed by Dumots (1987a, 1992, 2003) in the Ruman without robust evidence, is here tentatively referred to this subfamily mostly on the grounds of reproductive mode (direct development) and biogeography.
- (d) In the tribe LIMNONIECTIN of the DICROGLOSSINAE, the genus Liurana Dubois, 1987 is here considered a strict synonym of Taylorana Dubois, 1987 (DUBOIS & OHLER, in preparation). Priority of Taylorana over Liurana was fixed by the first-reviser action of DUBOIS (1999: 91).
- (e) Cladistic relationships within the subfamily Reservae as recognized by Dubots (2003) remain very poorly known and will require additional data. This will not be not an easy task because, as aiready pointed out (Dubots, 1981, 1987a, 1992, 2003), such a revision to be meaningful cannot be limited to analysis of a subsample of the subfamily, chosen e.g. on geographical grounds (e.g., HILLIS & WILCOX, 2005), but must include representatives of al teast all groups and subgroups defined by Dubots (1992), and probably more. The tribe Autoconst Yang, 1991, recognized by Dubots (2003), is not adopted here, as its relationships and contents are not yet fully understood. The genus Outerman Fei, Ye & Huang, 1991 should probably be separated from Ram (Dubots, 2001), but its relationships with several.

DUBOIS 5

other groups (e.g.: Bamburana Fei, Ye & Huang, 2005; Chalcarana Dubois, 1992; Eburana Dubois, 1992;
Nasinana Dubois, 1992; should first be clarified. Except for the genera Afrana, Aminin and Sromeyiopus, here placed, in the Panzestrukus for reasons explained above, the genus Rana is here kept as a
wide and probably polyphyletic assemblage (Dusots, 1992) to avoid the creation of paraphyletic
genera, which would certainly be the case if e.g. Ammirana Dubois, 1992, Hylanana Tschudi, 1838,
Palaphylax Fitzinger, 1843, Petadorana Pei, Ye & Huang, 1991 or Ragoia Pei, Ye & Huang, 1991 were
taised to generic rank, as proposed by some recent authors (e.g., Fei et al., 1991, 2005; VAN DER
MRIPIEN et al., 2005).

(1) On the other hand, within the RASSAGE, a new tribe \$\tilde{S}_{CAMDON}\$ (Type-genus \$\tilde{S}_{MANDO}\$, 1865) is here exercised for the genus \$\tilde{S}_{MANDO}\$ (alone) of the intelligence of the i

(ж) The relationships of the other groups of RANIDAE (as here understood) are not yet clarified (e.g., Va) page MEIDBEN et al., 2005), so these groups are here provisionally maintained as the subfamilies CONRADURAE, LANGEMERTAE ANDERSADERS, PROVEDENTAE CONTRACTIONS, PROVIDENT THAN EACH TO THE ANDERSADERS AND THE ANDERSADERS AND THE STATE AND THE ANDERSADERS AND THE STATE AN

(8) The recent molecular data of DARST & CANNATELIA (2004) and VAN DER MEIIDEN et al. (2004). 2005) support the opinion of LAURENT (1980, 1986) and DUBOIS (1981, 1987a, 1992) that the ARTHROLEPTINAE, ASTYLOSTERNINAE and HYPEROLINAE belong in the same clade, recognized by VENCES & GLAW (2001) and VAN DER MEIIDEN et al. (2005) as the enifamily ARTHROLEPTOIDAE. But these data also suggest that two other groups, traditionally recognized as the Microsylvinas Brevicipitinas and the HEMISOTIDAE, are also members of this clade. To account for these findings, these five groups are here recognized as subfamilies of a single, purely African, family, which must bear the nomen BREVICIPITIDAE. This is not because "the oldest available genus name in this clade is Brevicets Merrem, 1920" (DARST & CANNATELLA, 2004; 468), as priority among family-series nomina is determined by the dates of the latter nomina, not by those of the nomina of their included genera! The valid nomen in this case is Brevicipitina Bonaparte, 1850, which has priority over Hemisidae Cope, 1867 and Arthroleptina Mivart, 1869. In Linnaean nomenclature, Brevicipitina, Brevicipitinae, Brevicipitidae of Brevicipitoi-DEA are simply different aponyms of the same nomen (see DUBOIS, 2000), which have the same author and date but "simply" different ranks; it is thus incorrect to write that there "seems to be no available superfamily name" for this taxon (DARST & CANNATELLA, 2004: 468). Besides the five subfamilies listed above, a sixth subfamily is here recognized in this family for the LEPTOPELINAE, which according to EMERSON et al. (2000) represent a subclade distinct from the Hyperolinae.

(9) In the urodelan family Petersocontines, the traditional taxonomy (Wake, 2003) has been challenged by recent findings. The molecular phylogenetic data recently provided by CHIPPINDLE Et al. (2004) suggest the existence of two major lineages, for which the nomina Hasutacrytunus and Petersocontines are available. The first lineage seems to include three subclades, which can be provisionally recognized as tribes, under the nomina BOSITOGISSNI, Hasutacrytunus and Speesaron. In this group, the genus Europea Rafinesque, 1825 is here understood as including the taxa traditionally known as the genera Hasidaction Carr. 1939, Taybhomoley Sciencege, 1896 and Taybhornion Scienceger, 1895 and Taybhornion Scienceger.

PLETHODOWTHMS seems to include two subclades, for which the nomina DESMOGRAFHMS and PLETHOnowrns are swallbale. The new data obtained by MURLEIR et al. (2004), and by Miss e al. (2005) on the occasion of the discovery of Karnenia known, furthermore suggest that the genus Hydromanis s.l. (including Sydenomane) must be placed in the DESMOGRAFHMS, tather than in the Bearracassons. The phylogeny and taxonomy of this family are still under intense study and will probably have to be modified in the near future.

- (10) In the family SALMANDERMA, on the basis of "molecular studies in progress" ("estudios moleculares en curron"), GRACIA-PARÍS et al. (2004) recently split the genus Triture in four genera, recognizing the genera Lissertion, Masoriton and Ommatoriton. No subfamilies are currently recognized three subfamilies, including respectively the genera Plauvoides, Salmandra and Trituras (and other genera in each). If, following ongoing works, this or a similar arrangement had to be adopted, the valid nominia for these three subfamilies would be, respectively, Prannosames Technun, 1838, Salmandrana Goldfuss, 1820 and Molanas Gray, 1850 (see Drinoss.) 1890.
- (11) Beside the three traditional orders Anura, Urodela and Gymnophiona (for their valid nomina see Dubots, 2004b), an order † Allocaudata is here tentatively recognized for the family † Albert Fornting in order to account for the results of McGowan & Evans (1995).

The expotaxonomy used in this first issue of Amphibia Mundi will certainly have to be modified in subsequent issues. The list below only mentions the nomina of taxe currently considered valid on the basis of published evidence, except in a few cases mentioned above. Hierarchy of taxa is shown by indenration from margin, and ranks of class-series and family-series taxes (Duousi, 2005-a-b) are written in full. Taxa of same rank subordinate to the same taxon are listed by alphabetical order. Symonyms subgenera and other infrageneric supraspecific taxa, species and subspecies are not listed. Nomina of entirely fossil taxa are preceded by the sign 1.

```
Classis Amphibia De Blainville, 1816
  Subclassis Neoratrachi Sarasin & Sarasin, 1890
    Superordo † Allocaudata Fox & Navior, 1982
      Ordo + ALLOCAUDATA Fox & Navlor, 1982
        Epifamilia † ALBANERPETONTOIDIA Estes & Hoffstetter, 1976
          Superfamilia † ALBANERPETONTOIDEA Estes & Hoffstetter, 1976
             Familia † ALBANERPETONTIDAE Estes & Hoffstetter, 1976
                      † Albanerpeton Estes & Hoffstetter, 1976
                      † Anouglerpeton Gardner, Evans & Sigogneau-Russell, 2003
                      † Celtedens McGowan & Evans, 1995
                     + Nukusurus Nessov, 1981
    Superordo BATRACHIA Brongniart, 1800
      Ordo ANURA Duméril, 1806
        Incertae sedis
                     † Aralobatrachus Nessov, 1981
                     † Avitabatrachus Báez, Trueb & Calvo, 2000
                      † Batrachulina Kuhn, 1962
                     † Comobatrachus Hecht & Estes, 1960
                     † Czatkobatrachus Evans & Borsuk-Białynicka, 1998
                      † Eobatrachus Marsh, 1887
                     † Eorubsta Hecht, 1960
                      † Estesina Roček & Nessov, 1993
```

† Gobiatoides Roček & Nessov, 1993

+ Hatzenohatrachus Venczel & Csiki, 2003 + Itemirella Nessov. 1981 + Limurambia Ramikov 1993 + Lutetiobatrachus Wuttke, 1988 † Mesophryne Gao & Wang. 2001 + Negatcheukia Ramikov, 1993 † Nezpercius Blob, Carrano, Rogers, Forster & Espinoza, 2001 + Novooskolia Ratpikov, 1993 + Probatrachus Peters, 1878 † Procerobatrachus Roček & Nessov, 1993 + Protonhymus Pomel, 1953 † Saevesnederberghia Roček & Nessov, 1993 + Sunmhamachus Evans & McGowan, 2002 † Thaumastosaurus De Stefano, 1903 + Theatonius Fox. 1976 + Yizhoubatrachus Gao & Chen, 2004 Familia + Prosauridae Shubin & Jenkins, 1995 + Prasalirus Kuhn, 1964 Familia + RANAVINAE Feiérváry, 1920 † Rangenes Portis, 1885 Familia + Tregoratrachidas Holman, 1974 † Trepobatrachus Holman, 1974 Familia + Vienael i mae Kuhn, 1964 + Viemella Reig. 1961 Epifamilia Bombinatoroidia Grav. 1825 Superfamilia ROMBINATOROIDEA Gray, 1825 Familia BOMBINATORIDAE Grav, 1825 Incertae sedis + Altanulia Gubin, 1993 † Callobatrachus Wang & Gao, 1997 † Enneabatrachus Evans & Milner, 1993 † Latoglossus Hossini, 2000 † Montsechobatrachus Feiérváry, 1921 + Onisthocoelellus Kuhn, 1941 + Pelophilus Tschudi, 1838 † Scotiophryne Estes, 1969 Subfamilia ALYTINAE Fitzinger, 1843 Alvtes Wagler, 1829 + Kizvikuma Nessov, 1981 Subfamilia Bombinatorinae Gray, 1825 Barbourula Taylor & Noble, 1924 Bombina Oken, 1816 Subfamilia Discogrossmar Günther, 1858 Discoglossus Otth, 1837 † Eodiscoglossus Villalta, 1956 † Latonia Mever, 1843 † Paradiscoglossus Estes & Sanchiz, 1982 + Paralatonia Venezel & Csiki, 2003

+ Wealdenbatrachus Fev. 1988

```
Subfamilia + Gantarnias Ročak & Massow 1993
         + Cretasalia Gubin, 1999
         + Gabiares Spiner & Teterinov, 1986
Enifamilia I FIOREI MATOINIA Mivert 1869
  Superfamilia Legoper Mattornea Miyart 1869
     Familia Ascapunas Feiérváry, 1923
           Ascanhus Steineger 1890
     Familia Letopet MATERIA Mivart 1869
       Subfamilia Letopet MATINAE Mivart 1869
           Leiopelma Fitzinger, 1861
       Subfamilia † NOTOBATRACHINAE Reig. 1957
           + Notobarrachus Reig, 1956
Enifamilia Priorazoinia Bonaparte, 1850
  Sunerfamilia Pelobatomea Bonaparte, 1850
     Familia Pelobatidae Bonaparte, 1850
       Incertae sedis
           + Lianhatrachus Ii Shu'an & Ii Ouang, 1998
           † Macropelobates Noble, 1924
           + Uldzinia Gubin, 1996
       Subfamilia Megophevovas Bonanarie, 1850
         Tribus Leptobrachus Dubois, 1983
           Leptobrachella Smith, 1925
           Leptobrachium Tschudi, 1838
           Lentalalax Dubois, 1980
           Orgolalax Myers & Leviton, 1962
           Scuriger Theobald, 1868
         Tribus Megophryini Bonaparte, 1850
           Brachytarsophrys Tian & Hu, 1983
           Megophrys Kuhl & Van Hasselt, 1822
           Ophryaphryne Boulenger, 1903
           Xenophrys Günther, 1864
       Subfamilia PELOBATINAE Bonaparte, 1850.
           + Eopelobates Parker, 1929
           Pelahates Wagler, 1830
       Subfamilia PELODYTINAE Bonaparte, 1850
           † Miopelodytes Taylor, 1941
           Pelodytes Bonaparte, 1838
           † Tephrodytes Henrici, 1994
      Subfamilia SCAPHIOPODINAE Cope, 1865
           Scaphiopus Holbrook, 1836
           Spea Cope, 1866
Epifamilia Pipoidia Gray, 1825
  Superfamilia PIPOIDEA Grav, 1825
    Incertae sedis
           † Aygroua Jones, Evans & Sigogneau-Russell, 2003
           † Thoraciliacus Nevo, 1968
    Familia † PALAEOBATRACHIDAE Cope, 1865
           † Albionbatrachus Meszoely, Špinar & Ford, 1984
```

† Messelobatrachus Wuttke, 1988

Dubois

+ Palaenhorrachus Tschudi, 1838 + Phohaprachus Feierváry, 1917 Familia Donn on Conv. 1925 Incertae sedio + Cordscenhalus Nevo. 1968 + Fovenopoides Haughton 1931 + Llankthatrachus Báez & Pugener, 2003 + Shammonella Fister Spinge & News 1979 † Thoracultacus Nevo. 1968 Subfamilia Dactyr stupmen Hogg, 1838 † Pachycentrata Báez & Rage, 2004 † Saltensa Resg. 1959 + Shelania Casamuquela, 1960 Silurana Grav. 1864 Xenopus Wagler, 1827 Subfamilia Pipisian Gray, 1825 Hymenochirus Boulenger, 1896. Prog Laurenti, 1768 Pseudhomenochinus Chahanaud 1920 Familia RHINOPHRYNIDAE Günther, 1858 + Chelomophrynus Henrici, 1991 + Eorhmophrynus Hecht, 1959 + Rhadmosteus Henrici, 1998 Rhmonhrsmus Dumeril & Bibron, 1841 Enifamilia Ranotota Rafinesque-Schmaltz 1814 Superfamilia HELBOPHRYNOIDEA Noble, 1931 Familia Hermonus vomas Noble 1931 Helcophryne Sclater, 1899 Superfamilia Hyloidea Rafinesque, 1815 Familia ALLOPHR VNIDAE Goin, Goin & Zug. 1978 Allophryne Gauge, 1926 Familia BUPONIDAE Gray, 1825 Adenomus Cope, 1860 Aluphrynoides Dubois, 1987 Andinophryne Hoogmoed, 1985 Ansoma Stoliczka, 1870 Atelophroniscus McCranie, Wilson & Williams, 1989 Atelopus Duméril & Bibron, 1841 Bulo Laurenti, 1768 Bulardes Pellai & Yazdanı, 1973 Capensibulo Grandison, 1980 Churannts Channing & Stanley, 2002 Crepidophryne Cope, 1889 Dendrophryniscus Iiménez de la Espada, 1871 Didynamibus Andersson, 1903 Frostus Cannatella, 1986

> Laurentophryne Tihen, 1960 Leptophryne Fitzinger, 1843 Melanophryniscus Gallardo, 1961 Mertensophryne Tihen, 1960

Marathropicous Sañaris Avarzaniana & Gornula 1004 Macrashuma Buchholz & Darage 1975 Nectothromades Noble 1926 Minchanhammarder Dubous 1087 Owophymella Boulenger, 1895 Osornophrone Ruíz-Carranza & Hernández-Camacho, 1976 Paranelonhrune Fei. Ve & Jiang. 2003. Pedartibar Grinther, 1876 Belonhrune Barbour, 1938 Physicide Fitzman 1843 Pseudobulo Tschudi, 1838 Rhambhathmas Truch 1971 Schismaderma Smith, 1849 Somonhrynoides Dubois, 1987 Stephonaedes Channing, 1978 Truebella Graybeal & Cannatella, 1995 Wernerra Poche, 1903 Wolterstorffma Mertens, 1939 Familia Centrol symus Taylor, 1951 Centrolene luménez de la Espada, 1872 Cochranella Taylor, 1951 Hyalmobatrachium Ruiz-Carranza & Lynch, 1991 Familia Dendrobatidas Cope, 1865 (1850) Allohates Zimmermann & Zimmermann, 1988 Aromobates Myers, Paolillo & Daly, 1991 Colostethus Cone, 1866 Cryptophyllohates Lötters, Jungfer & Widmer, 2000. Dendrohates Wagler, 1830 Epipedobates Myers, 1987 Mannophryne LaMarca, 1992 Nephelobates La Marca, 1994 Phyllobates Duméril & Bibron, 1841 Familia Hyunas Rafinesque, 1815 Subfamilia Hemphractinas Peters, 1862 Cryptohatrachus Ruthven, 1916 Flectonotus Miranda-Ribeiro, 1920 Gastrotheca Fitzinger, 1843 Hemsphractus Wagler, 1828 Stefama Rivero, 1968 Subfamilia Hyunar Rafinesque, 1815 Acres Dumeril & Bibron, 1841 Anotheca Smith, 1939 Aparasphenodon Miranda-Ribeiro, 1920 Aplastodiscus Lutz, 1950 Argenteohyla Trueb, 1970 Gorythomantis Boulenger, 1896 Duellmanohyla Campbell & Smith, 1992 Hyla Laurenti, 1768 Lysapsus Cope, 1862

Nycumanus Boulenger, 1882

DUROIS

11

Ostescenhalus Steindachner 1862 Ostsopilus Fitzinger 1843 Phrynahuas Fitzinger 1843 Phyllodytes Wagler, 1830 Plectrohyla Brocchi, 1877 + Progerie Holman, 1961 Pseudacris Fitzinger 1843 Pseudis Wagler 1830 Piernohyla Boulenger, 1882 Prychobula Taylor, 1944 Scarthyla Duellman & De Sá, 1988 Scorar Wagler, 1830. Smilisca Cope, 1865 Sphaenorhynchus Tschudi, 1838 Tenuhyla Avarazaguena, Scharis & Gorzula, 1992 Trachycenhalus Tschudi, 1838 Trorum Cone, 1866 Xmohyla Izecksohn, 1998 Subfamilia Peropayanwas Günther, 1858 Cyclorana Steindachner, 1867 † Etnabatrachus Hochnull, 2003 Litaria Technidi 1838 Nucumusus Steineger, 1916 Pelodryas Gunther, 1859 Subfamilia Phyllomedusinae Günther, 1858 Agalychnis Cope, 1864 Hylomanus Peters, 1872 Pachymedusa Dueilman, 1968 Phasmahvia Cruz, 1991 Phrynomedusa Miranda-Ribeiro, 1923 Phyllomedusa Wagler, 1830 Familia Leptodactylidae Werner, 1896 (1838) Incorrae code † Estestella Baez, 1995 Subfamilia Brachycephalinae Gunther, 1858 Adelophryne Hoogmoed & Lescure, 1984 Atopophrynus Lynch & Ruiz-Carranza, 1982 Barycholos Heyer, 1969 Brachycephalus Fitzinger, 1826 Graugastor Cope, 1862 Dischidodaervlus Lynch, 1979 Eleutherodactylus Dumeril & Bibron, 1841 Euparkerella Griffiths, 1959 Geobatrachus Ruthven, 1915 Holoaden Mıranda-Ribeiro, 1920 Ischnocnema Reinhardt & Lütken, 1862 Phrynopus Peters, 1874 Phyllonastes Hever, 1977 Phyzelaphryne Heyer, 1977

Subfamilia Geratophrymar Technoli, 1838 + Baurubatrachus Báez & Peri, 1990 Caratanheus Wied-Neuwied 1824 Chacothrus Resg & Limeses, 1963 Lebidobatrachus Budgett, 1899 † Wasselia Casamiquela, 1959 Subfamilia Cuctopauspuntas Ronanarta 1850 Crossodaerylodes Cochran, 1938 Cucloramahus Technidi 1838 Paratelmatahus Lutz & Carvalho, 1958 Ruturana Hesser 1999 Scuthrophrus Lynch, 1971 Thornto Cone 1865 Zachaenus Cope, 1866 Subfamilia Hylodinas Günther, 1858 Crossadactolus Duméril & Ribron, 1841 Hulodes Estrupaer 1826 Megaelosia Muranda-Ribeiro, 1923 Suhfamilia Leptodactylinae Werner, 1896 (1838) Admonera Steindachner 1867 Edalorhma luménez de la Espada, 1870 Hydrolaetare Gallardo, 1963 Lentadactulus Fitzinger, 1826 Limnomedusa Fitzmeer, 1843 Lithodytes Fitzinger, 1843 Physalaemus Fitzinger, 1826 Pleurodema Tschudi, 1838 Pseudopaludicola Miranda-Ribeiro, 1926 Vanzolimus Hever, 1974 Subfamilia Opontophryninae Lynch, 1969 Macrogemoglottus Carvalho, 1946 Odontophrynus Reinhardt & Lütken, 1862 Proceratophrys Miranda-Ribeiro, 1920 Subfamilia Termatorinas Fitzinger, 1843 Alsodes Bell, 1843 Atelognathus I vnch. 1978 Batrachophrvnus Peters, 1873 Batrachyla Bell, 1843 Caudiverbera Laurenti, 1768 Euosophus Fitzinger, 1843 Hylorina Bell, 1843 Insuetophrynus Barrio, 1970 † Neoprocoela Schaeffer, 1949 Somuncuria Lynch, 1978 Telmatobius Wiegmann, 1835 Telmatobufo Schmidt, 1952 Familia Myobatrachidae Schlegel, 1850 Incertae sedis

† Indobatrachus Noble, 1930

Dubois 13

Subfamilia Limnonymastricae I arach, 1969 Adelane Onithy 1907 Helesoporus Grav. 1841 Kunranus Moore 1958 Lechrodus Boulenger, 1882 Immadimastes Estringer 1843 Mixophus Gunther, 1864 Nanhatrachus Perers 1863 Motades Ginther 1873 Philoria Spencer, 1901 Subfamilia Myobatrachinas Schlegel, 1850 Aronothrome Tuler, 1976 Assa Tvier, 1972 Bryohatrachus Rounsevell, Ziegeler, Brown, Davies & Littlejohn, 1994 Crmia Tschudi, 1838 Geocrinia Blake, 1973 Metacrinia Parker, 1940 Monhatrachus Schlegel, 1850 Paracrinia Hever & Liem, 1976. Pseudonhrune Fitzinger, 1843 Rheobarrachus I 1em 1973 Spicospina Roberts, Horwitz, Wardell-Johnson, Maxson & Mahony, 1997 Taudactylus Straughan & Lee, 1966 Unerolesa Grav. 1841 Familia Rumonsematinas Bonaparte, 1850. Rhinoderma Duméril & Bibron, 1841 Superfamilia Ravoinea Rafinesque-Schmaltz, 1814 Incertae sedis † Ranomorphus Ratnikov, 1993 Familia Resuscientinas Romanarte, 1850 Subfamilia ARTHROLEPTINAE Mivart, 1869 Artholeous Smith, 1849 Cardoplossa Boulenger, 1900 Subfamilia Astylosterninae Noble, 1927 Astylosternus Werner, 1898 Lettodacrolodon Andersson, 1903 Nyctibates Boulenger, 1904 Scotobleps Boulenger, 1900 Trichobatrachus Boulenger, 1900 Subfamilia Brevicipitinas Bonaparte, 1850 Balebrevicens Largen & Drewes, 1989 Brencens Merrem, 1820 Callulina Nieden, 1910 Probreviceps Parker, 1931 Spelaeophryne Ahl. 1924 Subfamilia Hemisottivae Cope, 1867 Hemisus Günther, 1859 Subfamilia Hyperolinas Laurent, 1943 Tribus Hyperotiini Laurent, 1943

Acamhixalus Laurent, 1944

Africalus Laurent, 1944 Alexternan Perret, 1988 Arlemonus Perret 1988 Callixalus Laurent, 1950 Chlorolius Percet 1988 Chrysohatrachus I aurent, 1951 Crystathylar Laurent & Combaz, 1950 Herenvalue I aurant 1944 Hunerolius Rann, 1842 Kamula Laurent 1940 Tachycnemus Fitzinger, 1843 Tribus Kassinini Laurent, 1972 Kassina Girard, 1853 Opisthathylax Perret, 1966 Paracasuna Peracca 1907 Phlycumanus Laurent & Combaz, 1950 Semnodactulus Hoffman, 1939 Subfamilia / Eproper prog I aurent 1972 Leotopelis Gupther, 1859 1869 Familia Microsovi mar Compler, 1858 (1843) Subfamilia ASTEROPHRYINAE Gunther, 1858 Incertae sedis + Australaharrachus Tyler, 1976 Tribus ASTEROPHRYINI Günther, 1858 Astemphrus Tschuds, 1838 Hylothorbus Macleay, 1878 Mantaphryne Boulenger, 1897 Phemhastus Zweifel, 1972 Tribus BARYGENVINI Burton, 1986 Barygenys Parker, 1936 Tribus Carrilloppe Dubois, 1988 Callulops Boulenger, 1888 Tribus Xenorhinini Miyart, 1869 Xenobatrachus Peters & Doria, 1878 Xenorhma Peters, 1863 Subfamilia Calluselinae Fei, Ye & Jiang, 2005 Calluella Stoliczka, 1872 Subfamilia Copiosi INAE Cone, 1889 Anadanthyla Müller, 1892 Cophyla Boettger, 1880 Madecassophrvne Guibé, 1974 Platypelts Boulenger, 1882 Plethodontohyla Boulenger, 1882 Rhombophryne Boettger, 1880 Stumpffia Boettger, 1881 Subfamilia Dyscophinae Boulenger, 1882 Dyscophus Grandidier, 1872

Subfamilia Genvorhryninge Boulenger, 1890 Albericus Burton & Zweifel, 1995 Durois

15

Athantathrone Fry. 1917 Austrochaherma Frv. 1912 Chaeraphrime Van Kampen 1915 Cothixalus Boetteer, 1892 Consula Mehelii, 1901 Genushryne Boulenger, 1890 Lookeyne Boulenger 1897 Openthrune Boettger 1895 Oxydactyla Van Kampen, 1913 Sphenophryne Peters & Doria, 1878 Subfamilia Hoptopupymyas Noble 1931 Hoplophrune Barbour & Loveridge, 1928 Parhaplophruns Barbour & Loversdoe, 1928 Subfamilia Microsyvinas Günther, 1858 (1843) Tribus Gastrophrynnii Fitzinger, 1843 Adelastes Zweifel, 1986 Altrenes Wild, 1995 Arconomer Carvalho, 1954 Chasmadest Mehely, 1904 Ctenanhrune Mocauard, 1904 Dasypops Miranda-Ribeiro, 1924 Dermatonotus Méhely, 1904 Elachistocleis Parker, 1927 Gastrophrone Fitzinger, 1843 Hamotophrone Carvalho, 1954 Hyophryne Carvalho, 1954 Hypopachus Keferstein, 1867 Muerciella Carvalho, 1954 Nelsonoohrune Frost, 1987 Otophryne Boulenger, 1900 Stereocyclops Cope, 1870 Synapturanus Carvaiho, 1954 Syncope Walker, 1973 Tribus Micronyuni Güntber, 1858 (1843) Chaperina Mocouard, 1892 Gastrophrynoides Noble, 1926 Glyphodassus Gunther, 1868 Kolonbronus Tschudi, 1838 Kaloula Grav, 1831 Melanobatrachus Beddome, 1878 Metaphrynella Parker, 1934 Murohyla Tschudi, 1838 Micryletta Dubois, 1987 Phrynella Boulenger, 1887 Ramanella Ran & Ramanna, 1925 Uperodon Dumeril & Bibron, 1841 Subfamilia PHRYNOMERINAE Noble, 1931 Phrynamanus Peters, 1867 Subfamilia Scaphiophrymmas Laurent, 1946 Paradoxophyla Blommers-Schlösser & Blanc, 1991 Scaphiophryne Boulenger, 1882

Familia Rassous Rafinesque-Schmaltz 1814 Subfamilia Constronstrusceruse Roulanger 1984 Ranachylades Boulenger 1887 Caratahamachus Boulenmer 1884 Descadoles Roulenger, 1918 Inggrana Dubois 1987 Palmatarappua Ahl. 1927 Planuagetic Gunther 1859 Subfamilia Congazinas Dubois, 1992 Communa Nieden, 1908 Subfamilia Diceograssmus Anderson, 1871 Tribus Diceocy ocean Anderson 1871 Euphlycus Fitzinger, 1843 Feiernarya Bolkay, 1915 Hoplohatrachus Perers, 1863 Americana Dubois, Ohler & But. 2001 Nannanhrus Günther, 1869 Sphaerotheca Gunther, 1859 Tribus Linguistria Dubois 1992 Annandia Dubois, 1992 Elachyolossa Andersson, 1916 Limnonectes Fitzinger, 1843 Taylarana Dubois, 1987 Tribus Occinozygist Fei, Ye & Huang, 1991 Occidoguga Kuhl & Van Hasselt, 1822. Phrynaglassus Peters, 1867 Tribus Para Dubois, 1992 Chaparana Bourret, 1939 Nanorana Günther, 1896 Quasipaa Dubois, 1992 Subfamilia Lankanectinae Dubois & Ohler, 2001 Lankanectes Dubois & Ohler, 2001 Subfamilia Mantellinas Laurent, 1946. Tribus Boopensi Vences & Glaw, 2001 Baobbis Tschudi, 1838 Tribus Laliostomini Vences & Glaw. 2001 Aglyptodactylus Boulenger, 1919 Laliostoma Glaw, Vences & Bohme, 1998 Tribus Mantellini Laurent, 1946 Mantella Boulenger, 1882 Mantidactylus Boulenger, 1895 Subfamilia Microsalinar Dubois, Ohler & Bnu. 2001 Murixalus Boulenger, 1888 Subfarnilia Nycribatrachinae Blommers-Schlösser, 1993 Nycubatrachus Boulenger, 1882 Subfamilia Petropenetimae Noble, 1931 Arthroleptides Nieden, 1910 Petropedetes Reichenow, 1874

Subfamilia Phrynoratrachinae Laurent, 1941 Dimorphognathus Boulenger, 1906 Dubois

17

Ericabatrachus Yargen, 1991 Phrynohatrackus Günther 1862 Phronadan Parker, 1935 Subfamilia Procuangunas Dubois 1987 Hildshrandts Nucley 1997 Langarana Clarke 1983 Prychadena Boulenger, 1917 Subfamilia Pyxicephalinae Bonaparte, 1850 Afrana Dubois, 1992 Annena Dubois, 1987 Anhydrophryne Hewitt, 1919 Aubria Boulenger, 1917 Arthroleptella Hewitt, 1926 Gacasternum Roulenger, 1887 Microhatrachella Hessntt 1926 Natalohatrachus Hewatt & Methuen, 1913 Nathankring Pointon 1963 Pointonia Channing & Boycott, 1989 Pyxicephalus Tschudi, 1838 Strongylopus Tschudi, 1838 Tomopterna Duméril & Bibron, 1841 Subfamilia RANINAE Rafinesque-Schmaltz, 1814 Tribus RANINI Rafinesque-Schmaltz, 1814 Amolous Cope, 1865 Pseudoamoloos Fei, Ye & Jiang, 2000 Rana Linnaeus, 1758 Tribus Statisonar nov Staurous Cope, 1865 Subfamilia RANIKALINAE Dubois, 1987 Indirana Laurent, 1986 Subfamilia Rhacophorinas Hoffman, 1932 (1858) Incertae sedis Dendrobatorana Abl. 1927 Tribus Buergeriini Channing, 1989 Buerperia Tschudi, 1838 Tribus PHILAUTINI Dubois, 1981 Aguixalus Delorme, Dubois, Grosjean & Ohler, 2005 Kuraxalus Fei, Ye & Dubois, 1999 Nyctixalus Boulenger, 1882 Philautus Gistel, 1848 Theloderma Tschudi, 1838 Tribus Rhacophorini Hoffman, 1932 (1858) Chrixalus Boulenger, 1893 Chiromantis Peters, 1855 Polypedates Tschudi, 1838 Rhacophorus Kuhl & Van Hasselt, 1822 Superfamilia Sooglossoidea Noble, 1931 Familia Nasikabatrachidae Bisu & Bossuvt, 2003 Nasıkabatrachus Biju & Bossuvt, 2003

```
Familia Soogrossmus Noble, 1931
             Meanwayere Boulanour 1909
             Sandossus Baulenger, 1906
 Epifamilia + Trianoratrachoinia Kuhn, 1962
    Superfamilia + Teraposatracuorosa Kuhn, 1962
      Familia + Terenoperpecuras Kubn 1962
             + Triadohatrachus Kuhn, 1962
Ordo Lizonet a Duméril 1806
 Incartae sedie
             + Appropries Evans & McGowan 2002
             + Richard Nessoy 1997
             + Busselma Nessou 1981
             + Commentumedee Hacht & Fotos 1060
             † Galverneton Estes & Sanchiz, 1982
            + Hylasobarrachus Dollo, 1884
             † Tehalatritan Wang, 2000
            2 Knightion Averagov & Voronkeyich, 2002
            + Laccotroton Gao et al., 1998
            † Marmonerheton Evans, Milner & Mussert 1988
            + Ramonellus Nevo & Estes, 1969
            + Smerneson Gao & Shubin 2001
      Familia † BATRACHOSAUROIDIDAE Auffenberg, 1958
             † Batrachosauroides Taylor & Hesse, 1943
             † Mynhulakia Nessoy, 1981
            † Onisthatritan Auffenberg, 1961
            + Palasaproteus Herre, 1935
            + Parrisia Denton & O'Neill, 1998
            † Peratosauroides Naylor, 1981
            + Prodesmodon Estes, 1964
      Familia + Prospressour Fores, 1969
             † Prostren Goin & Auffenberg, 1958
      Familia † Scapherperontidae Auffenberg & Goin, 1959
            + Eascapherpeton Nessov, 1981
            + Horezma Nessov, 1981
            + Lisserpeton Estes, 1965
            + Picenerpeton Mesznely, 1967
            + Scapherpeton Cope, 1877
 Epifamilia Cryptobrancholdia Fitzinger, 1826
   Superfamilia CRYPTOBRANGHOIDEA Fitzinger, 1826
      Familia CRYPTOBRANCHIDAE Fitzinger, 1826
            Andrias Tschudi, 1837
            † Avuurus Gubin, 1991
            † Chunerpeton Gao & Shubin, 2003
            Cryptobranchus Leuckart, 1821
            + Ulanurus Gubin, 1991
      Familia Hynoridae Cope, 1859 (1856)
        Subfamilia Hynobinas Cope, 1859 (1856)
            Batrachuperus Boulenger, 1878
            Hymobius Tschudi, 1838
```

† Liaoxitriton Dong & Wang, 1998

Dubois 19

Lua Zhao & Hu. 1983 Onuchodaersky: Tschudi 1838 Pachyhynohus Fei, Ou & Wu, 1983 + Parahomahus Venezel 1999 Proudohymohuus Eas & Vo. 1083 Ranadan Kessler, 1866 Salamandrella Dubowski 1870 Subfamilia Promoznanagus Ees & Ve. 2000 Protohynobius Fei & Ye. 2000 Epifamilia † Karatirotota Ivachnenko, 1978 Superfamilia + Kapauroussa Ivachnenko, 1978 Familia + Kapanamas Ivachnenko 1978 † Karaurus Ivachnenko, 1978 + Kokartus Nessov, 1981 Enifamilia Saramanneounta Goldfuss, 1820 Incertae sedis † Indotriton Evans, Lally, Chure, Elder & Maisano, 2005 + Valdotraton Evans & Milner, 1996 Superfamilia Augustomatorina Geor 1850 Familia AMBYSTOMATINAE Grav. 1850. Ambustama Tschudi, 1838 + Amphiritim Rogers, 1976 Familia DICAMPTODONTIDAE Tihen, 1958 † Ambystomichnus Peabody, 1954 † Bargmanma Herre, 1955 + Chrysotraton Estes, 1981 Dicampiodon Strauch, 1870. † Geversella Herre, 1950 † Wolterstorfhella Herre, 1950 Superfamilia Amphilimoidea Gray, 1825 Familia Americanos Grav. 1825 Amhhuma Garden, 1821 † Paleoamphiuma Rieppel & Grande, 1998 + Proamphiuma Estes, 1969 Familia Perruonosymus Grav. 1850 Subfamilia Hemidactylinnae Hallowell, 1856 (1850) Tribus Bourrogi ossini Hallowell, 1856 Batrachosens Bonaparte, 1841 Bolitoglassa Dumeril, Bibron & Duméril, 1854 Bradytruon Wake & Elias, 1983 Chiropterotriton Taylor, 1944 Cryptotriton García-Paris & Wake, 2000 Dendrotraton Wake & Elias, 1983 Ixalotriton Wake & Johnson, 1989 Lineatriton Tanner, 1950 Nototriton Wake & Elias, 1983 Nyctanolis Elias & Wake, 1983 Oedinina Keferstein, 1868 Parvimolge Taylor, 1944

```
Pseudoeuryosa Taylor, 1944
         Thorius Cone, 1869
       Tribus Heagnagyvanni Hallowell, 1856 (1850)
         Hemidactulum Tschudi, 1838
       Tribus Seri seenii Cone 1850
         Furncea Rafinesone, 1822
         Gurunohilus Cone 1869
         Pseudatestan Tschnidi, 1838
         Stereochilus Cope 1869
    Subfamilia PLETHODONTINAS Grav. 1850.
       Tribus Desmognathini Grav. 1850
         Anesdes Baurd, 1849
         Desmographus Baurd, 1850.
         Ensatina Grav. 1850
         Hydromantes Gustel, 1848
         Karsenia Min, Yang, Bonett, Vieites, Brandon & Wake, 2005
         Leuragnathus Maore 1890
         Phaeographus Highton, 1961
      Tribus PLETHODONTINI Grav. 1850.
         Plethodon Tschudi, 1838
Superfamilia Proteomea Gray, 1825
  Familia Proteinas Grav. 1825

    Michigan Fistes & Darevsky, 1978.

         Necturus Rafinesque, 1819
         † Orthophyra Meyer, 1845
         Proteus Laurenti, 1768
Superfamilia Rhyacotritonoinia Tihen, 1958
  Familia Rhyacotritoninas Tihen, 1958
         Rhyacotriton Dunn, 1920
Superfamilia Salamanneoinea Goldfuss, 1820.
  Familia Saramannanae Goldfuss, 1820.
         † Archaeotriton Mever, 1860
         † Brachycornus Meyer, 1860
         † Chelotriton Pomel, 1853
         Chioglossa Bocage, 1864
         Cynobs Tschudi, 1838
         Echinotriton Nussbaum & Brodie, 1982
         Eutroctus Gené, 1838
         + Koalhella Herre, 1950
         Lissotraton Bell, 1839
         Lyciasalamandra Veith & Steinfartz, 2004
         † Megalorruon Zittel, 1888
         Mertensiella Wolterstorff, 1925
        Mesotraton Bolkav, 1927
         Neurergus Cope, 1862
         Notophthalmus Rafinesque, 1820
         † Oligosemia Navas, 1922
         Ommatotriton Grav. 1850
         Pachytruon Boulenger, 1878
```

† Palaeopleurodeles Herre, 1941

DUBOIS 21

Parametateran Chang 1935 Pleumdeles Muchahelles, 1830 † Procynops Young, 1965 Salamandra I aurenti 1768 Salamandema Eurzinger 1826 Taracha Grav. 1850 Terrorus Definecana 1815 Tulotoreton Anderson 1871 Enifamilia Supercorna Grav 1825 Superfamilia Sirenoinea Grav. 1825 Familia Sireninas Grav. 1825 + Habrosaurus Gilmore, 1928 + Kahabisha Evans, Milner & Werner, 1996 + Noterneton Rage, Marshall & Gauet, 1993 Pseudohranchus Grav 1825 Sinen Österdam, 1766 Superordo Gymnopulona Rafinesque-Schmaltz 1814 Ordo Gymnophiona Rafinesque-Schmaitz, 1814 Incertse sedie † Rubricacaecha Evans & Sigogneau-Russell, 2001 Epifamilia Cascusoma Rafinesque-Schmaltz, 1814 Superfamilia Carcii iotora Rafinesone-Schmaltz, 1814 Familia Carcuttoar Rafinesque-Schmaltz, 1814 + Anadons Estes & Wake, 1972 Raulengerula Tornier, 1897 Braulapohlus Taylor 1968 Caecilia Linnaeus, 1758 Dermophis Peters, 1879 Gegeneaphis Peters, 1879 Geotropetes Peters, 1880 Grandsoma Taylor, 1968 Gymnams Peters, 1874 Hernele Peters, 1879 Hypogeophis Peters, 1879 Idiocranium Parker, 1936 Indotyphlus Taylor, 1960 Luetkenotyphius Taylor, 1968 Microcaeciha Taylor, 1968 Mimosiphonops Taylor, 1968 Oscascilia Taylor, 1968 Parvicaecilia Taylor, 1968 Prashma Boulenger, 1909 Schutometopum Parker, 1941 Syphonops Wagler, 1830 Sylvacaeciha Wake, 1987 Familia Ichthyophubae Taylor, 1968 (1843) Caudacaecilia Taylor, 1968 Ichthyophus Fitzinger, 1826 Familia Scolecomorphidae Taylor, 1969 Grotaphatrema Nussbaum, 1985

Scolecomorphus Boulenger, 1883

Familia Typus overtings Taylor, 1968

Atretochoana Nussbaum & Wilkinson, 1995

Chthonerpeton Peters, 1879 Nectocaeciha Taylor, 1968

Typhlonectes Peters, 1879
Familia Unascryphunas Nussbaum, 1979

Uraeotyphlus Peters, 1879

Superfamilia RHINATREMATOIDEA Nussbaum, 1977

Familia Rhinatrematidae Nussbaum, 1977

Rhinatrema Duméril & Bibron, 1841

Epifarmha † Eocascilloidia Jenkins & Walsh, 1993
Superfamilia † Focascilloidia Jenkins & Walsh, 1993

Familia † Eocaecilioidea Jenkins & Walsh, 199.
Familia † Eocaecilidae Jenkins & Walsh, 1993

+ Focaecilia Jenkins & Wolch, 1993

ACKNOWI EDGMENTS

For helpful comments, suggestions and information that allowed to improve this paper, I am grafful to Lauren E. Brown, Ronald I. Crombie, Frank Glaw, Jean-Claude Rage, Borja Sanchiz, Mizuel Vences, Nicolas Vidal and David B. Wake.

LITERATURE CITED

- ALTIG, R. & McDiarmin, R. W., 1999 Diversity Familial and generic characterizations. In R. W. McDiarmin & R. Altiff (ed.), Tadpoles The biology of animan largue, Chicago & London, Univ. Chicago Press. 295-337.
- Biju, S. D. & Bosseyt, F. 2003. New frog family from India reveals an ancient biogeographical link with the Seychelles. Nature, 425, 711-714.
- Bossuyt, F. & Dubois, A., 2001. A review of the frog genus Philawus Gistel, 1848 (Amphibia, Anura, Randae, Rhacophorinae). Zeylanica, 6 (1): 1-112.
- CANNATELLA, D & HILLIS, D M., 2004. Amphibians Leading a life of slime. In J Cracraft & M. J. Donoghue (ed.), Assimbling the tree of life, New York, Oxford University Press. 430-450.

 Chippindale, P. T. Bonstri, R. M. Balshi, A. S & Wilsis, J. 1, 2004. Philogenetic evidence (or a major reversal
- of life-harory evolution in plethodomid salamanders. Evolution, 58 (12): 2809–28.2

 ZAMPORO, A. J. & SAMITI, B. N. , 2605. Cencore to byogography and evolution in direct-developing flogs of Central
 America (Leptodactybide: Elauticodacivilus) as interred from a phylogenetic analysis of nuclear and mito
 chondrial genes Medicality Pologenetic to Beculum, 38: 516-62.
- DARST, C. R. & CANNATELLA, D. C., 2004. Novel relationships among hyloid frogs inferred from 12S and 16S mitochondrial DNA sequences. Molecular Phylogenetics & Evolution, 31, 462–475.
- DELORME, M., DUROIS, A., KOSUCH, J. & VENCES, M., 2004. Molecular phylogenetic relationships of Lankancers corrugator from Sn Lanka endemism of South Asian frogs and the concept of monophyly in phylogenetic studies. Advist. 23 (1–2): 55–64.
- Dubots, A. 1981 Liste des genres et sous-genres nominaux de Ranoidea (Amphibiens, Anoures du monde, avec identification de œurs especes types consequences nomenclaturales. Montiore zoologico italiano (n.s.), 15, suppl., 225-284.
 - 1983 Classification et nomenciature supragenersque des Amphibiens Anoures. Butient mensuel de la Sancte Immeenne de Lyon, 52: 270-276.
- 1984. La nomenclature suprageneraque des Amphibiens Anoures. Memoires du Museum national d'Histoire naturelle, (A) 131: 1-64
- --- 1985 Miscellanea nomenciatorica batrachologica (VII), Alytes, 4 (2): 61-78 1987a - Miscellanea inxinornica batrachologica (D. Alytes, "1986", 5 (1-2): 7-95

Durois 23

- --- 1987b Living amphibians of the world: a first step towards a comprehensive checklist. Alytes, 5 (3): 99-149
- 1987. Ingani on the tentilement of lings Hysis, et al. (1-2) 55
- --- 1988 The genus in zoology: a contribution to the theory of evolutionary systematics. Memoires di Museum national d'Histoire naturelle. (A), 140: 1-123
- --- 1992. Notes sur la class, fication des Randae (Amphibiens, Anoures). Bulletin mensuel de la Société linnéenne de Lyon, 61 (10), 305-352
- 1999 Miscellanea nomenclatorica batrachologica. 19 Notes on the nomenclature of Ranidae and related groups Alvies, 17 (1-2): 81-100
- 2033 True frogs (Ranidae) In: M. HUTCHINS, W. E. DUELLMAN & N. SCHLAGER (ed.), Gramek's animal bje encyclopedia, 2nd edition, Volume 6, Amphibams, Farmington Hill, Michigan, Gale Group: 245-264 20Ma. Amphiba Much call for contributions of Absect, 21 (3.4): 121-123.
- 2004a. Ampainta oruna: call for contributions, Atyas, 21 (3-4): 171-173.
 2004b. The higher nomenclature of recent amphibians. Alvier, 22 (1-2): 1-14.
- 2004b. The higher nomenclature of recent amphibians. Alytes, 22 (1-2): 1-14.

 2005c. Proposed Rules for the incorporation of nomina of higher-ranked recleaved rays in the International
- Code of Zoological Nomericance | Some general questions, concepts and terms of biological nomenclature Zoosystema, 27 (2): 365-426.
- 2005b. Proposed Rules for the incorporation of nomina of higher-ranked zoological taxa in the International Code of Zoological Nomenclature 2 The proposed Rules and their rationale Zoosystema, in press
- 2006 Proposed Rules for the incorporation of nomina of higher-ranked zoological taxa in the International Code of Zoological Nomenclature 3 A detailed example the higher nomina of recent Amphibia Zootystema, in press
- DUELLMAN, W E, 1993 Ampulban species of the world additions and corrections. University of Resiza Museum of natural History special Publications, 21. [:-ii] + :-ii + :-372.

 2003 L Eptodacrylist frogs (Leptodacrylist forgs (Leptodacrylist forgs) (Leptodacrylist forgs).
- Graumek's animal life encyclopedia. 2nd edition, Volume 6, Amphibians, Farmington Hill, Michigan, Gale Group. 155-171

 EMERSON, S. B., RICHARDS, C., DREWES, R. C. & KIER, K. M., 2000. On the relationships among ranoid frogs. a
- EMERON, S. D., RUHARDS, C., DREWES, R. C. & KJER, R. M., 2000. On the relationships among ratioal riogs, a review of the evidence Herpetologica, 56 (2): 209–230

 FVANS. B. I. KELLEY, D. R. MELNICK, D. I. & CANNATELLA, D. C., 2005. Evolution of RAG-Lin polyploid claused.
- EVANS, B. J., KELLEY, D. B., MELINICK, D. J. & CANNATELLA, D. C., 2005 EVOLUTION OF RAG-1 in polyptoid clawed frogs. Molecular Biology & Evolution, 22 (S) 1193–1207

 EVANS, B. J., KELLEY, D. B., TINSLEY, R. C., MELNICK, D. J. & CANNATELLA, D. C., 2004 A mitochondal DNA
- phylogeny of African clawed frogs phylogeography and implications for polyploid evolution Molecular Phylogenenic & Evolution, 33:197-213

 EMNS, S. E. LALLY, C., CHURB, D. C. ELDER, A. & MAISANO, J. A., 2005

 A late Jurassic salamander (Amchibia
- Caudato from the Morrison formation of North America Zooograf Journal of the Lumaean Society, 143
 99-616
 Fel. L. Ye. C. & HUANG, Y. 1991 Kev to Chinese Amphibra Chongqine, Editions of Sciences and Techniques. "1990"
- [i-iv] + [-2 + 1-364. [In Chinese]

 Fei, L., Ye, C., Jiang, J., Xie, F. & Huang, Y., 2005 An illustrated key to Chinese amphibans. Sichuan Publishing
- Group, Sichuan Publishing House of Science & Technology: 1-v + 1-340, pl. 1-12

 FORD, L. S. & CANNATELLA, D. C., 1993. The major clades of frogs. Herpetological Monographs, 7 94-117.
- FROST, D. R., (ed.), .985 Amphibian species of the world Lawrence, Allen Press & Assoc Syst Coll. [i-w] +:-v +
- 1-732.

 GARCIA-PARIS, M., BUCHHOLZ, D. R. & PARRA-OLEA, G., 2003. Phylogenetic relationships of Pelobstoidea
- re-examined using mtDNA. Molecular Phologemena to Evolution, 28: 12-23.

 Garkia Parra, M, Montton, A, & Alon-Son-Zanazón, M. A, 2004. Apendice 1 Nomenclatura lisa de sinonimos y combinaciones. In M. Garkia-Parra, A. Monttoni & P. Herrera, vol. 24, Anaphinba Listamphiba, in M. A. Ramos et al. (ed.), Fauma pheroa, Madrind, Museo Nacional de Ciencias Maturalis & Consego Superior de
- Investigaciones Científicas: 589-602

 GLAW, F., KÖHLER, J., LÖTTERS S. & VENGES, M., 1998 Vorhaufige Liste und Bibliographie neubeschriebener

 Amphibioenarten und unterarten von 1993 bis 1997. Elaphe, 6 (1). 1-2219.
- HAAS, A., 2018 Phy.ogeny of frogs as inferred from primarily larval characters (Amphibia Anura, Cladistics, 19
- HARDING, K. A., 1982 Coutship display in a Bornean frog. Proceedings of the biological Society of Washington, 95
- HILLIS, D. M., CHAMBERLAIN, D. A., WILCOX, T. P. & CHIPPINDALE, P. T., 2001. A new species of subterranean blind salamander (Plethodontidae. Hermidacty Inn. Eurosca. Typhiomedy) from Austin, Tecas, and a systematic revision of central Tesas neadomorphic salamanders. Herpitologica, 57 (3), 266-280.
- Hillis, D. M. & Wilcox, T. P. 7005. Phylogeny of the New World true frogs. (Rana). Molecular Phylogenenes & Evolution, 34, 299-314.
- HOLGG, S., VENCES, M., BRINKMANN, H. & MFYER, A., 2004. Phylogeny and comparative substitution rates of frogs inferred from sequences of three nuclear genes. Molecular Biology & Evolution, 21 (7): 1188-1230.
- HUTCHINS, M., DUBLIMAN WE & SCHLAGER, N. ed. 2003. Amphibians In M. Hi TCHINS, ed., Gramek's annual life encyclopedia, Second Edition, Volume 6, Farmington Hills, Michigan, Gale Group 1-xvi + 1-507.

- KAPLAN, M., 2002 Histology of the anteroventral part of the breast-shoulder apparatus of Brachycephalus ephippium (Brachycephaluse) with comments on the validity of the genus Pryllophryne (Brachycephaluse). Amphibia-Rentils 23 (2), 235-23.
- LAURENT, R. E., 1980 Esquisse d'une phylogenèse des Anoures. Bulleun de la Socuté zoologique de France, 104.
- 1986. Sous-classe des Lissamphibiens (Lissamphibia) Systematique In P.-P Grasse & M. Delsol (ed.), Traite de Zoolorie, 14. Amphibiens, fasc. 1-B. Paris, Masson, 594-796.
- MAGLIA, A. M., 2003 Fire-bellied toads and barbourulus (Bombinatoridae) In: M. Hutchins, W. E. Duellman & N. Schlager (ed.), Gramek's animal life encyclopedia, 2nd edition, Volume 6, Amphibians, Farmington Hill, Michigan, Gale Group 83-88
- MAYR, E., 1981 Biological classification toward a synthesis of opposing methodologies. Science, 214 510-516.
- McGowan, G & Evans, S E., 1995 Albanerpetontid amphibians from the Cretaceous of Spain Nature, 373 (6510).
- Min, M. S., Yang, S. Y., Bonett, R. M., VIEITES, D. R., Brandon, R. A. & Wake, D. B., 2005 Discovery of the first Asian plethodoptid salamander. Nature, 435: 87-90
- MUELLER, R. L., MACEY, J. R., JARKEL, M., WARE, D. B. & BOORE, J. L., 2004 Morphological homplasy, life history evolution, and historical biogeography of plethodonud salarianders inferred from complete mitochondrial genomes. Proceedings of the manual Academy of Sciences of the USA, 101 (38): 13821-13825.
- ROBLANTS, K. & BOSSUYT, F., 2005 Archaeobatrachian paraphyly and Pangaean diversification of crown-group from Systemate Robow, 54 (1):111-126.
- ROBLANTS, K., JIANG, J. & BOSSOYT, F., 2004. Endemic rand (Amphibia: Anura) genera in southern mountain ranges of the Indian subcontinent represent ancient frog lineages. evidence from molecular data. Molecular Phylogeneusci & Frondum. At 130-740.
- SAN MAURO, D., VENCES, M., ALCOBENDAS, + M., ZARDOVA, R. & MEYER, A., 2005 Initial diversification of living amphibians predated the breakup of Pangaea. The American Naturalist. 165: 590-599.
- SANCHIZ, B., 1998. Sahendis In P. Wellinhofer (ed.), Handbuch der Palacherpetologie, Teil 4, München, Friedrich
 Pfeil 1-811 + 1-275.
- Van der Мејрев, A., Venges, M., Hoege, S. & Meyer, A., 2005. A previously unrecognized radiation of rand frogs in Southern Africa revealed by nuclear and mitochondrial DNA sequences. Molecular Phylogenetics & Evolution, in press.
- VAN DER MEIDDEN, A., VENCES, M. & MEYER, A., 2004 Novel phylogeneur relationships of the enigmatic brevociptine and scaphiophrynine toads as revealed by sequences from the nuclear Rag-1 gene Proceedings of the road Society of London, IDI (Suppl.), 271 8378-5381.
- Vences, M. & Glaw, F. 2001 When molecules carm for taxonomic changes new proposals on the classification of Old World treefrogs. Spixiana, 24: 85-92.
- WAKE, D. B., 2003 Lungless salamanders (Picthodonudae) In M. HUTCHINS, W. E. DUELLMAN & N. SCHLAGER (ed.), Grazimik's animal life encyclopedia, 2^{ed} edition, Volume 6, Amphibians, Farmington Hill, Michigan, Gale Group: 389-404.

Amphibia Mundi. 1.2. Recent amphibians: generic and infrageneric taxonomic additions (1981-2002)

Alain Durors* Ronald I Crowrig** & Frank Graw***

*Vertébres: Reptiles et Amphibiens, USM 0602 Taxonomie and Collections, Departement de Systematique and Evolution, Museum national d'Historie naturelle, 25 rue Cuvier, 75005 Paris, France

<adubos@mnhn ft>
** Cal.forma Academy of Sciences,
875 Howard Street, San Prancisco, CA 94103-3098, USA
<rcrombre@calacademy org>
*** Zoologsyche Statessammlung,
81247 Munchen, Germany

\$Fans Glawczym mwn de>

The present list concerns additions in the raxionmy of Nionarracia (c., recent amphibians, taxa represented by a least one species in the currently living flaum of our planet; see Disons, 2004, for taxa at rank genus and below, published before 2003 after the three lists of recent amphibians raxa of Frost (1985), DUELLAMN (1993) and GLAW et al (1998) and the two lists of foosil taxa of this group of Estras (1981) and Sackitz (1998), or about from these five lists. The period covered by these additions starts in 1981 for taxa of Iossil gymnophiones and urodeles, in 1993 for taxa of recent amphibians, and in 1998 for taxa of foosil anurans. It ends on 31 December 2002 for all these groups. We tred to include all new nomina that had been overlooked in the lists cated above, or for which we identified errors in these hiss. However, nomina of lower recent taxa anterior to 1993 not considered in Paosity* (1985) and DUELLAMAY's (1993) checkhist (i.e., most synonyms and most nomina of valid subgenera and subspectices) were not included, as their inclusions would have increased the present list by bundereds, if not thousands, of nomina Most of these nomina anterior to 1¹¹ January 1970 are to be found in Gorham (1994), but a care assists for the nentel (1970-1992).

Only new nomma are listed, and taxonomic or nomenclatural changes other than additions (e.g., synonymisation or revalidation of nomen, change of rank or higher taxonomic allocation of taxon, subsequent type designation, first reviser action, orthographic emendation) are not considered here. The new nomina are listed below by alphabetical order under families and subfamilies according to the enteral taxonomic frame of Dusios (2005a).

New nomina of the species-series (i.e. species and subspecies, Dusois, 2000, 2009-6-c) are printed in lorser case Italies, followed by the country of the rype-localiny of the taxon. Although many species are described on the basis of specimens collected in a single locality or a few neighbouring localities (see Dubois, 2004-24), this is not a general rule, and at any rate mention of the country of the type locality is not to be contrued as the known or inferred geographical distribution of the taxon. In most cases, only the name of the country is given, but for a few countries that are either very large (Australia, Braal, Canada, China, India, USA) or that cover several important land masses (Indonesia, Malaysia), the first-level administrative division (province, state, etc.) is also given. Names of countries are given in English, but those of first-level administrative divisions are in the language of the country, even when a common English translation castis.

New nomina of the genus-series (i.e., genus or subgenus, DuBois, 2000, 2005b-c) are printed in lower case bold Halics, followed by the nomina of their type-species and the country of the type locality of the latter (nor the known or inferred regraphical distribution of the taxon).

The nomina of fossil taxa are preceded by the sign †. For such taxa, beside the country of the the nomina of fossil taxa are preceded by the latter (i.e., not the known or inferred stratigraphical distribution of the taxon) is provided.

Nomenclaturally unavailable nomina (i.e., nomina nuda and other kinds of anoplonyms, as defined by Dusots, 2000) are presented below "between quotation marks".

In soological taxonomy, among two synonymous nomins, the valid one is the first published (rule of priority). For this reason, knowing the actual date of public distribution (publication date) of a book or paper is an important information. Below, publication dates as indicated on the works themselves are accepted as true in the absence of contradictory information. Whenever more precise information is available, the actual date of publication, either exact (day) or rough (month), is added between square brackets after the year at the beginning of reference. The source of this information is given, also between square brackets, at the end of the reference. When only incomplete information is available, (e.g., evidence that a work was published later than its printed date, but no precise publication date), this information is also given between square brackets at the end of the reference. Publication dates agiven on the covers of some journals or reprints are not accepted as genuine evidence of exact publication date, because the exact date at which a publication was actually distributed can be known with certainty only afterwards (e.g., a planned date of distribution can have to be modified because of unexenceted delates, article, etc.)

Wise did our best to provide the complete tules of publications and the names of administrative divisions of countries in their original languages, as well as the names of authors, with proper accents and other discritic marks, e.g. using "o" and not "o" o" r" o", "a" and not "a", or "2" and not "2". Such a respect for persons and languages other than English is becoming rare in many journals and databases, even major ones. We would apprectate receiving corrections from readers firmstakes in this respect remain in the present document. Titles of works were presented under their English translation only when the title in the original language was not written in Roman alohabet.

This list only provides information on new nomina published in the period 1981-2002 for amphibian task then considered new. Since their original description, some of these nomina have already been synonymized, or have had a change of nomenclatural rank (subspicies raised to species rank, or the reverse, etc.), or have been shown to apply to taxe that were wrongly allocated to higher taxe a g., Saming minkolchingursis Das & Chandra, 2000 (Pricontunes, Maroomenicae), which was later shown to be a member of the Rastine Directions, so. In the list below, only the original combination (including its original inspellings if present) is given, not the subsequent synonymisation or change of status. However, as nomina are listed under family series taxe, a few taxe, for which wrong taxonomic allocation is certain, were listed under their proper taxon, albot in their original combination, in order not to create any new combination in the present work. Reference to evidence supporting the taxonomic transfer, when relevant, is provided as a "Comment" after the nomen In a few cases, no previous published statement is known to exist, so the responsibility of the transfer is acknowledged between source brackets (e.g., for Rana charlesdarium).

A few nomma were untually published with "incorrect original spellings" as defined by Art. 32.4 of the Code. For such nomina, we provide the "correct original spellings" according to Art. 32.5 of the Code, with reference to the first user of this spelling if the latter has already been corrected. This applies to species-series nomina imspelied because of wrong agreement in gender with the generic nomine. Art. 31.2), for to nomina unisually formed from personal names (Art. 31.1), for reasons explained in detail by CROCKET & DUROUS (244.496). A few other nomina were initially published with "imultiple original stollings" as defined by Art. 19.3 of the Code, in such cases, we provide information of the

"correct original spelling" chosen by the first-reviser (Art. 24 2 3 and 32 2 1), and, if no such first-reviser action has yet been taken, we provide it.

The present hat will be regularly followed by updates published in Amphiba Mund. Although we did our best to collect all the available information on amphiban taxonomic novelties published from 1981 to 2002 that had not been provided in the five lists mentioned above, no doubt we overlooked a number of publications? This is unavoidable, as even the Zeological Record, with an experience of one and a half century, still overlooks a large proportion of publications and new normal (BOUCHET & ROCKO), 1992, 1993. Readers and users of this first list are therefore encouraged to send us corrections and additions. This new information will be included in our subsequent lists Furthermore, in order to avoid our overlooking their forthcoming works, all amphiban taxonomists worldwide are strongly encouraged to send spontaneously a copy of each of their publications (books and reprints) having taxonomic, nomenclatural or distributional contents to the coordinator of Amphiba Mundi, Allain Diutois (Republic & Amphibaries, Mussium national d'Histoire naturelle, 25 rue Curver, 75005 Paris, France). The works to received will be deposited in the public herpetological library of the Paris Mussium strong the surface and the public herpetological library of the Paris Mussium subserve and the fivery users.

Classis Amphibia De Blainville, 1816

Subclassis Nigoratoacus Sarasin & Sarasin, 1890

Superordo + Allocaudata Fox & Navlor, 1982

Ordo † Allocaudata Fox & Navior, 1982

Emfamilia + ALBANGREETONTOIDIA Estes & Hoffstetter, 1976

Superfamilia † Albanerperontoidea Estes & Hoffstetter, 1976

Familia † ALBANGREGONTIDAE Estes & Hoffstetter, 1976

- † Albanerpeton arthridion Fox & Navlor, 1982. USA (Texas), Cretaceous,
- † Albanerpeton cifella Gardner, 1999. USA (Utah), Cretaceous.
- † Albanerpeton galaktion Fox & Navlor, 1982. Canada (Alberta) Cretaceous.
- † Albanerpeton gracilis Gardner, 2000. Canada (Alberta). Cretaceous.
- † Celtedens McGowan & Evans, 1995 Type-species, by original designation: † Triton megacephalus
- † Celtedens therscus McGowan & Evans, 1995. Spain. Cretaceous
- † Nukusurus Nessov, 1981 Type-species, by original designation † Nukusurus misuetus Nessov, 1981. Uzbekistan. Cretaceous.
- † Nukusurus insuetus Nessov, 1981. Uzbekistan Cretaceous.
- + Nukusurus sadalıs Nessov, 1997. Uzbekıstan, Cretaceous

Superordo Batrachia Brongniart, 1800

Ordo Anura Duméril, 1806

Incertae sedis

† Avitabatrachus Baez, Trueb & Calvo, 2000 - Type-species, by original designation † Avitabatrachus uliana Báez, Trueb & Calvo, 2000 - Argentina Cretaceous

- + Anizaharrachus uhana Baez Truch & Calva 2000 Argentina Cretaceous
- † Mesophryne Gao & Wang, 2001. Type-species, by original designation: † Mesophryne berpiacensis
- † Mesophryne hennagensis Gan & Wang, 2001. China (Liaoning), Mesozoic
- *Nespercius Blob, Carrano, Rogers, Forster & Espinoza, 2001. Type-species, by original designation: † Nespercius dodsom Blob, Carrano, Rogers, Forster & Espinoza, 2001. USA (Montpan). Certarenous.
- † Nezbergus dodson Blob, Carrano, Rogers, Forster & Espinoza, 2001 USA (Montana), Cretaceous
- † Sunnybatrachus Evans & McGowan, 2002 Type-species, by onginal designation. † Sunnybatrachus purbachensis Evans & McGowan, 2002. - England, Cretaceous.
- Sunnyhatrachus nurheckensis Evans & McGowan, 2002. England Cretaceous.
- † Thoumastosaurus wards Holman & Harrison, 2002. England Focene

Epifamilia Bombinatoroidia Gray, 1825

Superfamilia Bossinstonomes Grav. 1825

Familia Bombinatoridae Grav. 1825

Incertne sedie

- † Callobatrachus Wang & Gao, 1997. Type-species, by original designation: † Callobatrachus sanyanensis Wang & Gao, 1997 China (Luaoning) Turassic-Cretaceous boundary.
- † Callobarrachus samyaneusis Wang & Gao, 1997 China (Liaoning), Jurassic-Cretaceous boundary, † Latoglossus Hossini, 2000. Type-species, by original designation: † Latoglossus graus Hossini,
- 2000. Morocco, Miocene.

 † Langlassus graus Hossini, 2000. Morocco, Miocene.

Subfamilia ALYTINAE Fitzinger, 1843

Alvies obstetricans pertinax García-Paris & Martinez-Solano, 2001. - Spain.

Subfamilia Bomeinaroginae Grav. 1825

Bombina lahmanents Ye & Fei m YE, Fei & YU, 1993 China (Hubet). Comment: Species redescrabed as new by Ye & Fii (1994a), with the same nomen and authors (see YE, Fei & Hu, 1993 364), but nomen is available as from Yt. Fei & Hu (1993-113) Not being mentioned in the original publication of the nomen, the "holotype" designated by Ye & Fei (1994a-22, 25) is in fact the lectorype of this normal species.

Subfamilia † GOBIATINAE Roček & Nessov, 1993

- [†] Cretasalia Gubin, 1999 Type-species, by original designation: Cretasalia tsybini Gubin, 1999

 Mongolia, Cretaceous

 Type-species, by original designation: Cretasalia tsybini Gubin, 1999

 Mongolia, Cretaceous

 Type-species, by original designation: Cretasalia tsybini Gubin, 1999

 Mongolia, Cretaceous

 Type-species, by original designation: Cretasalia tsybini Gubin, 1999

 Mongolia, Cretaceous

 Type-species, by original designation: Cretasalia tsybini Gubin, 1999

 Mongolia, Cretaceous

 Type-species, by original designation: Cretasalia tsybini Gubin, 1999

 Mongolia, Cretaceous

 Type-species, by original designation: Cretasalia tsybini Gubin, 1999

 Mongolia, Cretaceous

 Type-species, by original designation: Cretaceous

 Type-species, by original designation: Cretaceous

 Type-species, by original designation or Cr
- † Cretasalia tsvbmi Gubin, 1999. Mongolia, Cretaceous,
- † "Gobiates" Spinar, 1983 Mongolia Cretaceous. Comment: Nomenclaturally unavailable genus-series nomen, as published without designation of a type species. Nomen made nomenclaturally available in Spiraka & Tatakinov (1986).

Enifamilia Leiopei Matoinia Mivart, 1869

Superfamilia I ELOPELMATOUREA Mayort 1860

Familia Letopet Martinas Miyart, 1869.

Subfamilia Leiopei Matinas Miyart, 1869

Letotelma pakeka Bell, Danoberty & Hay, 1998 - New Zealand

Enifamilia Pri orazoitia Bonanarte, 1850.

Superfamilia Pelobatoidea Bonaparte, 1850

Familia PRIORATIDAS Bonanarte, 1850

Incortoe codio

† Liaobatrachus I: Shu'an & Ji Olang, 1998 Type-species, by original designation † Liaobatrachus prabaut It Shu'an & It Ouang, 1998. China (Liaoning), Mesozoic

† Liaobatrachus grabaui II Shu'an & II Otang, 1998 - China (Liaoning) Mesozote.

Subfamilia Megophevinas Noble, 1931 (1850)

Tribus Leptorpachini Dubois, 1983

Leptobrachium banae Lathrop, Murphy, Orloy & Ho, 1998a. Vietnam. Leptobrachium hainanensis Ye & Fei in YE, FEI & Hu, 1993, - China (Hainan).

Leptobrachium smithi Matsui, Nabhitabhata & Panha, 1999. - Thailand

Leptobrachum xanthospilum Lathrop, Murphy, Orlov & Ho. 1998a. - Vietnam.

Leptobrachsum (Vibrissaphora) echinatum Dubois & Ohler, 1998. - Vietnam

Leptolalax alpmus Fer. Ye & Li in Fer. Ye & Hisnig, 1991. China (Yunnan) - Comment Species redescribed as new, with the same nomen, authors and holotype, in Fer. Ye & Lt (1992), but nomen is available as from FEI, YE & HUANG (1991).

Lettolalax hut Fei & Ye in Fei, Ye & Huang, 1991. - China (Funan).

Leptolalax nahangensis Lathrop, Murphy, Orlov & Ho., 1998b. - Vietnam.

Leptolalax pluvialis Ohler, Marquis, Swan & Grosiean, 2000. - Vietnam,

Leptolalax sunsi Lathrop, Murphy, Orloy & Ho, 1998b. Vietnam Leptolalax tuberosus Inger, Orlov & Darevsky, 1999. Vietnam.

Leptolalax ventripunctatus Fei, Ye & Li in Fei, Ye & Huang, 1991

China (Yunnan) · Comment. Species redescribed as new, with the same nomen, authors and holotype, in Fei, Ye & Li (1992), but nomen is available as from Fet, Ye & Huang (1991).

Oreolalax granulosus Fei, Ye & Chen in Fei, Ye & Huang, 1991 China (Yunnan) Comment. Species redescribed as new, with the same nomen, authors and holotype, in Fei, Ye & CHEN (1992), but nomen is available as from FeI, YE & HUANG (1991)

Oreolalax nanuangensis Fet & Ye in Fet, YE & Lt, 1999. - China (Yunnan).

Scuttger (Aelurophryne) bhutanensis Delorme & Dubois, 2001. - Bhutan,

Scuttger (Activophryne) juilongensis Fei, Ye & Jiang m Fei, Jiang, Ye & Chen, 1996. - China (Sichuan)
Scuttger (Occalator) yangchengensis december Yang & He. 1990. - China (Yunnan)

Tribus MEGOPHRYINI Noble, 1931 (1850)

Brachstarsophrus chuannanenus Fei Ve & Yong in FEI & VE 2001a - China (Suchuan)

Brachytarsophrys platyparietus Rap & Yang, 1997h. - China (Yunnan).

Megaphrus caudooracta Shen, 1994 - China (Hunan)

Megaphrut dancimontes Ran & Vana 1997a - China (Vinnan)

Megophrys glandulosa Fet, Ye & Huang, 1991 China (Yunnan). Comment: Species redescribed as new, with the same nomen, authors and holotype, in Fet, Ye & Huang (1992), but nomen is applied as from Fet Ye & Huang (1991).

Megophrys mangshanensis Fei & Ye in Fsi, Ye & HUANG, 1991. - China (Hunan) Comment: Species redescribed as new, with the same nomen, authors and holotype, by Fsi, Ye & HUANG (1992), but nomen is available as from Fsi, Ye & HUANG (1991).

Megophrys minor binchuanensis Ye & Fei, 1995. - China (Yunnan).

Meanthrus shachenantis Tian. Gu & Sun. 2000. – China (Guizhou)

Megophrys waxweensis Fei, Jiang & Zheng m Fei & Ye, 2001a. China (Sichuan). Comment: Species redescribed in detail by Jiang, Fei, Zheng, Ye, Xie & Chen (2002).

Megophrys wuhangshanensis Ye & Fes. 1995. - China (Yunnan).

Megophrys wushanensis Ye & Fei, 1995. - China (Sichuan).

Megophrys zhangi Ye & Fei, 1993. - China (Xizang).

Megophrys (Xenophrys) auralensis Ohler, Swan & Daltry, 2002. - Cambodia.

Panophrys Rao & Yang, 1997 Type-species, by original designation Megophrys omeimonts Liu,

Subfamilia PELODYTINAE Bonaparte, 1850

Pelochues thericus Sánchez-Herraiz, Barbadillo, Machordom & Sanchiz, 2000 Snam

Epifamilia Pipoipia Grav. 1825

Superfamilia Preorded Gray, 1825

Familia † Palaeobatrachidae Cope, 1865

† Palaeobatrachus robustus Hossini & Rage, 2000. France. Miocene.

Familia PIPIDAE Grav, 1825

Subfamilia Dactylethrinae Hogg, 1838

† Pachybatrachus Baez & Rage, 1998 Type-species, by original designation: † Pachybatrachus taquett Baez & Rage, 1998. Niger. Cretaceous.

† Pachybatrachus taquett Baez & Rage, 1998. - Niger. Cretaceous

† Shelama laurents Baez & Pugener, 1998. - Argentina, Palaeogene.

† Xenopus arabiensis Henrici & Báez, 2001. - Yemen, Oligocene,

Familia Rhinophrynidae Günther, 1858

† Rhadinosteus Henrici, 1998. Type-species, by original designation: † Rhadinosteus parvus Henrici, 1998. - USA (Utah), Jurassic.

† Rhadmosteus parvus Henrici, 1998. - USA (Utah), Jurassic.

Epifamilia Ranoidia Rafinesque-Schmaltz, 1814

Superfamilia Hyloides Rafinesque, 1815

Familia BUFONIDAE Gray, 1825

Adenomu dari Manamendra-Arachchi & Pethyagoda, 1998. – Sri Lanka.
Ansomi anomi Inger, Tan & Yambun, 2001. – Malaysia (Sabah)
Ansoma unhanon Matsus, Nabhitabhata & Panha, 1998. – Thailand.
Ansomia kamblar Ravichandran & Pillas, 1996. – India (Maharashtra).
Alebous angeliud Ardilla-Robous & Ruuz-Carranza, 1998. – Colombia

Atelopus guanuso Coloma, 2002. - Ecuador.

Atelopus gustarraensis Osorno-Muñoz, Ardila-Robayo & Ruiz-Carranza, 2001. - Colombia.

Atelopus lozano: Osorno-Muñoz, Ardila-Robayo & Ruiz-Carranza, 2001. Colombia Atelopus mandingues Osorno-Muñoz, Ardila-Robayo & Ruiz-Carranza, 2001. – Colombia.

Atelopus mono-hernandeza Ardila-Robayo, Osorno-Muñoz & Ruiz-Carranza, 2002 - Colombia.

Comment The original spelling of the epithet of this new species is incorrect and should be

emended into monohernandezu according to Art. 32 5.2.3 of the Code. Atelopus nanay Coloma, 2002. – Ecuador.

Atelopus petriruizii Ardila-Robavo, 1999. - Colombia

ntetopus petrirutzii Ardna-Robayo, 1999. – Coloniona

Atelopus reticularus Lötters, Haas, Schick & Böhme, 2002. – Peru. Atelopus siranus Lötters & Henzl, 2000. - Peru

Atelopus sonsonensis Vélez-Rodriguez & Ruiz-Carranza, 1997. – Colombia.

Bufo amiets Tandy & Perret, 2000 - Ivory Coast.

Digo amiest failedy & Felfet, 2000 - 1901y Coast.

Bufo chavin Lehr, Kohler, Aguilar & Ponce, 2001. - Peru-

Bufo cristinas Vélez-Rodriguez & Ruiz-Carranza, 2002. – Colombia

Bufo danatensis taxkorensis Fei, Ye & Huang in Fei, Ye, Huang & Chen, 1999 China (Xinjiang).

Bufo 11m1 Stevaux, 2002. - Brazil (Bahia).

Bufo kumquat Das & Lim, 2001. - Malaysia (West Malaysia).

Bufo leucomyos McCranie & Wilson, 2000. - Honduras. Bufo melanosticius hazarensis Khan, 2001. - Pakistan.

Bufo noellerti Manamendra-Arachchi & Pethiyagoda, 1998. - Sri Lanka

Bujo pseudoraddei baturae Stock, Schmid, Steinlein & Grosse, 1999. - Pakistan.

Bufo sclerocephalus Mijares-Urruna & Arends, 2001. - Venezuela

Bufo stanlan Lötters & Kohler, 2000 - Bolivia.

Bufo tatensis Rodel & Ernst, 2000. Ivory Coast.

Bufo zamdaensis Fei, Ye & Huang in Fei, Ye, Huang & Chen, 1999 - China (Xizang).

Churamiti Channing & Stanley, 2007. Type-species, by original designation. Churamiti maridadi. Channing & Stanley, 2002. – Tanzania.

Churamiti maridadi Channing & Stanley, 2002. Tanzania.

Melanophryniscus klappenbachi Prigioni & Langone, 2000 - Argentina.

Melanophrymscus symplex Caramaschi & Cruz, 2002. Brazil (Santa Catarina),

Melanophryniscus speciabilis Caramaschi & Cruz, 2002. Brazil (Santa Catarina).

Nectophrynoides asperginis Poynton, Howell, Clarke & Lovett, 1999. - Tanzania.

Rhamphophryne ruszi Grant, 2000. - Colombia

Stephopaedes howellt Poynton & Clarke, 1999. - Tanzania.

Stephopaedes usambarae Poynton & Clarke, 1999. - Tanzania

"Torrentophryne" Rao & Yang, 1994 China (Yunnan). Comment. Nomenclaturally unavailable genus-series nomen, as published without designation of a type-species.

Torrentophryne Yang in YANG, LIU & RAO, 1996 - Type-species, by original designation Torrentophryne aspinia Yang & Rao, 1996. - China (Yunnan).

Therestrophryse assuma Rao & Yang, 1994. China (Yunnan). — Commetats: (1) Although published combined with a nomenclaturally unavailable genus-series nomen, this specific nomen is available as the Code expressly states that the generic nomen with which a new specific nomen must be combined "need not be valid or even available." (ΑΝΟΥΚΑΟΙΣ, 1995). Art. 11.9.3.1) (2) Species redescribed as new by YANG & RAO in YANG, Liu & RAO (1996), with the same nomen but with a different order of names of authors, but nomen is available as from RAO & YANG (1994). Not being mentioned in the original publication of the nomen, the "holotype" designated by YANG & RAO in YANG, Liu & RAO (1996) in fact the lectotype of this nominal species.

"T[orrentophryne] tuberculous" Rao & Yang, 1994. - Nomen nudum

Torrentophryne tuberospima Yang & Lau in Yang, Liu & Rao, 1996. China (Yunnan). - Comment: Specific nomen misspelled tuberospina in GLaw et al. (1998).

Wolterstorffina chirioi Boistel & Amiet, 2001. - Cameroon.

Familia CENTROLENIDAE Taylor, 1951

Centrolere populahalit.com Noonan & Harvey, 2000. Guyana.
Cochronalda nostada Ruuz-Carranza & Lynch, 1997. - Colombia
Cachranella spiaeta Ruiz-Carranza & Lynch, 1997. - Colombia
Hyolinobarrachium crutrifusciatum Myers & Donnelly, 1997. - Venezuela
Hyolinobarrachium secentrizum Myers & Donnelly, 2001. - Venezuela
Hyolinobarrachium semenalla Rutz-Carranza & Lynch, 1998. - Colombia
Hyolinobarrachium semenalla Rutz-Carranza & Lynch, 1998. - Colombia
Hyolinobarrachium bamma Ruiz-Carranza & Lynch, 1998. - Colombia
Hyolinobarrachium modalify factoris & Ayarragoiena, 2002a. - Venezuela
Hyolinobarrachium modalify factoris & Marray, 2000. - French Guyana.
Hyolinobarrachium modalify factoris & Marry, 2000. - French Guyana.
Hyolinobarrachium rueda Rutz-Carranza & Lynch, 1998. - Colombia,

Familia DENDROBATIDAE Cope, 1865 (1850)

Colosteihus aleisandon Grant & Rodriguez, 2001. – Peru Colosteihus atopoglosus Grant, Humphrey & Myers, 1997. – Colombia. Colosteihus sayarvaguenas La Marca, 1996. – Venezuela Colosteihus borja Rwero & Serna, 1995. – Colombia Colosteihus cenerust Rwero & Serna, 1995. – Colombia.

Colostethus caeruleodactylus Lima & Caldwell, 2001. - Brazil (Amazonas).

Colostethus cepedai Morales, 2002. - Colombia. Colostethus conspicuus Morales, 2002. - Peru.

Colostethus crombiei Morales, 2002. - Brazil (Para).

Colostethus dysprosium Rivero & Serna, 1995. - Colombia.

Colostethus erasmos Rivero & Serna, 1995. - Colombia.

Colossethus excesus Rivero & Serna, 1995. - Colombia.

Colostethus fascianterus Grant & Castro, 1998. - Colombia.

Colostethus fratisenescus Morales, 2002. - Ecuador.

Colostethus fuscellus Moraies, 2002. – Brazil (Amazonas).

Colostethus gasconi Morales, 2002. - Brazil (Amazonas)

Colostethus guanayensis La Marca, 1996. - Venezuela.

Colostethus insperatus Morales, 2002. - Ecuador.

Colostethus larandinus Yústiz, 1991. – Venezuela.

Colostethus lynchi Grant, 1998. - Colombia.

Colostethus masniger Morales, 2002. - Brazil (Pará)

Colostethus melanolaemus Grant & Rodriguez, 2001. - Peru

Colostethus muristoanensis I.a Marca, 1996. - Venezuela.

Colastethus ornatus Morales, 2002. - Peru

Colostethus parimae I a Marca, 1996 - Venezuela

Colostethus meachas Ardila-Robayo, Acosta-Galvis & Coloma, 2000 - Colombia

Colosiethus proderios I a Marca, 1996 - Venezuela

Colostethus preudonalmatus Ruero & Serna 1995. - Colombia

Colostethus ramuses Rivero & Serna 1995. – Colombia

Golostethus roratma La Marca, 1996. - Venezuela.

Colostethus saltuarius Grant & Ardila-Robayo, 2002. – Colombia

Colostethus sumtuosus Morales, 2002. – Brazil (Pará).

Colostethus tamacuarensis Myers & Donnelly, 1997. - Venezuela.

Colostethus tepuyensis La Marca, 1996. - Venezuela.

Colostethus undulatus Myers & Donnelly, 2001. - Venezuela.

Colostethus vanzolmus Morales, 2002 - Brazil (Amazonas).

Colostethus wayuu Acosta, Guentas & Coloma, 2000. - Colombia.

Cryptophyllobates Lotters, Jungfer & Widmer, 2000. Type-species, by original designation:

Phyllobates agurenyentry Kneller & Henle, 1985. – Peru.

Dendrobases amazonicus Schulte, 1999. – Peru

Dendrohotes claudiae Jungfer, Lötters & Jörgens, 2000. - Panama

Dendrobates duellmans Schulte, 1999. - Peru.

Dendrobates flavovittatus Schulte, 1999. - Peru.

Dendrobates imitator intermedius Schulte, 1999 – Peru

Dendrobates imitator vurimaguensis Schulte, 1999. – Peru.

Dendrobates rubrocephalus Schulte, 1999. - Peru.

Epipedobates planipaleae Morales & Velazco, 1998. - Peru.

Epipedobates pongoensis Schulte, 1999. - Peru.

Epipedobates simulans Myers, Rodriguez & Icochea, 1998. - Peru.

Mannophryne caquetto Mijares-Urrutia & Arenda R., 1999b. Venezuela.

Mannophryne lamarca: Mijares-Urrutia & Arends R , 1999a - Venezuela.

Familia HYLIDAE Rafinesque, 1815

Subfamilia Hemiphractinae Peters, 1862

Gastrotheca stictopleura Duellman, Lehr & Aguilar, 2001. - Peru Hemiohractus helioi Sheil & Mendelson, 2001. - Peru

Stefania ackawaio MacCulloch & Lathrop, 2002. Guyana

Stefama avangannae MacCulloch & Lathron 2002 - Guyana Stefama cost MacCulloch & Lathron, 2002 - Guyana. Stefama aculosa Señaris, Avarzaguena & Gorzula, 1996 - Venezuela Stefama percristata Señaris, Avarzaguena & Gorzula, 1996. - Venezuela, Stefama reversi Señaris, Avarzagiena & Gorzula, 1996 - Venezuela Stefama catallas Sañaris Avarrantiana & Gorzula 1096 - Vanezuela Stefama schuherri Señaris, Avarzaguena & Gorzula, 1996. - Venezuela, Sulawa tamacuarwa Muere & Donnelly 1997 - Venezuela

Subfamilia Hyuwan Rafmesone, 1815

Hyla abdivita Campbell & Duellman, 2000. - Mexico.

Hyla amerbathalame Canseco-Márquez, Mendelson & Gutterrez-Mayen, 2002 Mexico

Hula amicarum Muares Hirritta, 1998. - Venezuela.

Hyla annectans chuanxiensis Ye & Fei in YE, Fet, LJ & LJ, 2000. - China (Sichuan).

Hulo onnectors unadongents Ye & Fei in YE FEI LI & LL 2000. China (Yunnan). Comment This new nomen appears under two different spellings in the original publication; ungdongensis (once in n 88, twice in n 89, twice in n 91, twice in n 93) and undongenis (once in n 89). These spellings are "multiple original spellings" according to the Gode. Acting as first revisers, we hereby choose the spelling unadangensis as "correct original spelling" of this namen

Hyla annectans tengchongensis Ye, Fei & Li in YE, Fei, Li & Li, 2000 China (Yunnan). Comment This new names appears under three different spellings in the original publication: tenachonasmic (once in p. 88, twice in p. 89, once in p. 90, once in p. 91, once in p. 93), tangchongensis (once in p. 91) and tenchongensis (once in p. 93). These spellings are "multiple original spellings" according to the Gode Acting as first revisers, we hereby choose the spelling tengchongensus as "correct original spelling" of this nomen.

Hyla annectors wulmpenus Shen, 1997. - China (Hunan).

Hyla araguaya Napoli & Caramaschi, 1998 - Brazil (Mato Grosso)

Hyla hurti Caramaschi & Cruz, 1999 - Brazil (Minas Gerais)

Hyla cachimbo Napoli & Caramaschi, 1999b. - Brazil (Para).

Hyla calthula Ustach, Mendelson, McDiarmid & Campbell, 2000. - Mexico.

Hyla cerradensis Napoli & Caramaschi, 1998. - Brazil (Mato Grosso do Sul)

Hyla cruzz Pombal & Bastos, 1998 - Brazzl (Goiás)

Hyla cyclada Campbell & Duellman, 2000. - Mexico.

Hyla delarmas Kohler & Lotters, 2001b. - Bolivia.

Hyla dendrophasma Campbell, Smith & Aceyedo, 2000 - Guatemala

Hyla elianeae Napoli & Caramaschi, 2000. - Brazil (Mato Grosso do Sul)

Hyla ericae Caramaschi & Cruz, 2000. - Brazil (Goias).

Hyla gaucheri Lescure & Marty, 2000. - French Guyana.

Hyla nnı Napoli & Caramaschi, 1999a. Brazil (São Paulo)

Hyla wannas Köhler & Lotters, 2001a. - Bolivia.

Hyla nephila Mendelson & Campbell, 1999. - Mexico.

Hyla palaestes Duellman, De la Riva & Wild, 1997. - Peru

Hyla phaeopleura Caramaschi & Cruz, 2000. - Brazil (Goiás).

Hyla psarosema Campbell & Duellman, 2000. - Mexico.

Hyla pseudomeridiana Cruz, Caramaschi & Dias, 2000. - Brazil (Rio de Janeiro).

Hyla ravida Caramaschi, Napoli & Bernardes, 2001. - Brazil (Minas Gerais).

Hyla rhea Napoli & Caramaschi 1999a. - Brazil (São Paulo)

Hyla rhythmicus Señaris & Ayarzaguena, 2002b Venezuela Comment The original speiling of the epithet of this new species is incorrect and should be emended into rhythmica according to Art 31.2 of the Code

Hula simpley hamanensis Fei & Ye, 2000b. - China (Haman).

Hula stenocephala Caramaschi & Cruz. 1999. - Brazil (Minas Gerais).

Hyla yaracuyana Mijares-Urrutia & Rivero, 2000 - Venezuela.

Osteocephalus avarzaguenas Gorsula & Señaris, 2000. - Venezuela.

Osteocephalus deridens Jungfer, Ron, Seipp & Almendáriz, 2000. - Ecuador.

Osteocephalus exophthalmus Smith & Noonan, 2001. - Guyana.

Osteocephalus fuscifacies Jungfer, Ron, Seipp & Almendáriz, 2000. - Ecuador

Osteocephalus heyeri Lynch, 2002. Colombia.

Osteocephalus mutahor Iungfer & Hod 2002 - Ecuador

Osteocephalus vasuni Ron & Pramuk, 2000. – Ecuador.

Plectrohyla exquisita McCranie & Wilson, 1998. - Honduras.

Plectrohyla puloderma McCranie & Wilson, 1999a – Honduras.

Pseudis cardosor Kwet, 2000. – Brazil (Rio Grande do Sul)

Pseudis meaning Caramaschi & Cruz. 1998 - Brazil (Tocantins)

I seudis tocantins Caramaschi & Cruz, 1998. – Brazii (Tocantin

Ptychohyla acrochorda Campbell & Duellman, 2000. – Mexico.
Ptychohyla zophodes Campbell & Duellman, 2000. – Mexico.

Scenar arduous Provoto, 2002 - Brazil (Espirito Santo)

Scinax arduous Peixoto, 2002. – Brazil (Espirito Santo) Scinax jolyi Lescure & Marty, 2000. – French Guyana.

Tepuihyla Ayarzaguena, Señaris & Gorzula, 1993 - Type-species, by original designation Hyla radneuezi Rivero. 1968. - Venezuela.

Tepubyla celsae Muares-Urrupa, Manzanilla-Puppo & La Marca, 2000 Venezuela.

Xenohyla Izecksohn, 1998. Type-species, by original designation. Hyla truncata Izecksohn, 1959 - Brazil (Rio de Janeiro)

Xenohvia eusenio: Caramaschi, 1998. - Brazil (Bahia).

Subfamilia Peropayangua Ginther, 1858

Litaria andurrmalia McDonald, 1997 - Australia (Queensland)

Luoria daviesae Mahony, Knowles, Foster & Donnellan, 2001 Australia (New South Wales)

Litoria elkeae Gunther & Richards, 2000. - Indonesia (Irian Java)

Luoria macki Richards, 2001. - Indonesia (Irian Jaya)

Litoria wanagaensis Richards & Iskandar, 2001. - Indonesia (Irian Java).

Subfamilia Phyllomedustinat Gunther, 1858

Phyllomedusa camba De la Riva, 2000. - Bolivia

Phyllomedusa oreades Brandão, 2002. - Brazil (Goiás).

Familia Leptodactylidas Werner, 1896 (1838)

Incertae sedis

† Estesiella Baez, 1995 Bolivia Paleocene Comment, Nomen novum pro Estesius Baez, 1995 [nec Estesius Wallach, 1984].

Subfamilia Reactive personal mail Complex 1858

Brachycephalus permx Pombal, Wistuba & Bornschein, 1998. Brazil (Paraná) Brachycenhalus vertebralis Pombal, 2001 - Brazil (Rio de Inneiro) Eleutherodactylus actinolasmus Lynch & Rueda-Almonacid, 1998. - Colombia. Fleutherodactylus ammscola Camphell & Savage, 2000 - Guatemala Eleutherodactylus anemerus Duellman & Pramuk, 1999 - Peru Eleutheradactylus angustilmeatus I ynch. 1998a - Colombia Fleutherodactulus anthray I ynch 2001h - Colombia Eleuthendactylus araudactylus Duellman & Pramuk, 1999 - Peru Floutherodactulus ardalamichus Duellman & Pramuk 1000 - Paeu Flautherodactulus askhanava Kohler 2000h - Rolivia Eleutherodactylus atrabracus Duellman & Pramuk, 1999. - Peru Eleutherodactylus asucuporum Duellman & Pramuk, 1999 - Peru Fleutherodactylus annus Myers & Donnelly, 1997 - Venezuela Eleutherodactylus basatis I smch. 1998a - Colombia Fleutherodactulus blambedassi Estrada, Díaz & Rodnauez, 1998. - Cuba Fleutherndoctulus contonus I unch 1998a - Colombia Eleutherodactylus catalinae Campbell & Savage, 2000. - Costa Rica Eleutherodactylus capermbardus Myers & Donnelly, 1997. - Venezuela Eleutherodactvlus charadra Campbell & Savage, 2000 - Guatemala. Eleutherodactulus coffeus McCranie & Köhler, 1999b - Honduras. Eleutherodactylus cungrastris Duellman & Pramuk, 1999 - Peru Eleutherodactulus duende Lynch, 2001 a - Colombia Eleutherodactylus dundees Hever & Muñoz, 1999. - Brazil (Mato Grosso). Eleutherodactylus epacrus Lynch & Suarez-Mayorga, 2000. - Colombia. Eleutherodactylus exoristus Duellman & Pramuk, 1999. - Ecuador. Eleutherodactylus factiosus Lynch & Rueda-Almonacid, 1998a - Colombia Eleutherodactylus fallax Lynch & Rueda-Almonacid, 1999 - Colombia. Eleutherodactylus fetosus Lynch & Rueda-Almonacid, 1998a. - Colombia Eleutherodactylus glamyrus Estrada & Hedges, 1997c. - Cuba. Fleutherodactylus belvolus Lynch & Rueda-Almonacid, 1998b. - Colombia Eleutherodactylus ibischi Reichle, Lötters & De La Riva, 2001. - Bolivia. Eleutherodactylus machus Campbell & Savage, 2000. - Guatemala Eleutherodactylus mfraeuttatus Duellman & Pramuk, 1999. - Peru Eleutherodactylus saumet Estrada & Alonso, 1997. - Cuba. Eleutherodactylus kelephus Lynch, 1998a. - Colombia. Eleutherodactylus lemur Lynch & Rueda-Almonacid, 1998b. - Colombia. Eleutherodactylus llassintuta Kohler & Lötters, 1999. - Bolivia Eleutherodactylus melanogaster Duellman & Pramuk, 1999. - Peru Eleutherodactylus memorans Mycrs & Donnelly, 1997. - Venezuela Eleutherodactylus metabates Duellman & Pramuk, 1999. - Peru. Eleutherodactylus mmonaetes Lynch, 1998b. - Colombia Eleutherodactylus muscosus Duellman & Pramuk, 1999 - Peru. Eleutherodactylus myllomyllon Savage, 2000 - Guatemala Eleutherodactylus myots Lynch, 1998a - Colombia. Eleutherodactylus nephophilus Duellman & Pramuk, 1999. - Peru Eleutherodactylus olanchano McCranie & Wilson, 1999b - Honduras Eleutherodactylus olivaceus Kohler, Morales, Lotters, Reichle & Aparicio, 1998 Bolivia Eleutherodactylus operosus Savage, McCranie & Wilson, 1999. - Honduras.

Eleutherodactylus opimus Savage & Myers, 2002. - Colombia.

Eleutherodactylus passa Lynch & Ardila-Robayo, 1999. - Colombia.

Eleutherodactylus palenque Campbell & Savage, 2000. - Mexico.

Eleutherodactylus paranaensıs Langone & Segalla, 1996. – Brazil (Paraná)

Eleutherodactylus parectatus Lynch & Rueda-Almonacid, 1998b. - Colombia.

Eleutherodactylus pechorum McCranie & Wilson, 1999b. – Honduras.

Eleutherodactylus pelorus Campbell & Savage, 2000. - Mexico.

Eleutherodactylus penelonus Lynch & Ruedas-Almonacid, 1999. – Colombia

Eleutherodactulus permonterus Duellman & Pramuk, 1999 – Peru

Eleutherodactylus phalarus Lynch, 1998a. - Colombia

Eleutherodactylus pinguis Duellman & Pramuk, 1999. Peru.

Eleutherodactylus principalis Estrada & Hedges, 1997a. - Cuba.

Eleutherodactylus prochus Lynch, 1998a. - Colombia

Eleutherodactylus quantus Lynch, 1998a - Colombia.

Eleutherodactylus quidditus Lynch, 2001b. - Colombia.

Eleutherodactylus rennforum I vnch. 2000. - Colombia.

Eleutherodactylus rhodostichus Duellman & Pramuk, 1999. - Peru.

Eleusherodactylus rhyacobatrachus Campbell & Savage, 2000, - Costa Rica.

Fleuberodactylus repareus Estrada & Hedges 1998 - Cuba

Eleutherodactylus riparius Estrada & Hedges, 1998. – Cuba. Eleutherodactylus rivularis Diaz, Estrada & Hedges, 2001. – Cuba.

Eleutherodactylus rivulus Campbell & Savage, 2000. – Guatemala.

Eleutherodactylus rufioculis Dueilman & Pramuk, 1999. – Peru

Eleutherodactylus rupinus Campbell & Savage, 2000. - Guatemala.

Eleutherodactylus sabrinus Campbell & Savage, 2000. – Guatemala

Eleutherodactylus sambaqui Mendes Castanho & Haddad, 2000. Brazil (Paraná).

Eleutherodactylus sangumeus Lynch, 1998a. - Colombia.

Eleutherodactylus serendipitus Dueliman & Pramuk, 1999. – Peru.
Eleutherodactylus simulans Diaz & Fong. 2001. – Cuba.

Eleutherodactylus suetus Lynch & Rueda-Almonacid, 1998b. - Colombia.

Eleutherodactylus tinker Lynch, 2001b. - Colombia.

Eleutherodactylus tonys Estrada & Hedges, 1997b. - Cuba.

Eleutherodactylus torrenticola Lynch & Rueda-Almonacid, 1998a - Colombia Eleutherodactylus turpinorum Hardy, 2001, - Trinidad & Tobago.

Eleutherodactylus turpinorum Hardy, 2001. – Trinidad & Tobago.

Eleutherodactylus vietas Lynch & Ruedas-Almonacid, 1999. – Colombia.

Eleutherodactylus viejas Lynch & Ruedas-Almonacid, 1999. – Colomb Eleutherodactylus xeniolum Lynch, 2001a. – Colombia.

Eleutherodactylus zophus Lynch & Ardila-Robayo, 1999. – Colombia.

Phrynopus adenopleurus Aguayo, Rodrigo & Harvey, 2001. – Bohvia.

Phrynopus barthlenae Lehr & Aguslar, 2002. - Peru.

Phrynopus carpish Lehr, Rodriguez & Córdova, 2002. Peru.

Phrynopus dagmarae Lehr, Aguilar & Köhler, 2002. - Peru.

Phrynopus fallaciosus Duellman, 2000 - Peru

Phrynopus heimorum Lehr, 2001. Peru

Phrynopus horstpaulı Lehr, Köhler & Ponce, 2000. – Peru

Phrynopus tataması Aguayo, Rodrigo & Harvey, 2001. - Bolivia Phrynopus kaunsorum Lehr, Aguilar & Köhler, 2002. - Peru.

Phrynopus pinguis Harvey & Ergueta, 1998. - Bolivia

Phrynopus spectabilis Dueliman, 2000. - Peru.

Phrynopus thompsom Duellman, 2000. - Peru

Phyllonastes carrascotcola De la Riva & Köhler, 1998. – Bolivia.

Psyllophryne hermogeneu Gjaretta & Sawaya, 1998. - Brazil (São Paulo).

Subfamilia CERATOPHRYINAE Tschudi, 1838

Ceratabbrus amealunarum Fernicala, 2001. – Argentina Neogene.

Subfamilia Cycloramphinae Bonaparte, 1850

Paratelmatobius cardosos Pombal & Haddad, 1999. – Brazil (São Paulo).

Rupirana Heyer, 1999. Type-species, by original designation: Rupirana cardoso Heyer, 1999

Brazil (Rahia)

Ruppana cardosoi Hever, 1999. - Brazil (Babia).

Subfamilia Hyzoppian Gunther, 1858

Hylodes ammcola Pombal, Fcio & Haddad, 2002. Brazil (Minas Gerais). Hylodes dactylocinus Pavan, Narvaes & Rodrigues, 2001. – Brazil (São Paulo). Hylodes uai Nascimento, Pombal & Haddad, 2001. – Brazil (Minas Gerais) Megaeloisa borcariana Giaretta & Aguiar, 1998. – Brazil (São Paulo).

Subfamilia Leptodactylinae Werner, 1896 (1838)

Adenomera araucaria Kwet, 2003. – Brazal (Rio Grande do Sul).

Physalaemis maxmus Feio, Pombai & Caramaschi, 1999. Brazil (Minas Gerais).

Pseudopaluthola mirandae Mercadal de Barrio & Barrio, 1994. - Argentina.

Pseudopaluthola ropsedadeniss Mercadal de Barrio & Barrio, 1994. - Brazil (São Paulo).

Subfamilia Opontophryninae Lynch, 1969

Odontophrymus cordobae Martuno & Sinsch, 2002. Argentina
Proceratophrys braum Kwet & Favovich, 2001. – Brazil (Rio Grande do Sul).
Proceratophrys concavitympanum Giaretta, Bernarde & Kokubum, 2000 Brazil (Rondônia)
Proceratophrys currur Eterovick & Sazma, 1998. – Brazil (Minss Gerais).

Subfamilia TELMATOBIINAE Fitzinger, 1843

Alsodes australis Formas, Übeda, Cuevas & Nuñez, 1998 — Chile. Alsodes hugot Cuevas & Formas, 2001. — Chile. Alsodes kaweshkari Formas, Cuevas & Nuñez, 1998. — Chile. Alsodes valdiviensis Formas, Cuevas & Brieva, 2002. — Chile. Atelognathus cen Basso, 1998. - Chile.

Telmatobius dankoi Formas, Northland, Capetillo, Nuñez, Cuevas & Brieva, 1999. Chile.

Telmatobius fronteriensis Benavides, Ortiz & Formas, 2002. -- Chile.

Telmatobius huayra Lavilla & Ergueta, 1995. - Bolivia.

Telmatobus sfornos Lavilla & Ergueta Sandoval, 1999. - Bolivia.

Telmatobus philippii Cuevas, 2002. - Chile.

Familia Myobatrachidae Schlegel, 1850

Subfamilia Limnonynastinas Lynch, 1969

Neobatrachus albipes Roberts, Mahony, Kendrick & Majors, 1991. Australia (Western Australia).

Superfamilia RANOIDEA Rafinesque-Schmaltz, 1814

Familia Brevicipitidae Bonaparte, 1850

Subfamilia ASTYLOSTERNINAE Noble, 1927

Leptodactylodon blancs Ohler, 1999. Gabon.

Leptodactylodon wildt Amiet & Dowsett-Lemaire, 2000. - Cameroon.

Subfamilia Hemisotinae Cope, 1867

Hemisus barotseensis Channing & Broadley, 2002. Zambia.

Subfamilia Hyperolinae Laurent, 1943

Tribus Hyperoliini Laurent, 1943

Alexteroon hypsiphonus Amiet, 2000 - Cameroon

Alexteroon ivnx Amiet, 2000, - Cameroon,

Heterixalus carbonei Vences, Glaw, Jesu & Schimmenti, 2000. - Madagascar

Hyperolius kihangensis Schietz & Westergaard in Schietz, 1999 Tanzania Comment Species

redescribed in detail by Schiøtz & Westergaard (2000).

Hyperolius menokouensis Rodel, 1999. - Ivory Coast.

Hyperolus pseudargus Schiotz & Westergaard in Schiotz, 1999 Tanzania Comment: Species

redescribed in detail by Schiøtz & Westergaard (2000)

Tribus Kassinini Laurent, 1972

Kassma schwetzi Rödel, Grafe, Rudolf & Ernst, 2002. - Ivory Coast

Subfamilia Lapropelinge Laurent, 1972

Leptopelis zebra Amiet, 2001. Cameroon

Familia Microsytunas Gunther, 1858 (1843)

Subfamilia ASTEROPHRYINAE Gunther, 1858

Tribus ASTEROPURYINI Gunther, 1858

Hylophorbus nyrimus Günther, 2001. – Indonesia (Iran Jaya). Hylophorbus picinde Gunther, 2001. – Indonesia (Iran Jaya). Hylophorbus pichardsi Günther, 2001. – Papua New Guinea. Hylophorbus isextus Gunther, 2001. – Indonesia (Irian Jaya). Hylophorbus isexaphonus Günther, 2001. – Indonesia (Irian Jaya). Hylophorbus isexaphonus Günther, 2001. – Indonesia (Irian Jaya).

Tribus Xenorhinini Mivart, 1869

Xenobatrachus zweifelt Kraus & Allison, 2002. – Papua New Guinea. Xenorhina arboricola Allison & Kraus, 2000. Papua New Guinea.

Subfamilia COPHYLINAE Cope, 1889

Stumpffia helenae Vallan, 2000. - Madagascar

Subfamilia Genyophrynimae Boulenger, 1890

Albericus brunhildae Menzies, 1999. - Papua New Guinea. Albericus fafmrı Menzies, 1999. - Papua New Guinea. Albertous pudrunge Menzies, 1999. - Papua New Gumea Albericus gunnari Menzies, 1999. - Papua New Guinea Albericus laurim Gunther, 2000. - Indonesia (Irian Jaya). Albericus rhenaurum Menzies, 1999. - Papua New Guinea. Albericus siegfriedi Menzies, 1999. - Papua New Guinea. Albericus swanhildae Menzies, 1999. - Papua New Guinea Albericus valkuriarum Menzies, 1999. Papua New Guinea. Austrochaperina adamantina Zweifel, 2000. - Papua New Guinea. Austrochaperina aguilonia Zweifel, 2000. - Papua New Guinea. Austrochaperina archboldi Zweifel, 2000. - Papua New Guinea Austrochaperina blumi Zweifel, 2000. - Indonesia (Irian Jaya) Austrochaperina derongo Zweifel, 2000. - Papua New Guinea Austrochaperina guttata Zweifel, 2000. - Papua New Guinea. Austrochaperina kosarek Zweifel, 2000. - Indonesia (Irian Java) Austrochaperina novaebritanniae Zweifel, 2000. - Papua New Guinea Austrochaperina parkeri Zweifel, 2000. - Papua New Guinea. Austrochaperina rivularis, Zweifel, 2000. - Papua New Guinea. Austrochaperina yelaensis Zweifel, 2000. - Papua New Guinea. Choerophryne longwastrus Kraus & Allison, 2001. Papua New Guinea. Cophixalus bewamensis Kraus & Allison, 2000. - Papua New Guinea

Cophixalus pulchellus Kraus & Allison, 2000. - Papua New Guinea.

Cophixalus variegatus Richards, Johnston & Burton, 1992. Papua New Guinea.

Cophixalus zweifeli Davies & McDonald, 1998. - Australia (Queensland).

Copula expectata Günther, 2002b. – Indonesia (Irian Jaya).
Copula major Günther, 2002a. – Indonesia (Irian Jaya).

Copiula obsti Günther, 2002a. – Indonesia (Irian Jaya)

Liophryne allisoni Zweifel, 2000. – Papua New Guinea. Liophryne rubra Zweifel, 2000. – Papua New Guinea

Liophryne similis Zweifel, 2000. - Papua New Guinea

Oreophryne arrigularis Gunther, Richards & Iskandar, 2001. - Indonesia (Irian Jaya).

Oreophryne mmuta Richards & Iskandar, 2000. – Indonesia (Irian Jaya).

Oreophryne wapoga Günther, Richards & Iskandar, 2001. Indonesia (Irian Jaya)

Oxydactyla alpestris Zweifel, 2000. – Papua New Guinea.
Oxydactyla copperi Zweifel, 2000. – Papua New Guinea

Oxydactyla stenodactyla Zweifel, 2000. - Papua New Guinea.

Subfamilia Microhylinas Gunther, 1858 (1843)

Tribus Gastrophrynini Fitzinger, 1843

Chiasmocless alagoanus Cruz, Caramaschi & Freire, 1999. – Brazil (Alagoas).
Chiasmoclesi juni Caramaschi & Cruz, 2001. – Brazil (Amazonas).
Elachistoclesi erythrogaster Kwet & Di-Bernardo, 1998. Brazil (Rio Grande do Sul)
Otophryne pyburni Campbell & Clarke, 1998. Colombia.

Tribus Microhylini Günther, 1858 (1843)

Kalophrymus orangensis Dutta, Ahmed & Das, 2000. – India (Assam).

Kaloula walteri Diesmos, Brown & Alcala, 2002. – Philippines (Luzon).

Microlyla shohgari Dutta & Ray, 2000. – India (Karnataka).

Ramanella nagaoi Manamendra-Araschchi & Pethyagoda, 2001a. Sri Lanka.

Familia RANIDAE Rafinesque-Schmaltz, 1814

Subfamilia Ceratobatrachinae Boulenger, 1884

Platymantis banahao Brown, Alcala, Diesmos & Alcala, 1997 - Philippines (Luzon)
Platymantis bimaculata Gunther, 1999. - Indonesia (Irian Iava)

Platymantis bimacutata Guittier, 1999. – Indonesia (Irian Jaya)
Platymantis browni Allison & Kraus, 2001 – Papua New Guinea.

Platymantis cagayanensis Brown, Alcala & Diesmos, 1999. - Philippines (Luzon)

Platymanus cryptons Gunther, 1999. - Indonesia (Irian Jaya).

Platymantis indeprensus Brown, Alcala & Diesmos, 1999. - Philippines (Luzon).

Platymantis starog Brown, Brown, Alcala & Frost, 1997. Philippines (Luzon). Comment Nomen novum pro Platymantis resiculatus Brown, Brown & Alcala, 1997 [nec Platymantis resticulatus Zhao & Li. 1984].

Platymantis luzonensis Brown, Alcala, Diesmos & Alcala, 1997 Philippines (Luzon)

† Platymantis megabotonsons Worthy, 2001. - Fiji. Quaternary.

Platymantii naomii Alcala, Brown & Diesmos, 1998. Philippines (Luzon). Comment: Although this species was dedicated to a woman (Naomi Alcala), according to Art 31 1.1 of the Code its nomen does not have to be emedical for response explained by CROCHET & DURIOS (2004. 496).

Platymants negrosensis Brown, Alcala, Diesmos & Alcala, 1997. Philippines (Negros).

Planmanns noudadoralis Brown, Alcala & Diesmos, 1999 - Philippines (Luzon)

Platymanus pygmaeus Alcala, Brown & Diesmos, 1998. - Philippines (Luzon).

Platymanus rabors Brown, Alcala, Diesmos & Alcala, 1997 Philippines (Bohol).

Platymantis sierramadrensis Brown, Alcala, Ong & Diesmos, 1999. Philippines (Luzon).

Planmanus saviore Brown, Alcala & Diesmos, 1999 – Philippines (Luzon)

Subfamilia Dicrogrossivas Anderson, 1871

Tribus DicrogLossini Anderson, 1871

Feiervarya iskandari Veith, Kosuch, Ohler & Dubois, 2001. - Indonesia (Java)

Minervarya Dubois, Ohler & Biju, 2001 Type-species, by original designation. Minervarya sahvadru Dubois, Ohler & Biju, 2001. – India (Karnataka).

Minervarya sahyadris Dubois, Ohler & Biju, 2001. - India (Karnataka).

Tigrina Fei, Ye & Huang, 1991 [nec Tigrina Greve, 1894]. Type-species, by original designation: Rana tigerina Daudin, 1802. – India (West Bengal).

Tomopterna mathew Schleich & Anders, 1998 - Nepal - Comunent: The nomen Tomopterna is now applied only to an African genus referred to the PYXX SPHALIMAS (DUBOS, 2003, 2005a); the Asian species formerly placed in this genus are now referred to the genus Sphaenthaa, which is related with Royertorya (VENCES et al., 2000) and therefore considered a member of the DICENCALOSSINA (DUBOS, 2003).

Tribus Limnonectini Dubois, 1992

Lumonectes Inflaments: Ye & Fei, m YE, Fri & Hu, 1993 - Chma (Fujian). Comment: Species redescribed as new by Ye & Fisi (1994b), with the same nomen and authors (see YE, Fit & Hu, 1993; 370), but nomen is available as from Ye, Fri & Hu (1993 111). Not being mentioned in the original publication of the nomen, the "holotype" designated by Ye & Fit (1994b 494, 4995) is in fact the lectovore of this nomalia species.

Lurana alnımıs Huang & Ye. 1997. - China (Xızang).

Lurana medogensis Fei, Ye & Huang, 1997. - China (Xizang).

Rana charlesdarumm Das, 1998a India (Andamans & Nicobars). Comment: This species with forked omosterium is clearly not a member of the genus Rana, let alone of the RANDARS pending examination of speciments, it is here referred to the LANDARS TRA, without generic allocation. [Alain Dissois].

Tribus Paini Dubois, 1992

Paa (Femona) tathangm.us Chen & Jiang, 2002 Chuna (Henan). Comment: The onginal spelling of the epithet of this new species is incorrect and should be emended into tathangmua according to Art. 31.2 of the Code, a justified emendation which was first used by Jiang et al. (2005).

Paa (Ferrana) yer Chen, Qu & Jiang, 2002 China (Henan) Comments (1) Species redescribed as new, with the same nomen, authors and holotype, in Chen, Jiang & Qu (2004), but nomen is available as from Chen, Qu & Jiano (2002). (2) Although this species was dedicated to a woman (Ye Changyuan), according to Art 31.1 l of the Code its nomen does not have to be emended for reasons explained by Concurre & Diminio (2004-496).

Paa (Paa) medogensus Fei & Ye, 2001 b. - China (Xizang).

Paa (Paa) rarica Dubois, Matsui & Ohler, 2001. Nepal. Comment: Nomen novum pro Rana (Paa) rara Dubois & Matsui, 1983 [nec Rana danubina var. rara Fraas, 1903].

Rana robertingeri Wu & Zhao, 1995. China (Sichuan). Comment: Referred to the genus Paa by Isang & Zhou (2005) and to the genus Quastona by Isang et al. (2005).

Scutiger mokokchungensis Das & Chanda, 2000 - India (Nagaland). Comment: Referred to the genus Paa by Dubots (2002).

Unculuana Fei, Ye & Huang, 1991. Type-species, by original designation: Rana unculuana Liu, Hu & Yang, 1960. – China (Yunnan). Comment: Created as a subgenus of Pag Dubois, 1975.

Subfamilia Lankanecrinas Dubois & Obler, 2001

Lankanectes Dubois & Ohler, 2001. Type-species, by original designation: Rana corrugata Peters, 1863. - Sri Lanka.

Subfamilia Manter i mas I aurent, 1946

Tribus Roosum Vences & Glaw, 2001

Rosehis bottas Vences & Glaw. 2002. - Madagascar.

Boophis feonivala Glaw, Vences, Andreone & Vallan, 2001. – Madagascar. Boophis haematopis Glaw, Vences, Andreone & Vallan, 2001. – Madagascar Boophis hchenodes Vallan, Glaw, Andreone & Cadle 1998. – Madagascar. Boophis ncturatus Glaw, Vences. Andreone & Vallan, 2001. – Madagascar.

Boophis pyrrhus Glaw, Vences, Andreone & Valian, 2001. - Madagascar Boophis schubosas Glaw & Vences, 2002b. - Madagascar.

Boophis tasymena Vences & Glaw, 2002. - Madagascar.

Boophis vittatus Glaw, Vences, Andreone & Vallan, 2001. - Madagascar.

Tribus Laliostomini Vences & Glaw, 2001

Aglyptodactylus lattceps Glaw, Vences & Böhme, 1998. – Madagascar

Aglyptodactylus securifer Glaw, Vences & Bohme, 1998. - Madagascar

Laliostorna Glaw, Vences & Bohme, 1998 · Type-species, by original designation: Tomopterna labrosa Cope, 1868 Madagascar Comment Created as a subgenus of Tomopterna Duméril & Bibron, 1841

Tribus Mantellini Laurent, 1946

Chonomantis Glaw & Vences, 1994 Type-species, by original designation Rana albofrenata
Miller, 1892 Madagascar Comment: Created as a subgenus of Manulacylus Boulenger,
1895

Mantella aurantiaca milotympanum Staniszewski, 1996. Madagascar

Mantella aurantiaca vuhra Stanuszewski 1006 - Madagascan

Mantella manery Vences, Glaw & Böhme, 1999. - Madagascar Manudactulus ambabuta Vences & Glass 2001h - Madagascar

Mantidactulus kathrinas Glaw, Vences & Gossmann, 2000 - Madagascar

Mantidactylus hrunge Andreone, Glaw Vences & Vallan, 1998 - Madagascar Manudactulus entr Glaw & Vences 2002c - Madagascar

Mantidactulus maduuka Vences Andreone Glau & Mattioli 2002 - Madagascar

Manudactulus materi Glaw & Vences, 2002d. - Madagascar

Mantidactulus saratra Glass & Vences 2002a - Madagascar

Manudactulus schilfi Glaw & Vences, 2000. - Madagascar

Manudactolus striatus Vences, Glaw, Andreone, Jesu & Schimmenti, 2002. Madagascar.

Mantidactolus tandroka Glaw & Vences, 2001. - Madagascar.

Manudactulus tschenbs Glaw & Vences, 2001. - Madapascar

Ochthomantis Glaw & Vences, 1994 - Type-species, by original designation: Rong femoralis Boulenger, 1882. - Madagascar. Comment: Created as a subgenus of Manudacrolus Boulenger. 1205

Pandanusicala Glaw & Vences, 1994 Type-species, by original designation: Rhacothorus by alcaratus Boettger, 1913. Madagascar. Comment: Created as a subgenus of Mantidactylus Boulenger, 1895

Phylacomantis Glaw & Vences, 1994. - Type-species, by original designation: Manualactylus cargus Glaw & Vences, 1994. Madagascar. Comment: Created as a subgenus of Manudactylus Boulenger, 1895.

Subfamilia Microstovae Dubois, Ohler & Biin, 2001

Micrixalus gadgili Pillai & Pattabiraman, 1990. - India (Kerala).

Subfamilia Nyctibatrachinae Blommers-Schlösser, 1993

Nvettbatrachus hussamı Krishnamurthy, Reddy & Gururaja, 2001. India (Karnataka).

Subfamilia Petropenerman Noble, 1931

Arthroleotides vakusini Channing, Mover & Howell, 2002. - Tanzania.

Subfamilia Phrynogatrachinae Laurent, 1941

Phrynobatrachus inexpectatus Largen, 2001. - Ethiopia. Phrynobatrachus trangt Drewes & Perret, 2000. - Kenya.

Phrynobatrachus phyllophilus Rodel & Ernst, 2002. - Ivory Coast.

Subfamilia PTYCHADENINAE Dubois, 1987

Ptychadena filwoha Largen, 1997. Ethiopia. Ptychadena harenna Largen, 1997. - Ethiopia.

Ptychadena wades Largen, 2000 - Ethiopia.

Subfamilia Pyxicephalinas Bonaparte, 1850.

Arthrolentella dromeur Channing, Hendricks & Dawood, 1994 - South Africa Arthroleptella landdrosia Dawood & Changing, 2000 - South Africa Cocasternum karagicum Boycott de Vilhers & Scott 2002 - South Africa Strongulatus between Channing & Davennoet 2002 - Tanzania Tomosterna damarensis Dawood & Channing, 2002. - Namibia.

Subfamilia RANDAR Rafinesque-Schmaltz, 1814

Tribus Ranini Rafinesque-Schmaltz, 1814

Amolops bellulus Liu, Yang, Ferraris & Marsui, 2000. - China (Yunnan).

Amolots chakrataensis Ray, 1999. India (Uttar Pradesh).

Amoloos cremnobatus Inger & Kottelat, 1998. - Laos. Amolons saunsars Ray, 1999 - India (Hrear Pradesh)

Amolops mengyangensis Wu & Tian, 1995. - China (Yunnan).

Amolops spinapectoralis Inger, Orloy & Darevsky, 1999. - Vietnam.

Amolops tuberodepressus Liu & Yang, 2000. - China (Yunnan).

Amolots (Hura) modelhanu Doria, Salvidio & Tavano, 2001 - Indonesia (Sumatra)

Odorrana explorerabilis Fei, Ye & Li, 2001b. China (Finian).

Odorrana hamanensis Fei. Ye & Lt. 2001a. China (Hainan).

Odorrana ungdongensis Fei, Ye & Li, 2001a. - China (Yunnan)

Odorrana runhanensis Huang, Fei & Ye in Fei & Ye, 2001a. - China (Sichuan).

Odorrana nasuta Fei, Ye & Li, 2001b. China (Hainan).

"Pseudogmolops" Itang, Fei, Ye, Zeng, Zhen, Xie & Chen, 1997, - Taiwan, - Comments (1) Created as a subgenus of Amology Cope, 1865 (2) Nomenclaturally unavailable genus-series nomen, as published without designation of a type-species.

Pseudoamolops Fei, Ye & Jiang, 2000 Type-species, by original designation: Rana sauteri Boulenger, 1909. - Taiwan

Rana amana Inger, Orlov & Darevsky, 1999 - Vietnam

Rana balcanua Schneider & Sinsch, 1992 [nec Rana balcanua Schneider, Sinsch & Sofianidou, 1993] Greece. Comment: See Dubois & Ohler (1995).

Rana bannanica Rao & Yang, 1997c - China (Yunnan).

Rana chuwanensis Das, 1998h - Nepal.

Rana dhakuriensis Ray, 1997. India (Uttar Pradesh)

Rana episrotica Schneider, Sofianidou & Kyriakopoulou-Sklavounou, 1984. Greece

Rana huarrenensis Liu, Zhang & Liu, 1993 China (Liaoning). Comment As noted by DULLIMAN (1993-262), the nomen of this species was made available by its publication in a key in FeI, YE & HUANG (1991; 131) The nomen Rana huanrenensis introduced by Liu, Zhang & Liu (1993) in their formal description of the species can be regarded either as a brand new nomen or as an unjustified emendation of Rana huanrensis Fei, Ye & Huang, 1991 (see below). In both cases it is a distinct available nomen and an invalid junior synonym of the latter nomen

Rana huanrensis Fei, Ye & Huang, 1991 China (Liaoning) Comment The original spelling huanrensis appears three times in the original publication (Fig. YE & HUANG, 1991-131, 298, 347), so it cannot be considered an "inadvertent error", and it does not have to be corrected because of so-called "incorrect latinization" as the latter is not a case of "incorrect original spelling" according to the Code (Anonymous, 1999, Art. 32.5).

Rang hummeness I tr & I i 2002 - China (Shandong)

Rana lessonae bergeri Günther, 1985. - Italy.

Rana lini Chou 1999 - China (Yunnan)

Rana mangyanum Brown & Guttman, 2002. - Philippines (Mindoro).

Rana muladenticulata Chou & Lin, 1997. Taiwan Comments' (1) Nomen mispelled Rana muladentiata in Graw et al (1998 xxii) (2) Species referred to the genus Pseudoamolops by FEI, YE & Isana (2000).

Rana omemonus Ye & Fei in YE, FE & Hu, 1993. - China (Sichuan)

Rana osca Paolucci, Fuhn & Bruno, 1993. - Italy.

Rana ridibunda caralitana Arikan, 1988. – Turkey.

Rang pagnan Brown, McGuire & Diesmos, 2000. - Philippines (Luzon)

Rana zhenei Zhao, 1999. - China (Sichuan).

Rana zhenhasensis Ye, Fei & Matsui, 1995. - China (Zhejiang).

Rana (Sulverana) faher Ohier, Swan & Daltry, 2002. - Cambodia

Tenuirana Fei, Yc. & Huang, 1991. Type-species, by original designation: Rana taipphensis.
Van Denburgh, 1909. – Taiwan. – Comment: Created as a subgenus of Hylarana Tschudi, 1838.

Subfamilia Rhacophortnae Hoffman, 1932 (1858)

Tribus Philautini Dubois, 1981

Kurixalus Fe., Ye & Dubois in Fet, 1999. Type-species, by original designation: Rana effingeri Boettger, 1895. – Japan

Philautus abditus Inger, Orlov & Darevsky, 1999. Vietnam.

Philautus cardamonus Ohler, Swan & Daltry, 2002. - Cambodia.

Philautus erythrophthalmus Stuebing & Wong, 2000. - Malaysia (Sabah).

Philannus greet Bossnyr, 2002. - India (Kerala).

Philautus odontotarsus Ye & Fei in YE, FEI & HU, 1993. - China (Yunnan)

Philautus terebrans Das & Chanda, 1998. - India (Andhra Pradesh).

Tribus Rescornorum Hoffman, 1932 (1858)

Chresalus dudhevaensis Ray, 1999. - India (Uttar Pradesh).

Polyhedates fastigo Manamendra-Arachchi & Pethiyagoda, 2001h. - Sri Lanka

Polypedates pingbianensis Kou, Hu & Gao, 2001. - China (Yunnan).

Polypedates pseudocrucieer Das & Rayichandran, 1998 - India (Tamil Nadu).

Polypedates puereusis He, 1999. China (Yunnan).

Rhacothorus achantharrhena Harvey, Pemberton & Smith, 2002 Indonesia (Sumarra).

Rhacophorus balogaster Inger, Orlov & Darevsky, 1999. – Vietnam.

Rhacophorus barisanı Harvey, Pemberton & Smith, 2002. - Indonesia (Sumatra).

Rhacophorus catamitus Harvey, Pemberton & Smith, 2002 - Indonesia (Sumatra).

Rhacophorus cyanopunctatus Manthey & Steiof, 1998. - Thailand.

Rhacophorus duboisi Ohler, Marquis, Swan & Grosjean, 2000. - Vietnam

Rhacophorus exechopygus Inger, Orlov & Darevsky, 1999. Vietnam.

Rhacophorus hoanghenensis Orlov, Lathrop, Murphy & Cuc, 2001 - Vietnam

Rhacophorus orlovi Ziegler & Kohler, 2001. - Vietnam.

Rhacophorus pseudomalabaricus Vasudevan & Dutta, 2000. – India (Tamil Nadu)

Superfemilia Socretoropea Mobile 1931

Familia Soccessinas Noble 1931

Socialistus tutuladmus Gerlach & Willi 2002 - Seuchelles

Ordo Unopera Dumáril 1906

Incertse cada

- † Apricosiren Evans & McGowan, 2002 Type-species, by original designation: † Apricosiren ensomi Evans & McGowan, 2002. England Cretaceous.
- † Apricosiren ensomi Evans & McGowan, 2002. England, Cretaceous
- † Bishara Nessov, 1997. Type-species, by original designation. Bishara backa Nessov, 1997.
 Kazakhistan Cretacoms
- + Bishara backa Nessov, 1997. Kazakhstan, Cretaceous,
- † Galverpeton Estes & Sanchiz, 1982 Type-species, by original designation. † Galverpeton ibericum Estes & Sanchiz, 1982. Spain, Cretaceous.
- therscum Estes & Sanchiz, 1982. Spain. Cretaceous.

 † Galverpeton therscum Estes & Sanchiz, 1982. Spain Cretaceous.
- † Jeholotriton Wang, 2000. Type-species, by original designation † Jeholotriton paradoxus Wang, 2000. China (Net Mongol). Cretacrous.
- † 9eholotrston paradoxus Wang, 2000. China (Nei Mongol), Cretaceous.
- † Kiyatriton Averianov & Voronkevich, 2002 Type-species, by original designation † Kiyatriton leshchinskivi Averianov & Voronkevich, 2002. Russia, Cretaceous
- † Knateum leshchurchur Averianov & Voronkeuich 2002 Russia Cretaceous
- † Laccotriton Gao, Cheng & Xu, 1998. Type-species, by original designation † Laccotriton subsolamus Gao et al., 1998. – China (Hebet), Mesozoic.
- † Laccotruon subsolanus Gao, Cheng & Xu, 1998. China (Hebei). Mesozoic.
 † Sinerpeton Gao & Shubin, 2001. Type-species, by original designation. † Sinerpeton fengshanensis
- Sinerpeton Gao & Shubin, 2001. Type-species, by original designation † Sinerpeton fengshanensi. Gao & Shubin, 2001. – China (Hebei). Jurassic.
- † Sinerpeton fengshanensis Gao & Shubin, 2001. China (Hebei). Jurassic.

Familia † BATRACHOSAUROIDIDAE Auffenberg, 1958

- † Mynbulakia Nessov, 1981. Type-species, by original designation † Mynbulakia surgayi Nessov, 1981. Uzbekistan. Cretaceous.
- † Mynbulakia nongratis Nessov, 1981. Uzbekistan. Cretaceous
- † Mynbulakia surgayi Nessov, 1981. Uzbekistan Cretaceous
- † Parrisia Denton & O'Neill, 1998. Type-species, by original designation: † Parrisia neocesariensis Denton & O'Neill, 1998. USA (New Jersey). Cretaceous.
- † Parrisia neocesariensis Denton & O'Neill, 1998. USA (New Jersey) Cretaceous
- † Peratosauroides Naylor, 1983 Type-species, by original designation † Peratosauroides proble matica Naylor, 1983. - USA (California). Miocene
- † Pératosauroides problematica Naylor, 1983 USA (California). Miocene.

Familia † SCAPHERPI TONTIDAE Auffenberg & Gom, 1959

†Eoscapherpeton Nessov, 1981 Type-species, by original designation † Eoscapherpeton assaticium Nessov, 1981. - Uzbekistan. Cretaceous

- † Eoscapherpeton assaticum Nessov, 1981. Uzbekistan, Cretaceous,
- + Eoscapherpeton superum Nessov, 1997. Taiikistan, Cretaceous,
- †Horezmia Nessov, 1981. Type-species, by original designation † Horezmia gracile Nessov, 1981 Uzbekistan, Gretaceous.
- † Horezmia gracile Nessov, 1981. Uzbekistan, Cretaceous

Epifamilia Cryptobranchoidia Fitzinger, 1826

Superfamilia CRYPTOBRANCHOIDEA Fitzinger, 1826

Familia CRYPTOBRANCHIDAS Fitzinger, 1826

- † Andrias karelcapeks Ckhikvadze, 1982 Kazakhstan, Miocene
- † Aviturus Gubin, 1991. Type-species, by original designation: † Aviturus exsecratus Gubin, 1991. Mongolia Paleocene.
- † Auturus exsecratus Gubin, 1991. Mongolia, Paleocene.
- † Ulanurus Gubin, 1991. Type-species, by original designation: † Ulanurus fractus Gubin, 1991. Mongolia Paleocene.
- † Ulanurus fractus Gubin, 1991. Mongolia. Paleocene.

Familia Нумовидае Соре, 1859 (1856)

Subfamilia Hynobinae Cope, 1859 (1856)

Batrachuperus taibaiensis Song, Zeng, Wu, Liu & Fu, 2001. - China (Shaanxi).

Hynobius ampensis Gu, 1992. - China (Zhejiang).

Hynobius yunanicus Chen, Qu & Niu, 2001. - China (Henan).

- † Liaoxitriton Dong & Wang, 1998. Type-species, by original designation: † Liaoxitriton zhongnani Dong & Wang, 1998 - China (Liaoning) Cretaceous
- † Liaoxuruon zhonguani Dong & Wang, 1998. China (Liaoning). Cretaceous.
- † Parahynobius Venczel, 1999. Type-species, by original designation: † Parahynobius betfianus Venczel, 1999 – Romania. Pleistocene
- † Parahynobius beifianus Venczel, 1999. Romania. Pleistocene.
- + Parahynobius kordosi Venezel, 1999 Hungary, Miocene,
- Pseudolymbotus shutchengenss Tian, Gu, Sun & Li, 1998. China (Guzhou). Comment This new nomen appears under three different spellings in the original publication shutchengensis (twice in p 7, twice in p 12, once in p 13), xuichengensi (once in p 11) and suichenensi (once in p 12). These spellings are "multiple original spellings" according to the Code Acing as first revisers, we hereby choose the spelling hitu-dengensis as "correct original spellings" of this nomen.

Subfamilia Protohynormae Fei & Ye, 2000

Protohynobius Fei & Ye, 2000a Type-species, by original designation. Protohynobius puxiongeusis Fei & Ye, 2000. - China (Sichuan).

Protohynobius puxiongensis Fei & Ye, 2000a. China (Sichuan).

Epifamilia † Karauroinia Ivachnenko, 1978

Superfamilia † Karauroidea Ivachnenko, 1978

Familia † Karauridae Ivachnenko, 1978

† Kokartus Nessov, 1988. Type-species, by original designation † Kokartus honorarius Nessov, 1988. – Kirgiztan, Jurassic.

† Kokartus honorarius Nessov, 1988. - Kırgıztan, Jurassıc.

Epifamilia Salamandroidia Goldfuss, 1820

Incertae sedis

† Valdotriton Evans & Milner, 1996. Type-species, by original designation. † Valdotriton gracilis Evans & Milner, 1996. Spain. Cretaceous.

† Valdotriton gracilis Evans & Milner, 1996 - Spain. Cretaceous

Superfamilia Ambystomatoidea Grav. 1850

Familia AMBYSTOMATIDAE Gray, 1850

Familia Dicamptodontidae Tihen, 1958

† Dicamptodon antiquus Naylor & Fox, 1993. Canada (Alberta). Paleocene.

Superfamilia Amphiumoidea Grav, 1825

Familia AMPHIUMIDAE Gray, 1825

† Paleoamphiuma Ricppel & Grande, 1998 Type-species, by original designation: † Paleoamphiuma tetradactylum Ricppel & Grande, 1998. USA (Wyoming). Eocene

† Paleoamphiuma tetradactylum Rieppel & Grande, 1998 USA (Wyoming) Eocene,

Familia PLETHODONTIDAE Gray, 1850

Subfamily Hemidactyllinae Hallowell, 1856 (1850)

Tribus Borstogrossini Hallowell, 1856

Barochoosp dubolicus Jockusch, Wake & Yanev, 1998. – USA (California). Barachoosp gardunenus Jockusch, Yanev & Wake, 2001. – USA (California). Barachoseps gregarus Jockusch, Wake & Yanev, 1998. – USA (California). Barachoseps incognitus Jockusch, Yanev & Wake, 2001. – USA (California) Barachoosp incuna Jockusch, Wake & Yanev, 1998. – USA (California). Barachoosp incuna Jockusch, Wanev & Wake, 2001. – USA (California) Barachoosp incuna Jockusch, Yanev & Wake, 2001. – USA (California) Batrachoseps regus Jockusch, Wake & Yanev, 1998. – USA (California).

Bolstoglossa anthracina Brame, Savage, Wake & Hanken, 2001. - Panama.

Bolitoglossa decora McCranie & Wilson, 1997. - Honduras.

Bolitoglossa guaramacalensis Schargel, García-Perez & Smith, 2002. - Venezuela

Boltoplossa humalis I vnch. 2001a. – Colombia

Boluoglossa lozanoi Acosta-Galvis & Restrepo, 2001. - Colombia.

Bolitoglassa mombachaenus Kohler & McCranie, 1999. – Nicaragua.

Bolitoglossa oaxacensis Parra-Olea, García-Paris & Wake, 2002. — Mexico-Bolitoglossa spongas Barría Amorós & Fuentes Ramos, 2001. — Venezuela

Boltoglossa spongai Barrio Amoros & Fuentes Ramos, 2001. Robtoglossa symona McCranie & Kohler, 1999a. - Honduras

Boltoglossa synona McCranie & Köhler, 1999a. - Honduras.

Roltoglossa zapotska Parra-Olea Garcia-Paris & Wake 2002 - Mexico.

Cryptotrition García Paris & Wake, 2000. - Type-species, by original designation: Oedipus nasalis Dunn, 1924. – Honduras.

Lineatriton orchileucos Brodie, Mendelson & Campbell, 2002. Mexico.

Naturation brodust Campbell & Smith, 1998. – Guatemala

Nototriton gamezi García-Paris & Wake, 2000, - Costa Rica.

Notatrian hanicala McCranie & Wilson, 1997 Hondures

Nototriton limnospectator McCranie, Wilson & Polisar, 1998. - Honduras

Nototriton monzoni Campbell & Smith, 1998 - Guatemala.

Nototriton saslava Köhler, 2002. - Nicaragua.

Nototriton stuarti Wake & Campbell, 2000. Gustemala

Nototriton waker Campbell & Smith, 1998. - Guatemala

Oedipina maritima Garcia-Paris & Wake, 2000. - Panama

Oedipma savaga García-Pars & Wake, 2000. – Costa Rica.

"Pseudomysca amuaga" Perez-Ramos & Saldana de la Riva, 2000 Mesoco - Comment: Nomenclaturally unavailable nomen, as having not been published on a "permanent support". Nomen
made nomenclaturally available in PEREZ-RAMOS & SALDANA DE LA RIVA (2003)

Pseudoeurycea aguanca Wake & Campbell, 2001. Mexico.

Pseudoeurycea aquatica wake & Campbell, 2001. Mexico.

Pseudoeurycea lynchi Parra-Olea, Panenfuss & Wake, 2001. – Mexico.

Pseudosurvosa naucampaisneil Parra-Olea, Papenfiss & Wake, 2001 - Mexico

Thornus grandis Hanken, Wake & Freeman, 1999 - Mexico

Thorsus infernalis Hanken, Wake & Freeman, 1999. - Mexico.

Thornus lunaris Hanken & Wake 1998. - Mexico.

Thorsus magrupes Hanken & Wake 1998 - Mexico.

Thorsus minydomus Hanken & Wake 1998. – Mexico. Thorsus munificus Hanken & Wake 1998. – Mexico.

Thorius omiliem Hanken, Wake & Freeman, 1999. Mexico.

Thorius papaloas Hanken & Wake, 2001. Mexico.

Thorsus spilogaster Hanken & Wake 1998. - Mexico.

Tribus SPELERPINI Cope, 1859

Blepsimolge H.llis, Chamberlain, Wilcox & Chippindale, 2001. Type-species, by original designation: Europea nama Bishop, 1941 USA (Texas) Comment: Created as a subgenus of Europea Grav. 1850.

Eurycea chisholmensis Chippindale, Price, Wiens & Hillis, 2000. - USA (Texas).

Eurycea naufragia Chippindale, Price, Wiens & Hillis, 2000 – USA (Texas).

Eurycea tonkawae Chippindale, Price, Wiens & Hillis, 2000 – USA (Texas).

Source MNHIN Paris

Europea materiogeness Hillis, Chamberlain, Wilcox & Chimpindale, 2001 - USA (Tevas)

Notiomolge Hillis, Chamberlain, Wilcox & Chippindale, 2001. - Type-species, by original designation: Euroyea neotenes Bishop & Wright, 1937. - USA (Texas) - Comment: Created as a "division" of Furnese Gray 1830.

Paedomoige Hillis, Chamberiain, Wilcox & Chippindale, 2001. Type-species, by original designation: Europea tonkawae Chippindale, Price, Wiens & Hillis, 2000. USA (Texas). - Comment Created as a "section" of Europea Created as 1.

Septentriomolge Hillis, Chamberlain, Wilcox & Chippindale, 2001. Type-species, by original designation. Eurycea chisholmenis Chippindale, Price, Wiens & Hillis, 2000. USA (Texas).
Comment, Created as a subnemic of Eurocca Gray, 1850.

Subfamilia Pertuonostinas Grav. 1850

Tribus Desmognathini Grav. 1850

Aneides tagrans Wake & Jackman in Jackman, 1998. – USA (California).

Desmognatius folkeris Camp, Tilley, Austin & Marshall, 2002. USA (Georgia).

Solemanius innerials surprisensus Lapas, Leo, Forn, Cimmaruia, Canuto & Nascetti, 2001. Italy.

Tribus PLETHODONTINI Grav. 1850

Plehodon antworth Lazell, 1998. – USA (Mississippi).

Plehodon anplus Highton & Peabody, 2900. – USA (North Carolina).

Plethodon elacoh Highton & Peabody, 2000. USA (North Carolina).

Plethodon electromorphus Highton, 1999. – USA (West Vingma).

Plethodon mentamus Highton & Peabody, 2000. – USA (North Carolina).

Plethodon montamus Highton & Peabody, 2000. – USA (North Carolina).

Plethodon montamus Highton & Peabody, 2000. – USA (North Carolina).

Superfamilia Proteoidea Grav, 1825

Familia Proteinas Grav. 1825

† Mioproteus wezet Młynarski, Szyndlar, Estes & Sanchiz, 1984. - Poland. Pliocene.

Superfamilia SALAMANDROIDEA Goldfuss, 1820

Familia SALAMANDRIDAE Goldfuss, 1820

† Chelotruon phocenicus Bailon, 1989. - France. Pliocene.

"Chnoglossa lustanna breodigitata" Ferrand de Almeida, Ferrand de Almeida, Gonçalves, Sequetra, Textera & Ferrand de Almeida, 2001. Portugal Comment: Nomenchaturally unavallable nomen, as having been published without type-specimen designation and without explicit statement of the intention to establish a new taxon (Calocuter & Dusois, 2004-496)

Paramesotriton lagensis Stuart & Papenfuss, 2002 - Lags

Triturus karelinii arnizeni Litvinchuk, Borkin, Dzukić & Kaležić in Litvinchuk, Borkin, Džukić, Kaležić, Khal turin & Rosanov, 1999. – Serbia Tylototriton asperrimus menzianensis Fei, Ye & Yang, 1984. - China (Gansu).

Tylotoruton haunanensis Fei, Ye & Yang, 1984. - China (Hainan). Comment: Authorship of nomen wrongly credited to "Fei & Yang" by Frost (1985: 617) and DUELLMAN (1993: 310).

Epifamilia Sirenoidia Gray, 1825

Superfamilia Suppompa Gray 1825

Familia Steenman Grav 1825

- † Kababisha Evans, Milner & Werner, 1996. Type-species, by original designation: † Kababisha humarensis Evans, Milner & Werner, 1996. Sudan, Cretaceous.
- † Kahahisha humannisis Evans, Milner & Werner, 1996. Sudan, Cretaceous.
- † Kababisha sudanensıs Evans, Milner & Werner, 1996. Sudan, Cretaceous.
- † Noterpeton Rage, Marshall & Gayet, 1993. Type-species, by original designation: † Noterpeton holizianum Rage, Marshall & Gayet, 1993. Bolivia, Cretaceous
- + Noterpeton bolivianum Rage, Marshall & Gavet, 1993. Bolivia Cretaceous.

Superordo Gymnophiona Rafinesque-Schmaltz, 1814

Ordo Gymnophiona Rafinesque-Schmaltz, 1814

Incertae sedis

- † Rubricacaecilia Evans & Sigogneau-Russell, 2001. Type-species, by original designation: † Rubricacaecilia monbarom Evans & Sigogneau-Russell, 2001. Morocco. Cretaceous.
- † Rubricacaecilia monbaroni Evans & Sigogneau-Russell, 2001 Morocco Cretaceous

Epifamilia Caecilioidia Rafinesque-Schmaltz, 1814

Superfamilia CAECILIOIDEA Rafinesque-Schmaltz, 1814

Familia CAECILIDAE Rafinesque-Schmaltz, 1814

Boulengerula fischen Nussbaum & Hinkel in Fischer & Hinkel, 1994 [nec Boulengerula fischeri Nussbaum & Hinkel, 1994]. – Rwanda. – Comment See Lötters (2003).

Gegeneophis krishm Pillai & Ravichandran, 1999. - India (Karnataka).

Familia Ichthyophudae Taylor, 1968

Ichthyophis garoensis Pillai & Ravichandran, 1999. – India (Meghalaya).
Ichthyophis husanu Pillai & Ravichandran, 1999. – India (Meghalaya).

Familia Scoreconogenmer Teulor 1969

Cratathatroma tchahalsuhahamer I muron, 2000. - Carneroon

Familia Typer onecripae Taylor, 1968

Atretochoana Nussbaum & Wilkinson, 1995. Type-species, by original designation: Typhlonectes eiselfi Taylor, 1968. - "South America".

Pseudotyphlonectes Lescure, Renous & Gasc, 1986. Type-species, by original designation: Caecilia nataris Fischer, 1879. - Colombia.

Familia Hearcovers mar Nusshaum, 1979

Urgeotyphlus interruptus Pillas & Rayichandran, 1999 - India (Kerala)

Epifamilia + Focaecitaoina Jenkins & Walsh, 1993

Superfamilia † Eocascillaoidea Jenkins & Walsh, 1993

Familia + Focasculainas Tenkins & Walsh, 1993

- † Eocaecilia Jenkins & Walsh, 1993. Type-species, by original designation: † Eocaecilia nucropodia lonkins & Walsh, 1993. USA (Arizona) hirassic
- + Encaecilia micropadia Jenkins & Walsh, 1993 USA (Arizona), Jurassic

ACKNOWLEDGMENTS

For helpful comments, suggestions and information that allowed to improve this paper, we are grateful to Lauren E. Brown, Jean Claude Rage, Born Sanchiz, Miguel Vences and David B. Wake

LITERATURE CITED

ANONYMOUS [International Commission on Zoological Nomenclature], 1999 International code of zoological nomenclature Fourth edition, London, International Trust for zoological Nomenclature (-xxxx +)-306

Acorra, A. R., Quentas, D. A. & Cottona, L. A., 2000. - Una nueva especie de Colorabius (Amphibas Anura Dendrosande) de la region del Carbe de Colombius. Resta de la Academa colombiusa de Comercia secucia, fisica y naturales, "1999", 23 (Sup.-mento especial, 225-240 [Pr.nturg fin.-ihed nt February 2000 according to last page of fascoile)

ACOSTA GALVIS, A. R. & RESTREPO, A. E., 2001. Una nueva especie de Boitogiossa (Caudata. Piethodont.dae) de las selvas del Magdalena medio en Colombia. Caldasia, 23 (2): 467-473.

AGUAYO V., RODRIGO, C. & HARVEY, M. B., 2001. Dos nuevas especies de *Phrynopus* (Anura Leptodaciylidae) de los bosques nublados de Bolivia. *Revista de Biologia tropical*, 49 (1) 333-345.

los bosques nublados de Bolivia. Rensia de Biologia tropical, 49 (1) 555-445
ALCALA, A. C., BROWN, W. C. & Diesmos, A. C., 1998. – Two new species of the genus Platymanus (Amphibia
Ramdae) from Luzon Island. Philipoines. Proceedings of the California Academy of Sciences, 50 (17) 381 388.

ATTISON A & KNAIS F 2000 (\$ Sentember) A new spaces of frog of the genus Xenerium (Anura Marrobylidae) from the north coast ranges of Papus New Guinea Herosialogica, 56 (3) 285 294 [Exact publication date: Humanologua 2000 66 (4): \$161

2001 - New species of Plananaums (Appre Rangae) from New Ireland, Coper 7001 (1) 194-202

AMIET, J. L., 2000 [30 June]. Les Alexteroon du Cameroun (Amphibia, Anura, Hyperobidae) Alvies, 17 (3.4). 125-164. [Exact publication date obtained directly from publisher] 2001 [31 May] In nouveau Learenelis de la zone forestiere comercianie (Amphilia Anura Hyperoludae)

Alvas, 19 (1), 29-44. [Exact publication date obtained directly from publisher].

- AMET. I.-I. & Dowsett I Emark, E. 2000 [15 November]. Un nouveau Lenadactidata de la Dorsale camero. na.se (Amph.bia, Anura) Alyses, 18 (1-2) 1-14 [Exact publication date obtained directly from publisher]

 Andreone, F., Graw, F., Vences, M. & Vallan, D., 1998 [15 July]. A new Mandactylus from south-eastern Madagasar, with a review of Mantidachia temporae (Randae Mantellinae). The herosological Journal, 8 (3)
- 149-159 [Exact publication date: The hertetological Journal, 1998, 8 (4): back cover]. ARDILA-ROBAYO, M. C., 1999 Una nueva especie de Atelopus A. M. C. Dumeni & Bibron 1841 (Amphibia, Anura Rufondae) de la Cordillera Oriental Colombiana Resista de la Academia calambiana de Concurs exactas fiscas
- u naturales 23 (86): 139-142 ARBITA-ROBAYO, M. C., ACOSTA-GALVIS, A. R. & COLOMA, L. A., 2000. Una nueva especie de Colosiathus Cone 1867. (Amphibia Anura Dendrobatidae) de la Cordillera Oriental colombiana Revista de la Academa colombiana de Gencias evactas, fisicas y naturales, "1999", 23 (suo) especial) 239-244. [Printing finished in February 2000 according to last page of fascicle)
- Ardilla-Robayo, M. C., Osorno-Muñoz, M. & Ruiz Carranza, P. M., 2002. Una nueva especie del género Ateletista A. M. C. Durneril & Bibron 1841 (Amphibia Bufonidae) de la Cordillera Oriental Colombiana. Remita de la Academia colombiana de Giencias exactas, fisicas y naturales, 26 (98): 133-139
- ARDILA-ROBAYO, M. C. & RUIZ-CARRANZA, P. M., 1998. Una nueva especie de Atelonus Duméril & Bibron 1841 (Armbibia Bufonidae) de la Cordillera Central Colombiana Resua de la Academia colombiana de Currior exactas, fisicas v naturales, 21 (83): 281-285.
- ARIVAN, H. 1988. On a new form of Roya relibereda (Anura Rapidae) from Turkey, Israebul Über, Fea Fab, Brooker Der 53: 81 87
- AVERIANOV, A. O. & VORONKEVICH, A. V. 2002 A new crown-group salamander from the early Cretaceous of western Siberia. Russian Journal of Herbetology, 9 (3): 209-214.
- AYARZAGÜENA, J., SEÑARIS, J. C. & GORZULA, S., 1993 Un nuevo genero nara las especies del "grupo Ouroconnolus rodriguezi' (Anara Hylidae) Memorias de la Sociedad de Ciencias naturales La Salle, ". 992", 53 (139) 127 146. Publication date: Zoological Record, 1996, 132 (16): 31
- BAEZ, A. M. & PUGENER, L. A., 1998 A new Paleogene pipid frogs from northwestern Patagonia Journal of verichrate Paleontology, 18 (3) 511 524
- Bazz, A. M. & Rage, 1-C., 1998. Papid frogs from the Upper Cretaceous of In Beceten, Niger Palaeontology, 41 (4)
- BAEZ, A. M., TRUER, L. & CALVO, L. O., 2000. The earliest known pinoid from South America, a new senits from the middle Cretaceous of Argentina, Journal of versebrate Paleontology, 20 (3) 490 500
- Ballon, S. 1989 Les Amphibens et les Repules du Plucene superieur de Balaric II (Herault, France) Palaemerrebrara, 19 (1) 7 28. BARRIO AMOROS, C. L. & FUENTES RAMOS, O., 2001 Bolitoglossa spongas, una nueva especie de salamandra (Caudata
- Plethodontidae) de los Andes Venezolanos, con comentanos sobre el genero en Venezuela Acia hiologica venezuelica, "1999", 19 (4), 9-19 [Issue received at the Smithsonian Library on 22 February 2001]
- Basso, N. G., 1998 [9 June] A new telmatobine leptodactylid frog of the genus Arelognathus from Patagonia Herpetologica, 54 (1): 44-52 [Exact publication date: Herpetologica, 2003, 59 (3): 299] BELL, B., DAUGHERTY, C. H. & Hay, J. M., 1998 Leropelina pakeku n. sp. (Anura Leroplematidae), a cryptic species
- of frog from Maud Island, New Zealand, and a reassessment of the conservation status of L. mamitton from Stephens Island. Journal of the royal Society of New Zealand, 28 (1) 39-54
- BENAVIES, F. ORTIZ, J. C. & FORMAS, J. R., 2002 [23 May.] A new species of Telmatobius (Anura Leptodartylidae) from northern Chile Herpetologica, 286 (?) 2, 0-230 [Exact publication date Herpetologica, 2002, S8 (3) 34).

 BLOB, R. W., CARRANO, M. T., ROGERS, R. R., FORSTER C. A. & ESPINOZA, N. R., 7001 I. A new forst fire from the
- upper Cretaceous Lighth river formation of Montana Journal of vertebrate Paleontology, 21 (1): 190-194 BOISTEL, R & AMIET, J. L., 200. [3] January | Une nouvelle espece de Willerstorffing (Amphibia, Anura, Bufon, dae)
- de l'etage afro-subalpin du Mont Oxou (Cameroun) Alytes, 18 (3-4). 127-140. [Exact publication date obtained directly from publisher
- BOSSUYT, F., 2002. A new species of Phicautus. Anura. Ranidae, from the Western Ghats of India. Tournal of Herpetology, 36 (4) 656-661
- BOUGHET, P. & ROGROI, I-P., 1992 Supraspecific names of molluscs: a quantitative review, Malacologia, 34 (1-2) 1993. - The lottery of bibliographical databases a reply to Edwards & Thorne Malacologia, 35 (2): 407-410
- BOYCOTT, R. C., DE VILLIESS, A. L. & SCOTT, E., 2002. A new species of Cacasternian Boulenger, 1887 (Anura Ranidae) from the Karoo region of South Africa. Journal of Herpenlogy, 36 (3): 333-341.

 BRANE, A. H. Jr., SAVAGE, J. M., WAKE, D. B. & HANKEN, J. (2001). New species of large black salamander, genus
- Bolitogiossa (Plethodontidae) from western Panama Copeia, 2001 (3): 700-704
- Brandão, R. A. 2002 A new species of Professional via Wagler, 1830 (Anura, Hyadac, from central Brazil, Tournal of Herperology, 36 (4) 571 578

- BRODIE, E. D. Jr., MENDELSON, J. R. III & CAMPBELL, J. A., 2002. [23 May]. Taxonomic revision of the Mexican plethodoridi salamanders of the genus Linearition, with the description of two new species. Herpetologica, 58 (2): 194–294. [Exact publication date: Herpetologica, 2002. 58 (3): 391.
- Brown, R. M. & GUTTMAN, S. I., 2002 Phylogenetic systematics of the Rana signata complex of Philippine and Bornean stream frogs reconsideration of Huxley's modification of Wallace's Line at the Oriental Australian
- faunal zone interface. Biological Journal of the Linnean Society, 76 (3): 393-461

 BROWN, R. M., McGuine, J. A. & Diessmos, A. C., 2000 [29 February] Status of some Philippine frogs referred to Rana everint (Anura Randae), description of a new species and resurrection of Rana igorota Taylor 1922
- Herpetologica, 56 (1). 81-104. [Exact publication date: Herpetologica, 2000, 56 (2) 238]
 BROWN, W. C., Alecha, A. C. & Diessous, A. C., 1999 Four new species of the genus Playmantis (Amph.bia Ranidas) from Luzon Island, Philippines Proceedings of the Colifornia Academy of Sciences, 51 (12) 449-
- 460
 Brown, W. C., Alcala, A. C., Diesmos, A. C. & Alcala, E., 1997 Species of the guenthers group of Platymanis (Amphibia Ranidae) from the Philippines, with descriptions of four new species. Praceedings of the California
- Academy of Sciences, 50 (1): 1-20

 Brown, W. C., AlcAla, A. C., ONG, P. S. & Diesnos, A. C., 1999

 A new species of Playmants (Amphiba.
 Browned from the Steres Marte Mountains, Lucon Island, Philippines, Proceedings of the Indiana, Carpental
- Randae) from the Sterra Madre Mountains, Luzon Island, Philippines. Proceedings of the biological Society of Washington, 112 (3): 510-514.

 BROWN, W. C., BROWN, R. M. & ALGALA, A. C., 1997. Species of the hazelae group of Platymannia (Ambibida).
- Randae) from the Phil.ppines, with descriptions of two new species Proceedings of the California Academy of Sciences, 49 (11):405-421.

 BROWN, W. C., BROWN, R. M., ALCALA A. C. & FROST, D., 1997 Replacement name for Platymantis reticulatus.
- Brown, W. C., Brown, R. M., Alcala, A. C. & Frost, D., 1997. Replacement name for *Platymantis reticulatus*.

 Brown, Brown, and Alcala, 1997. *Herpetological Review*, 28 (3): 131.

 CAMP. C. D. TILLEY S. G. ALISTIN, R. M. It. & MARSHALL I. L., 2007. 124 October. A new species of black belled.
- SAMP, C. D., ITLEY S. G., AUSTIN, R. M. J. & MARSHALL J. E., 2002 [24 October] A new species of black belief salamander (genus Demograthia) from the Appalachian Mountains of northern Georgia. Herpetologica, 58 (4) 471-484. [Exact publication date: Herpetologica, 2003, 59 (1): 143]
- CAMPBELL, J. A. & CLARKE, B. T., 198 [8 September] A review of frogs of the genus Otophryne (Microbylidae) with the description of a new species. Herpetologica, 54 (3) 301-317 [Exact publication date. Herpetologica, 1998, 54 (4) 543]
- CAMPBELL, J A & DUELLMAN, W E., 2000. New species of stream-breeding hylid frogs from the northern versant of the Highlands of Oaxaca, Mesuco. Scientific Papers, Natural History, Museum, The University of Kansas, 16 1.28
- CAMPBELL, J. A. & SAVAGE, J. M., 2000 Taxonomic reconsideration of Middle American frogs of the Eleutherodactylidae arregulosus group (Anura Leptodactylidae) a reconnaisance of subtle nuances among frogs. Herpetological
- Monographs, 14 186-292.

 CAMPBELL, J. A. & SMITH, E. N., 1998. New species of Notoriton (Caudata, Plethodont,dae) from eastern Guatemala Scientific Papers, Natural History Museum, The University of Kaman, 6: 1-8.
- Charbeall 3 Journals Activities Papers, Ivanual History Muselins, Inc University of Konica, et 1–8.
 CAMPBELL, JA, SAUTU, E. N. & ACEVEDO, M., 2000 IJ Junel. B. Anew species of fringe-limbed treefrog (Hylidae, from the Sierra Los Cuchumatanes of northwestern Guatemala Herpesologia, 36 (2) 250-256 [Exact pubheation date: Herpesologia, 2006.] 65 (3).
 411.
- CANSEC MARQUEZ, L. MSDNESON, J. R. III. & GUTIERREZ-MAYEN, G., 2002 [23 May] A new species of H₁/a (Anura Hyhdae, from the Mixteca Alia, Oaxaca, Mexico. Herpetalogica, 58 (2) 260-269 [Exact pubheation date: Herstolorica, 2002. 58 (3) 3931.
- CARAMASCHI, U., 1998 [1 December] Description of a second species of the genus Xenohyla (Anura Hylidae)
 Amphibia Repulia, 19 (4) 377-384. [Exact publication date Amphibia-Repulia, 1999, 22 (.). .nside front cover]
- CARMAGERI U & CRUIZ, CA G DA, 1998 Notas taxonomicas sobre Paudis fusca Garman e Poslobolacida A Lutz com a descrição de uma nova especie correlata (Antara, Pseudidae). Revista brasiteira de Zeologia, 15 (4) 979 943
- -----1999 Duas especies novas do grupo de Hvla polytaema Cope, 1870 do Estado de Minas Gerais, Brasil (Amphibia, Anura, Hylidae). Boleum do Museu Nacional, Zoologia, Rio de Janeiro, (n.s.), 403 1-10.
- 1000 Duas especies novas de Hyra Laurenti, 1768 do Estado de Goias, Brasil (Amph.bra, Anura Hyhdae)
 Bolenn do Museu Nacional, Zodogia, Rio de Janeiro, (n.s.), 422: 1-12.
- 2001 A new species of Chiasmortes Menely, 1914 from Brazilian Amazonia Amphibia, Anura, Microhylidae) Balgium do Museu Nacional, Zoologia, Rio de Janeiro, (n.s.), 469, 1-7
 - 200° Taxonome status of Ardigina path who interface Riberto, 1924, redescription of Managine wincin tondrous Boulenger, 190°), and descriptions of two new species of Melanophy water from the State of Santa Cararina, Brazil (Amphibia, Ameri, Bulondiae). Against de Museu Nacional Ro de Javann, 60 (4) 203-
- CARAMASCHI, U., NAPOLL M. F. & BERNARDES, A. T., 2001. Nova especie do grupo de Hela incundata (Cope, 1870) do Estado do Minas Gerais, Brasil (Amphibia, Anura, Hybrae). Beleino de Musia Nacional, Zoologia, Rio de Janeiro, (n. s.), 457, 1-11.
- Channo, A & Broant Ly, D. G., 2002. A new snout burrower from the Barotse floodplain. Anura. Hemisotidae. Hemisus), Journal of Herpetology, 36 (3): 367-372.
- CHANNING, A & DAVENPORT, T. R. B., 2002. A new stream frog from Tanzania (Anura: Ranidae. Strongylopus) African Journal of Herpetology, 51 (2), 135-142
- CHANNING, A., HENDRICKS, D. & DAWOOD, A., 1994 Description of a new moss frog from the south-western Cape (Anura Randae Arthroleptella) South African Journal of Zoology, 29 (4) 240-243

- CHANNING, A., MOYER D. C. & HOWELL, K. M., 2002 [19 December] Description of a new torrent frog in the genus Arthrologistis from Tanzania (Amphibas, Anura, Ramidae) Alyris, 20 (1-2) 13-27 [Exact publication date obtained directly from publisher].
- CHANNING, A & STABLEY, W T, 2002. A new tree toad from the Ukaguru mountains, Tanzania. African Journal of Herotology, 51 (2), 121-128.
- CHEN, X. & Itang, L., 2002. A new species of the genus Pag from China Herbitologica simon, 9-731.
- CHEN, X., JIANG, J. & QU, W., 2004. Description of Paa (Ferrana) yer (Anura, Ranidae) from China Acta
- CHEN, X., QU, W. & JIANG, J., 2002 A new species of the subgenus Paa (Forana) from China Herpstologica sinica, 9, 230.
- Chen, X.-H., Qu, W.-Y. & Niu H.-X., 2001. A new species of the genus *Hymobius* from Henan Province, China (Caudata: Hymobiudae). Acta zootaxonomica simica, 26 (3): 383-387. [In Chinese]
- Chippindale, P. T., Price, A. H., Wiens, J. J. & Hillis, D. M., 2000. Phylogenetic relationships and systematic
- revision of central Jexas hemidactyline picthodontid salamanders. Herpetological Monographs, 14: 1-80 Сиоц, W, 1999 [11 October] - A new frog of the genus Rana (Anura Ranidae) from China. Herpetologica, 55 (3), 389-400. Exact publication date: Herpetologica, 1999, 55 (4): 573)
- Chou, W. H. & & List, J.-Y., 1997. Description of a new species, Rana multidenticulata (Anura Ramdae) from Taiwan. Zoological Studies, 36 (3), 222-229.
- CKHIKVADZE, V M., 1982. On the finding of fosal Cryptobranchidae in the USSR and Mongoha. Vertebrata hungarica, 21 63-67.
- COLOMA, L. A., 2002 [23 May]. Two new species of Atelopus (Anura Bufonidae) from Ecuador Herpetologica, 58 (2) 229-252. [Exact publication date: Herpetologica, 2002, 58 (3): 393].
- CROCIST, P.-A, & DUIDOS, A, 2004 Recent changes in the textonomy of European amphibiants and repible. In J. P. GASC, A. CABELA, J. CENSOREJ-GELLOCKE, DO MEM, K. GROSSENACHER, P. HAPPER, J. LESCOR, H. MARTISES, J. P. MARTISES, C. A. H. MAURIN, M. E. OLLPIER, T. S. SOFIAMIDOU, M. VIETI & A. ZUDEPWIR, Allas of amphibianus and repible in Europe, Second edition, Parts. SEH & MNRIN, Collection Partitionies.
- CRUZ, C. A. G. DA, CARAMASCHI, U. & FREIRE, F. M. X., 1999 Occurrence of the genus Chasmodeus (Anura. Microhylidae) in the State of Alagoas, north eastern Brazzl, with a description of a new species. Journal of Zeodovy. London. 349: 123-126.
- CRUZ, C. A. G. DA, CARMARSCHI U & DIAS, A. G., 2000 Especie nova de Hyla Laurenti, 1768 do Estado do Rio de Janeiro, Brasil (Amphibia, Anura, Hylidae) Boletim do Museu Nacional, Zovogia, Rio de Janeiro, (n. s.), 434.
- CUEVAS, C. C. & FORMAS, J. R., 2001 [7 June] A new species of Alsodes (Amphibia, Anura, Leptodactylidae) from central Chile. Amphibia. Repulsa, 22 (2) 187-198. [Exact publication date. Amphibia-Repulsa, 2001, 22 (2) usual from coveral.
- inside front cover]

 —2002 Telmatobius philippii, una nueva especie de rana acuatica de Ollague, norte de Chile (Leptodactylidae)
 Resusta chilena de Historia natural, 75 (1), 245–258
- Resusta chilena de Historia natural, 75 (1), 245-258

 Das, I., 1998a A remarkable new species of raind (Anura Ranidae), with phytotelmonous larvae from mount Harriet. Andaman Island Hamdwood. 23 (1): 41-49
- ---- 1998b. A new species of Rana from the Terai of Nepal. Journal of Herpetology, 32 (2): 223-229
- Das, I. & Chanda, S. K., 1998. A new species of Philatus (Antra Rhicophoridae) from the Eastern Ghats, south-eastern India. Journal of South Assan natural History, 3 (1): 103-112.
- 2000 [.5 May] A new species of Scanger (Anura Megophryidae) from Nagaland, north-eastern India The herpetological Journal, 10 (2) 69-72 [Exact publication date The herpetological Journal, 2000, 10 (3) back cover].
- Das, I. & Ltss., K. K. P., 2001. A new Bufo (Anura Bufondae) from the peat swamps of Selangor, West Malaysta. The Rafflet Bulletin of Zoology, 49 (1): 1-6
 Das, I. & RAWIGIANDBAN, M. S., 1998. A new species of Puspedates (Anura Rhaconhoridae) from the western
- Ghats, India, allied to the Sri Lankan P. cruciger Blyth, 1852. Hamadryad, 22 (2) 88-94
- DAVIES, M. & McDONALD, K. R., 1998. A new species of frog (Anura: Microbylidae) from Cape Melville, Queensland. Transactions of the royal Society of South Australia, 122 (3-4): 159-165.
- DAWOOD, A & CHANNING, A., 2000 A molecular phylogeny of moss frogs from the Western Cape, South Africa, with the description of a new species Journal of Herpetology, 34 (3): 375-379 -- 2002 Description of a new cryptic, species of African sand frog. Jonosterna damarenso (Anura Ranidae), from
- Namibia African Journal of Herpetology, 51 (2): 129-134.

 DE LA Riva, 1, 2000. A new Phylomedius from southwestern Amazonia (Amphibia Anura Hylidae). Recusta
- epiniola de Herptologia, 1999", 13 123-131 [Year of publication according to personal communication of I De la Riva to R. I. Crombiel DE LA Riva, I. & KOHLER, J. 1998. A new minute leptodactylid frog, gen.is Philomistes, from humid montaine forests
- of Bolivia Journal of Herpetology, 32 (3), 325-329.

 Delorme, M. & Dubots, A., 2001 [70 December]. Une nouvelle espèce de Scuinger du Bhutan, et quelques
- remarques sur la classification subgenerique du genre Scunger (Megophyidae, Leptobrachinae) Alytes, 19 (2-4): 141-153. [Exact publication date obtained directly from publisher]
- DENTON, R. K. Jr. & O'NEILL, R. C., 1998. Parissia meassariesiss. a new batrachosauround salamander and other amphibians from the Campanian of eastern North America. Journal of vertebrate Paleomology, 18 (3): 484-494.

- Diaz, L. M., Estrada, A. R. & Hedges, S. B., 2001. A new riparial frog of the genus Eleutherodactylus (Anura. Leptodactylulae) from eastern Cupa. Caribbean Journal of Science, 37(1-2): 63-71.
- Diaz, L. M. & Fong, A., 2001. A new mostled frog of the genus Eleutherodactylus (Anura Leptodactylidae) from eastern Cuba. Solenodon, 1, 76-84.
- DIESMOS, A. C., BROWN, R. M. & ALCALA, A. C., 2002. New species of narrow mouthed frog (Amphibia: Anura: Microbylidae, genus Kaloula) from the mountains of southern Luzon and Polillo Island, Ph.lippines. Copeta, 2001. 1023-1031.
- DONG, Z. & WANG, Y., 1998. A new urodele (Liacxitriton zhongitam gen et sp. nov.) from the early Cretaceous of western Liaouing Province. China. Vertebrata colamatica, 36 (2): 159-172.
- Dorsi, G., Satvinoi, S. & Taxion, Virture J. Line. Virteritate palasnatica, 36 (2): 139-112.
 Dorsi, G., Satvinoi, S. & Taxion, M. L. 2001 Description of Amoleys (Hua) modighant, new species from Sunatira (Amphibia, Anura, Ranidae). Dorsana, "1999", 7 (317) 1.9 [Printing finished in February 2001 according to last nase of fascicle!
- Drewes, R. C. & Perrer, J.-L., 2000. A new species of giant, montane Phrynobarrachus (Anura Ranidae) from the
- Central mountains of Renya. Proceedings of the California Academy of Sciences, 32 (3), 33-64.

 DuBots, A., 2000 [13 July]. Synonymies and related lists in zoology, general proposals, with examples in herpetology.

 Dimerilia, 4 (2): 33-98. [Fixed publication date obtained directly from sublisher).
- Dumeritta, 4 (2): 31-98 [Exact publication date obtained directly from publisher].
 2002 [24 January] The taxonomic status of Scunger mokokchungensis Das & Chanda, 2000 (Amphibia, Anura)
 Amphibia Reonia, "200," 22 (4) 499-506. [Exact publication date Amphibia-Revulia, 2002, 23 (1) inside
- Amphibia Repulia, "200,", 22 (4) 499-506. [Exact publication date Amphibia-Repulia, 2002, 23 (1) inside front cover]
 True front (Rapidae). In: M. Hittchins, W. F. Durit Man & N. Schlager (ed.), Grunde's animal life.
- 2005. True frogs (Ranidae) In: M. HUTCHINS, W.E. DUBLIMAN & N. SCHLAGER (ed.), Gramick's animal of encyclopedia, 2nd edution, Volume 6, Amphibians, Farmington Hill, Michigan, Gale Group, 245-264.
- 2004 Deve.opmental pathway, speciation and supraspecific taxonomy in amphibians. I Why are there so many frog species in Sri Lanka? Alvies. 22 (1-2): 19-37
- --- 2005a Amphibia Mundi 11 An ergotaxonomy of recent amphibians. Alytes, 23 (1-2): 1-24
- 2005b. Proposed Roles for the incorporation of nomina of higher-ranked zoological taxa in the International Code of Zoological Nomenclature
 Some general questions, concepts and terms of biological nomenclature. Zoosystema, 1 (2): 365-487.
- 2005c Proposed Rules for the incorporation of nomina of higher-ranked zoological taxa in the International Code of Zoological Nomenciature 2, The proposed Rules and their rationale. Zootystema, in press.
- DUBOIS, A., MATSU, M. & OHLER, A. 2001 [31 May] A replacement name for Rana (Paa) rara Dubois & Matsun, 1983 (Amphibia, Anura, Rannae, Rannae). Alpres, 19 (1) 2.4 [Exact publication date obtained directly from publisher].
- DUBOSS, A & OLIBER, A, 1995 Frogs of the subgenus Pelophylax (Amphibia, Anura, genus Rana) a catalogue of avalable and valid scientific names, with comments on name bearing types, complete synonymies, proposed common names, and mass showing all type localizes. Zodenia Polomes. "1994", 36(3-4): 139-206.
 - 1998 [7 October] A new species of Leptobrachium (Vibrissaphora, from northern Vietnam, with a review of the taxonomy of the genus Leptobrachium (Pe,obatidae, Megophrynne) Dumeriha, 4 (1) 1-32 [Exact publication date obtained directly from pub-lisher].
 - 399 Asian and Oriental toads of the Bufo melanositius, Bufo scaber and Bufo stepneger groups (Amphibia, Anira) a list of available and valid names and redescription of some name-bearing types. Journal of South
 - Aman natural History, 4 (2): 133-180

 2001 [20 December]. A new genus for an aquatic raind (Amphibia, Anura) from Sri Lanka Alyses, 19 (2-4)

 8, 106 (Exact publication date obtained directly from publisher)
- Dubois, A., Ohler, A. & Biju. S. D., 2001 [20 December] A new genus and species of Ranidae (Amphibia, Anura) from south-western India. Alyes, 19 (2.4) 53-79 [Exact publication date obtained directly from published publications. WE., 1993. Amphibian species of the world, additions and corrections. University of Kansa Museum of
- natural History special Publications, 21 [1 ii] + 3 iii + 1-372

 DUSLIMAN, W. E., 2000 [8 September] Leptodactyld frogs of the genus Phrymopus in northern Peru with descriptions of three new species Heroteologica, 56 (3, 273-285 [Exact publication date Herptodogica, 7000,
- oescriptions of three new species Herpitologica, 30 (3, 27 8) [Exact publication date Herpitologica, 3000, 56 (4) 516].

 DUELLMAN, W. E., DE LA RIVA, I. & WILD, E. R., 1997 Frogs of the Hyda armata and Hyda pul, hella groups in the
- Andes of South America, with definitions and analyses of phylogenetic relationships of Andean groups of Hyla, Scientific Papers, Natural History Missium, The University of Kansas, 3—41

 DUSLIMAN, W. E., LERR, E. & AGULAR, C., 2001 A new species of marsupial frog (Anura Hylidae Gastrothica)
- from the Cordinera Azul in Peru Szemific Papers, Nanual Hinory Miseaum, The University of Kansar 22 1 10
 DUBLIMAN, W. E. & PRAMUK, J. B., 1999 Frogs of the genus Eleuherodocythic (Ansar Leptodocytoka), an the Andes
 of northern Peru Szemific Papers, Natural History Miseaum, The University of Kansar, 3 1 78
- DUTTA S , FROOZ AHMED, M & DAS, 1, 2000 Kalophrimus (Anura Microhylidae, a new genus for India with the description of a new species, Kalophrymus orangeisis, from Assam State Handryod, 25 (2) 67-74 DUTTA, S K & Ray, P, 2000 Microhyas abougars, a new species of microhyad fing Anura Microhyadael from
- Karnataka, India. Hamadryad, 25 (1) 38-44

 Estis, R. & Sanchil, B., 1987 Early Cretaceous lower vertebrates from Galve (Teruel), Spain Journal of Vertebrate
- Paleonology, 2 (1), 21-39

 Estrada, A R & Aldonso, R., 1997 Nueva especie del grupo limbatus (Leptodactylidae Eleithenada, tylis) de la
- region oriental de Cuba Caribbean Journal of Science, 33 (1-2): 41-44.

 ESTRINA R., DIAV., L. M. & RODRIGIEZ, A., 1998. Naeva especie de Eliation a dat. rhies (Anura Lepta-Jacty) indae del litoral norte de La Habana, Cuba Restra espansia del Herperologia, "1997", 11: 19-24.

- ESTRADA, A. R. & HEDGES, S. B., 1997a. Nueva especie de Eleutherodactylus (Anura Leptodactylidae) del macizo. Sagua Baracoa. Cuba. Carabbean Sournal of Science, 33 (3-4), 222-226.
- Sagua Balacon, Canadona Journal of Stanta, 33 (3-4): 222-220.
 1997b. A new species of frog from the meseta de Cabo Cruz, eastern Cuba (Leptodactylidae, Eleutherodactylias).
 Garibbean Fournal of Stanta. 33 (3-4): 227-232
- Caribbean Journal of Science, 33 (3-4): 227-232

 —1997c. A new species of frog from the Sierra Maestra, Cuba (Leptodactyhdae, Eleutherodactyhus) Journal of Herestodactyhdae, 31 (1): 364-368.
- .998 Sistematica de las ranas riberenas de Cuba (Leptodactylidae Eleutherodactyliu) con la descripción de una especie nueva. Caribbean Journal of Science, 34 (3-4): 218-230.
- ETEROVICK, P. C. & Sazima, 1, 1998. New species of *Procentophrys* (Anura Leptodactylidae) from southeastern Brazil Copeta, 1998 (1): 159-164.
- EVANS, S. E. & McGowan, G. J., 2002. Lissamphibian remains from the Purbeck Limestone group, southern England. Special Papers in Palaconiology, 68: 103-119.
- EVANS, S E & MILMER, A L., 1996. A metamorphosed salamander from the early Cretaceous of Las Hoyas, Spain Royal Society philosophical Transactions, Biological Sciences, 351 (1340): 627-646.
- Evans, S. E., Milner, A. L. & WErner, C., 1996. Stremd salamanders and a gymnophionan amphibian from the Cretaceous of the Sudan. *Palaeontology*, Durnem, 39 (1), 77-95.
- Evans, S. E. & Sicoonsalt-Russell, D., 2001. A stem group caecinan (Lassamphibia Gymnophiona) from the lower Cretaceous of North Africa. Palacontology, Oxford, 44 (2): 259-273

 Pist. L. (ed.) 1999. Artist of amphibians of Orienz. Zhengzhou (Chuna), Henan Press of Science and Technology [1-1]
- FBI, L. (ed.), 1999. Assas of amphibians of China. Zhengzhou (China), Henan Press of Science and Technology [1-1] +1-432. [In Chinese]

 FBI L. LING L. V. E. & CUENCE S. 1996. Fluctoophysics analysis of creatalling (see large receives of presspecies).
- FEI, L., JIANG, J., YE, C. & CHENG, S., 1996. Electrophoresis analyses of crystalline [sic] lens protein of twenty-one species (subspecies) of four genera of Peelobaudae [s.c]. Acta herpetologica innica, (n.s.), "1995-1996", 4-5-230-237. [In Chinese]
- FEI, L. & YE, C., 2000a A new hynobud subfamily with a new genus and new species of Hynobidae from west China (Amphibia Caudata) Cultum herpetologica sinica, 8: 64-70 [In Chinese]
- ---- 2001a The colour handbook of the amphibians of Sichian Chengdu, Chengdu Institute of Biology [1-xv] + 1-263
 [In Chinese] A piew species of the senus Paa from southeast Xizang. China (Amphibia Randae). Acia zoologica sinica.
- 47 (2): 476-478. [In Chanese]
 Fel. L. Ye. C. & Chen, H. 1992. A new pelobatid toad of genus Oreolalax (Amphibia, Anura) from Yunnan-
- Guzhou plateau of China. Acta biologica Plateau sinua, 11: 39-44. [In Chinese].

 Fei, L., Ye, C. & Huang, Y. 1991. Key to Chinese Amphitosa. Chongqing, Editions of Sciences and Techniques, "1990".
- [1-iv] + 1-2 + 1-364. [In Chinese]. [Publication date: ZhAo & ADLER, 1993: 367]
 1992. Two new species of the genus Megophrys, Pelobatidae (Amphibia, Anura) from China Zoological Research,
- 13 (1): 5-12 [In Chinese].

 ——1997 Taxonomic studies on the genus *Lurana* of China including discriptions [stc] of a new species (Amphibia
- Ranidae). Cultum herpetologica simea, 6-7, 75-80. [In Chinese]
 Fei, L., Ye, C., Huxik, Y. & Chen, X., 1999
 Taxonomic studies on Bulo tiridis from west China (Amphibia Anura). Zoological Research, 20 (4): 294-300. [In Chinese]
- Fet, L., YE, Č. & JIANG, J., 2000. A new genus of subfamily Amologenae. Pseudoamolops, and its relationship to related genera. Acta exologica sinca, 46 (1), 19-26. [In Chinese]. [Received on 16 May 2000 in the Paris Museum Central Library].
- FEI, L., YE, C., JIANG, J. & CHEN, S., 1999 Description of a new Scuttger from Mt. Gongga in Sichuan Province of China. Zoological Research, 20 (3): 172-177. [In Chinese]
- Fei, L., Ye, C. & Li, C., 1999 Description of a new pelobated toad of genus. Oxodalax. Oxodalax nannangensu from Daba mountain region of China. Acta zootaxonomica sinica, 24 (1): 107-113. [In Chinese]
- 2001a Descriptions of two new species of the genus Odorrana in China (Antira Ranidae) Acia zootaxonomica minca, 26 (3) 108-114. [In Chinese]
 2001b Taxonomic studies of Odorrana versabilis in China II. Descriptions of two new species (Amobibia).
- Ranidae). Acta zonaxonomica sunica, 26 (4) 601-607. [In Chinese]

 Fet L. Ye, C. & Lis. S. 1997. Two new species of peloband toods of genus Lepiolalus, from Yunnan province of China.
- (Amphibia, Anura) Acta biologica Plateau sunca, II 45-54 [In Chinese].

 Fet, L., YE, C. & YANG, R., 1984 A new species and a new subspecies of the genus Tylotorrion (Caudata
- Salamandridae). Acta zoologica innea, 30 (1): 85-91 [In Chinese]
 Feio, R. N., Pombal, J. P. Ji. & Caramaschi, U., 1999 New Physiliaennis (Anura Leprodactylidae, from the Atlantic
- Forest of Minas Gerais, Brazil. Copeia, 1999 (1), 141-145

 Ferricot A.J. C., 2001 Una nueva especie de Caratophres (Anura, Leptodactylidae, en el Neogeneo de la provincial
- de Buenos Aires, Argentina Aineghinana, 38 (4): 185-39]
 Ferrand De Almeida, N., Ferrand De Almeida, P., Goncalve, H., Sacceira, F., Teineira J. & Ferrand De
 Almeida, F., 2011. Jahbada, Rante, Bort et al. Porto. FAPAS & Camara Minnyral de Porto. Guas Faras
- FEY, B., 1988. Die Anurenfauna aus der Unterkreide von Una (Ostpanien). Berl. Geotsiss. Abh., Reihe A, Geol. Palaconiol. 103: 1-99
 FIYCHER E, & BIRSHL, H. 19. 94
 Zur Flora und Faana der Walder Ruandas Zentralafrika. 2 Der Gishwatt Wald.
- FISCHER, E. & HINKEL, H. 99-4 Zur Flora und Fauna der Walder Ruandas Zentralafrika. 2 Der Gishwati Wal-Mannzer Naturwissenschaftliches Archiv., 32, 39-85

- FORMAS, J. R., CUEVAS, C. C. & BRIEVA, L. M., 2002, -- A new species of Altodes (Anura Leptodacty, dae) from Cerro Mirador, Cordillera Pelada, southern Chile. Proceedings of the biological Society of Washington, 115 (4) 708-719
- FORMAS, JR., CUEVAS, C. & NUNEZ, J., 1998 A new species of Alicedes (Amphibia Anuar Leptodacrylidae) from southern Chile. Proceedings of the biological Society of Wathington, 111 (3): 521-530.

 FORMAS JR., NORTH AND L. CAMPETT L. J. NUTSEY JL. CHEES. C. & S. REPUEL J. M. 1909. Talmachur dauba.
- FORMAS, J. R., NORTHLAND, I., CAPETILLO, J., NUÑEZ, J. J., CUEVAS, C. C. & BRIEVA, L. M., 1999 Telmatobius dankoi, una nueva especie de rana acuatica del norte de Chile (Leptodactylidae) Revista chilena de Historia natural, 72 (2), 437,445
- FORMAS, J. R., ÜBEDA, C., CUEVAS, C. & NUÑEZ, J., 1998. Alsodes australis, a new species of leptodactylid frog from the temperate Nothologus forest of southern Chile and Argentina. Studies on neotropical Fauna and Environment, (1907), 32, 62, 200, 21.
- FOX, R. C. & NAYLOR, B. G., 1982. A reconsideration of the relationships of the fossil amphibian Albanerpeion Canadian Journal of Earth Sciences, 19 (1): 118-128.
- FROST, D. R., (ed.), 1985. Amphibian species of the world. Lawrence, Allen Press & Assoc Syst. Coll [1-w] + 1-v +
- GAO, K.-Q., CHENG, Z.-W & Xu, X., 1998. First report of a Mesozoic urodele from China Chinese Geology, 1 (248)
 40.41. Th. Chinesel
- GAO, K.-Q. & SHUBIN, N. H., 2001. Late Jurassic salamanders from northern China. Nature, 410 (6828) 574-577.
 GAO, K.-Q. & WANG, Y. 2001. Mesozoic anurans from Liaoning Province, China, and phylogenetic relationships of
- archaeobatrachian anuran clades. Journal of vertebrate Paleontology, 21 (3): 460-476
 GARCIA-PARIS, M. & MARTINEZ-SOLANO, I., 2001 Nuevo estatus taxonomico para las poblaciones ibero-
- mediterraneas de Alyses obstetricam (Anura Discoglossidae). Revisia española de Herpatologia, 15 99-113
 GARCIA-PARIS, M. & WAKE, D. B. 700. Molecular phylogenetic analysis of relationships of the tropical salamander genera. Oculinna and Nacionius, with descriptions of a new sensus and three stones. Capata, 2000 (1) 42-70.
- GARDNER, J. D., 1999 New albaner-pentoned amphibians from the Albian to Coniac.on of Utah, USA bridging the gap. Journal of Vertebrate Paleontology, 19 (4): 632-638
- 2000 Albanerpetonud amphibians from the upper Cretaceous (Campanian and Maastrichtian) of North America. Geodinersitas, 22 (3): 349-388
- Gerlach, J & Will, J, 2002 A new species of frog, genus Sooglossis (Anura, Sooglossidae) from Silhouette island, Seychelles, Amphibio. Reputha, 23 (4), 445-458
 Grabetta, A. & A. Goura, O. Jr. 1998 A new species of Megadoua from Mantiquetta range, southeastern Brazil
- Giarria, A. A. & Aguiar, O. Jr., 1998. A new species of Megadona from Mantiqueira range, southeastern Brazil Journal of Herpetology, 32 (1): 80-83. Giarria, A. A., Brenard P. S. & Kokurium M. N. de C. 2000. A new species of Programbly (Adulta
- Leptodactylidae) from the Amazon rain forest. Journal of Herpetology, 34 (2): 173-178

 GLARETTA, A. A. & SAWAYA, R. J., 1998 Second species of Psyllophryne (Anura Brachycephalidae) Copeta, 1998 (4)
- 985-987 (8.4.) LÖTTERS, S. & VENCES, M. 1998 Vorlatinge Liste and Bibliographie neubeschriebener Aminhibenarien und -interartien von 1993 bis 1997 Etable. 6 (1): EXXIV
- GLAW, F & VENCES, M. 1994 [Mid December] A fieldguide to the amphibians and reputes of Madagascar Second edition, including mammals and freshwater fish Kolm, Vences & Glaw 1-480, 48 pl [Publication date according to F. Glaw]
- --- 2000 A new species of Manudactylin from northeastern Madagascar with resurrection of Manudactylin blanci (Guioč, 1974) (Amphibia, Anura, Ranidae). Spixiana, 23 (1): 71-83.
- (Guibé, 1974) (Amphibia, Anura, Ranidae). Spixiana, £3 (1): 71-83.
 2001 Two new sibing species of Mantidactylus cornutus from Madagascar (Amphibia, Anura, Ranidae). Spixiana, £4 (2): 177-190.
- —— 2002a [30 April] A new sibling species of the anuran subgenus Blommersa from Madagascar (Amphibia Mantellidae Montdocrohis) and its molecular phylogenetic relationships. The herpetological Journal 12 (1) 11-20 (Paren publication date: The herpetological Journal 2002, 12 (2), back copy.
- 2002b. A new cryptic treefrog species of the Boophis lineus group from Madagascar bioacoustic and genetic cyidence (Amphibia, Anura, Mantellidae). Spixiana, 25 (2): 173-181.
- 2002c [15 October] A new cryptic frog species of the Manufactylin bindinger group with a divergent vocal sac structure. Amphibia-Repulsa, 23 (3): 293-304. [Exact publication date. Amphibia. Repulsa, 5302, 23 (4). miside front cower.]
- -2002d A new species of Maundacribu Anura Mantelldae) from Andasibe in eastern Madagascar Journal of Herperdogy, 36 (3): 372-378 GLAW, F. YENCES, M., ANDREONE, F. & VALLAN, D., 2001 - Revision of the Boophis majori group (Amphibia)
- GLAW, F., VENCES, M., ANDREONE, F. & VALLAN, D., 2001 Revision of the Boophis majori group (Amphibia Mantellidae) from Madagascar, with descriptions of five new species. Zoological Journal of the Linnean Society, 133 (4): 495-529
- GLAW, F., VINCLES, M. & BOHME, W., 1998. Systematic revision of the genus Aghypodactypia Boulenger, 1919.
 (Anura Randac) and analysis of its pills agreence relationship with other rando agener from Madagasa extrometerium, Bosphir, Manudaction and Marstula. Journal of workgrad Systeman. and evolutionary Research, 36 (12) 17-37.
- GLAW, F., VENCES, M. & GOSSMANN, V. 2000. A new species of Mantidaevilus (subgenus Giubemanti) from Madagascar, v. th a comparative survey of internal femoral gland structure in the genus Amphibia. Ranidae Mantellinae), Journal of natural History, 34 (7): 1132-1132.
- GORHAM, S. W., 1974. Checkers of world amplithens up to Januar, 1, 1970. Spirit John. The New Branswick Museum. 1–173.

- GORZIII A. S. & SEÑABIS C. 2000 Una nueve expecie del genero Ostorcobbolus (Anura Hylidae) de la Gran Sahana Venezuela, Acta biologica venezuelica, "1996". 16 (4): 19-27
- GRANT, T. 1998. *Una niewa esnecia de Goloschius del grupo editardo de Colombia. Renua de la Academa colombiana de Cremeros evactos, fincas y naturales, 22 (84): 423-428
- 2000 Una nueva especie de Rhambhobhrone (Anura, Bufon dae) de la Cordillera Central de Colombia Revista de la Academia colombiano de Cuncias exactas flucas y naturales, et "1999", 23 (Sunicimento especial): 287-292 Printing finished in February 2000 according to last page of fasciclel.
- Grant, T. & Ardila-Robayo, M. C., 2002 (23 May) A new success of Colostethus (Anura Dendrohatidae) from the eastern slones of the Cordillera Oriental of Colombia Herbadiosca, 58 (2) 252-260. [Exact publication date-Herpetologica, 2002, 58 (3): 393]

 GRANT, T. & CASTRO, F., 198. The cloud forest Colonethus (Anura, Dendrobatidge) of a region of the Cordillera
- Occidental of Colombia Journal of Herpetology, 32 (3): 378-392

 Grant. T. Humburgy, E. C. & Myrrs, C. W., 1997 The median lingual process of frogs a bizarre character of Old World ranged discovered in South American dendrobatids. American Museum Nonitaies, 3212: 1 40.
- Grant, T & Rodriguez, L. O., 2001 Two new species of frogs of the genus Colostethus (Dendrobatidae) from Peru and a redescription of C. tribicatus (Boulenger, 1883). American Museum Nontone 3355: 1-24
- Gu, H., 1992. A new species of Hymobius. Hymobius amiensis. In Y. Olan, F. Zhao, & K. Zhao, (ed.), Animal science wearch A salume stated to celebrate the 90th britidar, of Professor Mane-near I. V Chang, Beurne, Chang Forestry Press, "1991": 39-43. [In Chinese]. [Publication date: ZHAO & ADLER, 1993: 372]
- GURIN, Y. M., 1991. Palencene salamanders from southern Mongolia, Paleontologichesku Zhurnal, 1991 (1), 96-106. - 1999 Gobiatids (Anura) from the Upper Cretaceous locality Khermeen-Tsav (Gobi Desert, Monzolia). Paleontologichesku Zhurnai, 1991 (1): 76-87.
- GUNTHER, R., 1985 Ordnung Anura, Proschurche, In. W. E. ENGELMANN, I. FRITZSCHE, R. GÜNTHER & F. I. ORST. Lurche und Kriechnere Furanas, Leinzig & Rudeheul, Neumann: 113-184
- Irian Iava, with descriptions of new species. Mittellineen aus dem Museum für Naturbunde in Berlin, Zeologische Reshe, 75 (2): 317-335
- 2000 Albericus laurim species nova, the first record of the genus Albericus (Anura, Microhylidae) from the west of New Guines. Mittelianeen aus dem Museum für Naturbunde in Borlin. Zoolorische Reihe. 76 (2) 167-174 - -- 2001 The Papuan frog genus Hylophorbus (Anura Microhylidae) is not monospecific description of six new
- species, Russian Journal of Heroetology, 8 (2): 81-104 - 2002a Westernmost records of the Papuan frog genus Gobula with descriptions of two new species (Amphibia
- Anura Microhylidae) Faumstische Abhandlungen, Staatliches Museum für Tierkunde Dresden, 23 (2): 35-58. --- 2002b Beschreibung einer neuen Gobiida-Art (Amphibia, Anura, Microhylidae) von der Insel Yapen im Nordwesten von Panus, Indonessen Zoolanyche Abhandtungen, Staatisches Museum für Trerkunde Dreiden, 52
- 77-86 GUNTHER, R. & RICHARDS, S. 2000 A new species from the Latoria gracilenta group from Irian Iava (Anura. Hybidae)
- Herberozoa, 13 (1-2): 27-43 GÜNTHER, R., RICHARDS, S & ISKANDAR, D., 2001 Two new species of the genus Oreobirrose from Irian Java,
- Indonesia (Amphibia, Anura, Microhylidae), Spinana, 24 (3), 257-274 HANKEN, J & WAKE, D B, 1998 Biology of tiny animals systematics of the minute salamanders (Thornis Plethodontidae) from Veracruz and Puepia. Mexico, with descriptions of five new species. Copeia, 1998 (2)
- 312 345 ----- 2001 H0 Decembert - A seventh species of minute salamander (Thorius Plethodontidae) from the Sierra de Juarcz, Mexico. Herpetologica, 57 (4) 515-523. [Exact publication date. Herpetologica, 2002, 58 (1), 138]
- HANKEN, J., WAKE, D. B. & FREEMAN, H. L., 1999 Three new species of minute salamanders (Thorsus Plethodontidae, from Guerrero, Mexico, including the report of a novel dental polymorphism in Urodeles. Copera, 1999 (4): 917-931
- HARDY, J. D. Jr., 2001. A new frog of the genus Eleutheroductylus from the island of Tobago, West Indies. Butletin of the Maryland herpetological Society, 37 (1) 25-31.
- HARVEY, M. B & P ERGUETA S. (1998 A new species of Phrynopus (Anura: Leptodactybdae) from Elfin Forest in Bolivian Andes. Journal of Herpetology, 32 (4): 536-540 HARVEY, M. B., PEMBERTON, A. J. & SMITH, F. N., 2007 New and poorly known parachuting frogs (Rhacophoridae
- Rhacophorus) from Sumatra and Java. Herpetological Monographs, 16, 46-92 HE, X., 1999. A new species of the family Rhacophoridae. Polypediates puereuss. Suchuan Tournal of Zoology, 18 (3).
- 99.100 HENRIGI, A. C., 1998. A new pipoid anuran from the Late Turassic Morrison Formation at Diagonal National
- Monument, Utah. Journal of vertebrate Paleontology, 18 (2): 321-332 HENRICI, A. C. & BAEZ, A. M., 2001 First occurrence of Xenopus (Anura Proidae) on the Arabian pennisula a new
- species from the upper Oligocene of Yemen. Journal of Paleontology, 75 (4): 870-882 HEYER, W R., 1999 A new genus and species of frog from Bahia, Brazil (Amphibia Anura Leptodactylidae) with comments on the zoogeography of the Brazilian campos rupestres. Proceedings of the triological Society of
- Washington, 112 (1), 19-39 HEYER, W. R. & MENOZ, A. M., 1999. Validation of blowheroduction crepitans Bokermann, 1965, notes on the types and type locality of Telatronia hiteroductymm Miranda-Ribeiro, 1937 and description of a new species of Licuthenducivius from Mato Grosso, Brazil Amphibia Anara Leptodactylidae). Proceedings of the biological Society of Washington, 112 (1): 1-18

- HIGHTON, R., 1999 [2 March]. Geographic protein variation and speciation in the salamanders of the Plethodon emerius group with the description of two new species. Herpetologica, 55 (1) 43-90 [Exact publication date Herbetologica, 1999, 55 (2): 2931.
- HGHTON, R. & Passiony, R. B., 2000 Geographic protein variation and speciation in salamanders of the Philodom portions in all Philodop distributions complexes in the southern Appalachian Mountains with the description of four new species In R. C. BROCK, R. G. Jasce & L. D. HOUCK, ed.), The booking of placinchoins datamanders, Klauver Acretics & Plenum Philotheres 3,104.
- HILLS, D. M., CMARBELLEN, D. A., WILLOY, T. P. & CHIPPENDAE, P. T., 2001 [14 September]. A new spoess of subterraceab Ind. stalamated: Pfenhodounde Hemdecytum Eurysox Johnouley from Autum, Texas, and a systematic revision of central Texas psedomorphic salamanders. Herperologica, 57 (1): 266-280 [Exact publication date: Hemeologica, 2001, 57 (4).
- HOLMAN, J. A. & HARRISON, D. L., 2002. A new Thailmastoraurus (Anura familia incertae sedis) from the late Eocene of England, with remarks on the taxonomic and 200geographic relationships of the genus Journal of Hernetology, 36 (4), 621–626.
- HOSSIN, S. 2000. Un nouveau discoglosside (Amphibia, Amura) dans le Miocène supérieur du gisement marocain "Oued Zra". Compres rendus de l'Academie des Sciences, (II), (a) Sciences de la Terre et des Planetes, 331 (9) 521 550.
- Hossin, S. & Rage, J.-C., 2000 Palaeobatrachid frogs from the earliest Miocene (Agenian) of France, with description of a peu species. Geology Villeurhanne, 33 (2): 223-231
- HUANG, Y. & YE, C., 1997. A new species of the genus Lurana (Amphibia Randae) from Xizang, China Cultum heroetologica sinica, 6-7, 113-115. In Chinesel.
- INGER, R. F. & KOTTELAT, M., 1998 A new species of ramid frog from Laos. The Raffles Bulletin of Zoology, 46 (1) 29-34.
 INGER, R. F., ORLOV, N. & DAREVSKY, I. S., 1999. - Frogs of Vietnam, a report on new collections. Fieldiana. Zoology.
- INGER, R. F., ORLOV, N. & DAREVSKY, I. S., 1999. Frogs of Vietnam, a report on new collections. Fieldiana. Zoology, (n. s.), 92. i-iv. + 1-46.
 INGER, R. F., TAN, F. L. & YAMBUN, P. 2001. A new species of toad of the genus. Antonia (Anura Bufonidae) from
- Borneo, The Raffles Bulletin of Zoology, 49 (1), 35-37.

 Presspons, F. 1998. Nava general de Huldos breathern (Amphiba, Anura). Resista Hussesidade rural. Concast de
- IZECKSOHN, E., 1998 Novo genero de Hylidae brasileiro (Amphibia, Anura) Revista Universidade rurat, Ciencias da Vida, "1996", 18 (1-2)-47-52. [Publication date: Zoological Record, 1999, 135 (16): 28]
 LACIMAN, T. R., 1998 Molecular and historical evidence for the introduction of clouded salamanders (cents.)
- Aneades) to Vancouver Island, Brutsin Columbia, Canada, from California. Canadian Journal of Zoology, 76 (8) 1570-1580.

 IENKINS, F. A. Jr., & WALSH, D. M., 1993. An early Jurassic caecilian with limbs. Name, 365 (6443), 246-250.
- JI SHU'AN & JI QIANG, 1998 The first Mesozoic frog fossil from China (Amphibia Anura) Chinese Geology, 3 (250) 39-42. [In Chinese]
- JIANG, J., DUBOIS, A., OHI BR, A., TILLIBR, A., CHEN, X., XIE, F. & STÖCK, M., 2005. Phylogenetic relationships of the tribe Paint (Amphibia, Anura, Ranidae) based on partial sequences of mitochondrial 12s and 16s rRNA senes. Analoscal Cymnos. 22, 331-365.
- [Since, 20000gran Science, 22, 537-702.
 [Jinn, J., Te, C., Ston, X., Zhin, M., Xie, F. & Chen, Y., 1997. Studies on the taxonomics [sic] of species of Pseudorana and discussions on the phelogenetical [sic] relationships with its relative genera. Cultum
- of Pseudorana and discussions on the phelogenetical [set] relationships with its relative genera Cultum herpetiologia situate, 6-7-7-8. [In Chinoses].

 J. Fist, L., ZHENG, M., YS, C., XIE, F. & CHEN, Y., 2002. Description of Megophrys teasurems (Anara, Pelobardae) from Sichuan, China, with discussion on the relationships of its related secues. Hereetotopica
- зина, 9-80-87. Jiang, J. & Zhou, K., 2009 Phylogenetic relationships among Chinese ranids inferred from sequence data set of 12s and 16st DNA. Herpetological Journal, 15-18
- JOCKUSCH, E. L., WAKE, D. B. & YANEV, K. P., 1998. New species of slender salamanders, Batrachoseps (Amphibia Plethodontidae, from the Sterra Nevada of California Contributions in Science, Los Angeles, 472, 1-17.
- JOCKUSCH, E. L., YANEV, K. P. & WAKE, D. B., 2001 Molecular phylogenetic analysis of slender salamanders, genus

 Batrachousys (Amphibia Plethodontidae), from central coastal California with descriptions of four new
 species. Heroselorical Momoraphis, 15: 54-99
- JUNGER, K. H. & HÖDI, W., 2002 [24 April] A new species of Orizocephalus from Ecuador and a redescription of O lepraum (Dumeni & Bibron, 1841). Anura. Hyldae. Amphibia-Republia, 23 () 21-46 [Exact publication date. Amphibia-Republia, 2002, 23 (2) mistled front cover.
- JUNGFER, K. H. & LEHR, E., 2001. A new species of Ottoocephalus with bicoloured iris from Pozuzo (Peru Departamento de Pasco) (Amphibia Anura Hylidae) Zoologiiche Abhandlungen, Staatlichei Museum für Terkunde Drizden, 51 (19) 321 129
- JUNGFER, K. H., Lotters, S. & Jorgens, D., 2000 West Panama Herpetofauna, 22 (199): 11-18
 Der kleinste Pfeilgiftfrosch eine neue Dendrobater-Art aus
- JUNGFER, K.-H., RON, S., SEIPP, R. & ALMENDARIZ, A. 2000 [3 October] Two new species of hydid frogs, genus Oneccephalus, from Amazonan Ecuadon. Amphibia-Reputha, 21 (3) 327-340 [Exact publication date Amphibia-Reputha, 2000, 21 (4), inside from cover]
- Khan, M. S., 2001. Notes on cranial-ridged toads of Pakistan and description of a new subspecies (Amphibia Bufonidae). Pakistan Journal of Zoology, 33 (4): 293-298.
- KOHLER, G., 2002 [23 May] A new species of salamander of the genus Nototruton from Nicaragua (Amphibia Caudata Plethodontidae) Herpetologica, 58 (2) 205 2.0 [Exact publication date Herpetologica, 2003, 58 (3) 103]

- KÖHLER, G. & McCrante, J. R., 1999 A new species of salamander from Volcan Mombacho, Nicaragua, formerly referred to Behingdista strundia (Amphiba, Caudata, Plethodonadae). Sencenbergiana biologica, 79 (1):89-93 KÖHLER, L. 2000.2 A new species of Philograpus Hever from the Chapater region of Bolivas, with notes on Philograpus.
- carrascoscola (Amphibia, Anura, Leptodactylidae) Sprxana, 23 (1): 47-53
- 516-520 KOHLER, J. & LÖTTERS, S., 1999. New species of the Eleutherodactidus umstrigatus group (Amphibus, Anura, Leptodactidude) from montane rain forest of Rolloga Conno. 1999 (2): 422-427.
- Leptodactylidae) from montane rain torest of Bolivia. Copeia, 1999 (2): 422-427.

 2001a A new species of minute Hyla from the southwestern Amazon Basin (Amphibia, Anura, Hylidae) Studies
- on neotropical Fauna and Environment, 36 (2): 105-112

 2001b Description of a small tree frog, genus Hyla (Anura Hylidae), from humid Andean slopes of Bolivia
 Salamandra, 37 (3), 175-184.
- Köhler, J., Morales, V. R., Lötters, S., Reichle, S. & Aparicio, J., 1998 A new green species of frog, genus Eleutherodactylis, from Bohyn and Peru. Studies on neotropical Fauna and Entaranment, 33 (2-3) 93-99
- Eleutherodactytis, from Bohwa and Peru. Studies on neotropical Fauna and Environment, 33 (2-3) 91-99
 Kou, Z.-T., Hu, J.-S. & GAo, C.-W. 2001 A new species of the genus Polypedates from Yunnan, China (Amphibian Physiophoridae). Acra 20002/2000mm. 2 studa. 26 (7): 279-273. [In Chinese]
- Kraus, F. & Allison, A., 2000. Two new species of Cophixalus from New Guinea Journal of Herpetology, 34 (4) 63-641
- 2001 [24 May] A review of the endemic New Guinea microhylid genus Choerophryne Herpetologica, 57 (2): 214-232. [Exact publication date, Herpetologica, 2001, \$7 (3), 406].
 - 2002 [26 February] A new species of Xenobatrachus (Arma Microhylidae) from northern Papua New Guinea Herpetologica, 58 (1): 56-66. [Exact publication date: Herpetologica, 2004, 58 (2): 275]
- KRISHMAMURTHY, S. V., MANJUNATHA REDDY, A. H. & GURURAJA, K. V., 2001. A new species of frog in the genus Nyenbarachus (Anura Ranidae) from Western Ghats, India. Current Science, 80 (7): 887-89.
 KWRT, A., 2000 (31) Marchl. The genus Predint (Anura Pseudidae) in Ro Grande do Soul, southern Brazil, with
- description of a new species Amphibia-Repulsa, 21 (1) 39-55 [Exact publication date Amphibia-Repulsa, 2000, 21 (2); mode front cover).

 [KWET, A. & ANGULO, A., 2002 [19 December] A new species of Admonata (Anura, Leptodactylidae) from the Ammonita fover of Rio Grande do Sul (Brazil), with comments on the systematic status of southern
- Araucaria forest of 1810 Cranne do Sul (Brazil), with comments on the systematic status of southern populations of the genus Alises, 20 (1 2) 28-43 [Exact publication date obtained directly from publisher] KWET, A. & DI BERNARDO, M., 1998 Elachistocles crythrogaster, a new microhylid species from Rio Grande do Sul,
- Brazil Studies on neotropical Fauna and Environment, 33 (1): 7-18

 KWET, A. & FAUVOYICH, J. 2001 Procentophrys bigliobosa species group (Anura Leptodactylidae), with description of a pure species Compa. 2001 (1): 203-215.
- or a new species. Lopada, 2001 (1), 205-215

 La Marca, E., 1996 Ranas del genero Colostethus (Amphibia Anura Dendrobatidae) de la guayana venezolana con la descrinción de siete especies nuecas. Publicaciones de la Associación de Amieos de Dollana, 9: 1-64
- Langone, J. A. & Segalla, M. V., 1996 Una nueva especie de Eleuherodactivia del Estado de Parana, Brasil Gomunicacione: Zoologicas del Museo de Historia Natural de Montevideo. 12 (185): 1-8
- LANZA, B., LEO, P., FORTI, G., CIMMARUTA, R., CAPLTO, V. & NASCETTI, G., 2001. Descrizione preliminare dello Spelcomantes imperialis sarrabisensis subsp. n. (Amphibia Caudata Plethodonudae). Pianura, 13. 83-84.
- LARGEN, M. J., 1997 Two new species of Psychadena Boulenger, 1917 (Amphibia Anuru Ranidae) from Ethiopia, with observations on other members of the genus recorded from this country and a tentative key for their identification Thorsel Zoolov, 10, 232-346.
- 2010 Another new species of Psychadena Boulenger 1917 from Ethiopia (Amphibia Anura Randae) Tropical
 Zoology, 13 (1): 171-178
 2010 The status of the senus Phrynobatrachus Gunther 1862 in Ethiopia and Entrea, including description of
- ----- 2001 The status of the genus Phrynobarachus Gunther 1862 in Ethiopia and Eritrea, including description of a new species (Amphibia Anura Randae). Tropical Zoology, 14 (2): 287-306
 LATHROP, A., MURPHY, R. W., ORLOV, N. L. & Ho, C. T., 1984. – Two new species of Lepiobrachium (Anure,
- LATHROP, A., MURPHY, K. W., URLOV, N. L. & HO, C. 1., 1998d. 1 wo new species of Leptoparatium (Anura, Megophyrdae) from the central highlands of Vietnam with a redescription of Leptoparatium changes. Russan Journal of Herpetology, 5 (1) 51-60

 LATHROP, A., Wazeny, R. W., ORLOV, N. L. & HO, C. T., 1988 | 12 August]. Two new species of Leptolalax (Anura
- Megophrydae) from northern Vietnam Anphibia-Reputha, 19 (3): 253-267. [Exact publication date Amphibia-Reputha, 1998, 19 (4): inside front cover]
- LAVILLA, E. O. & ERGUFFA, P., 1995. Una nueva especie de Telmatobius (Anura. Leptodactylidae) del sudoeste de Bolivia. Ecologia en Bolivia, 24. 91-101.
- LWILLA, E. O. & ERGUETA SANDOVAL, P. 1999 [8 February]. A new Bolissan species of the genus Telinatobius (Anusa Leptodactylidae) with a humeral spine. Amphibia-Repulsa, 20 (1, 55-64 [Exact publication date. Amphibia-Repulsa, 1999, 20 (2).
- Lawson, P D., 2000 [29 February] A new caecilian from Cameroon, Africa (Amphibia Gymnophonia Scoleco-morphidae) Hepteologica, 56 (1): 77-80. [Exact publication date: Hepteologica, 2004, 56 (2): 238.
 Lazell, J., 1998. New salamander of the genus Petehodan from Mississippi. Opena, 1998 (4): 961-910
- Lehr, E., 2001. A new species of *Physiopus*, Anura Leptodactyhdae) from the eastern Andean slopes of centra.

 Peru Salamandra, 37 (1): 11-20.
- Perti Sataniana, 37 (1): 11-20

 LEUR, F. & AGULIAR, C., VOII' A new species of Phrynopie (Amphibia, Anura, Leptodactvl.dac) from the puna of Maraypata (Departamento de Huanuco, Peru, Zwłogn.he Abhandlungen, Stoatuches Museum für Turkinal. Dreden, \$\$\frac{1}{2}\$ of the Stoatuches Museum für Turkinal.

- LEHR, E., AGUILAR, C. & KÖHLER, G., 2002. Two sympatric new species of Phrymabus (Apura Lentodactylidae) from a cloud forest in the Peruvian Andes. Yournal of Herbstology, 36 (2): 208-216.
- I SUD F. KÖLLER G. AGUILAR C. & PONCE F. 2001. Neuroscos of Rufo (Antre Rufondae) from central Peru Ganera, 2001 (1) 216-223
- LEHR, E., KÖHLER, G. & PONCE, E., 2000. A new species of Phymonus from Peru (Amphibis, Anurs, Leptodacty-Indus Sanchenhermana Budonca 80 (1-2): 205-212
- I EHR E. RODRIGHEZ D. & CORDOVA I H. 2007. A new species of Phronopus (Amphibia, Apiwa, Lentodactividae) from the Cordillers de Carnish (Departamento de Huánico, Peru) Zooloniche Abhandhrinen, Staathcher Museum fur Tierkunde Dresden, 52: 65-70
- I ESCRIBE I & MARTY C. 2000 Attacher Ambibbone de Guyane Ports. MNHN. Patrimones Naturals 45 [t. ol. + 1.390 LIMA A P & CALDWELL I P. 2001 124 Maxl. A new Amazonian species of Coloredius with sky blue digits
- Herpetologica, 57 (2): 180-189. [Exact publication date: Herpetologica, 2001, 57 (3): 406] LITVINCHUK, S. N., BORKIN, L. I., DŽUKIĆ, G., KALEŽIĆ, M. L., KHALTURIN, M. D. & ROSANOV, I. M., 1999 Taxonomic status of Transact harding on the Balkans, with some comments about other crested new taxa
- Russian Tournal of Heroctology, 6 (2), 153-163 Liu. M., Zhang, S. & Lau, M., 1993 - A new species of Ranidae from Liaoning, China (Anaura) [sic], Acta zootaxanamica simca, 18 (4): 493-497
- Liu, W & Yang, D., 2000 [1 June] A new species of Amolops (Anura Ranidae) from Yunnan, China, with a discussion of Karvological diversity in Amology Herpetologica, 56 (2) 231-238 [Exact publication date
- Herbetologica, 2000, 56 (3): 4111 I III. W. YANG D. FERRARIS C. & MATSHI M. 2000. Analogs hellpilus a new species of stream-breading from from
- western Yunnan, China (Anura, Ranidae) Copera, 2000 (2) 536-541. LOTTERS, S. 2003 Boulemerala factors Nussbaum and Hinkel, 1994 is an objective unior synonym and a homonym of Raulengerula fischen Nussbaum and Hinkel in Fischer and Hinkel 1992 (Amphibia Gumponbiona) Herpetological Review, 34 (3), 211.
- LOTTERS, S., HAAS, W., SCRICK, S. & BÖHME, W., 2002 On the systematics of the harlequin from (Amphibia) Butonidae Atalogue) from American I Description of a new species from the Condillers Azul Peru Salamandra, 38 (2), 95-104.
- LOTTERS, S & HENZL, M. J., 2000. A pew species of Atelopus (Anura Bufonidae) from the Serrania de Sira, Amazonian Peru. Yournal of Herpetology, 34 (2): 169-173
- LÖTTERS, S., BUNGFER, K.-H. & WIDMER, A., 2000. A new genus of aposematic poison frog (Amphibia, Anlara Dendrobaticae) from the upper Amazon Basin, with notes on its reproductive biology and tadpole morphology, Jahreshefte der Gesellschaft für Naturkunde in Württembere, 156 233-243.
- LOTTERS, S. & KÖHLER, J., 2000 A new toad of the Bufo rephonius complex from humid montane forests of Bohyia (Amphibia, Anura, Bufonidae). Spixiana, 23 (3): 293-303.
- Lu, Y-Y & Li, P.P., 2002. A new wood-frog of the genus Rana in Mt. Kunyu, Shandong Province, China (Amphibia: Anira Ranidae). Acta zootaxonomica sinica, 27 (1): [62-166. [In Chinese]] Lynch, J. D., 1998a. New species of Eleutherodactylus from the Cordillera Occidental of western Colombia with a
- synopsis of the distributions of species in western Colombia. Revista de la Academia colombiana de Ciencias exactas, fisicas y naturales, 22 (82): 117-148, ---- 1998b A new frog (genus Eleutherodactylus) from cloud forests of southern Boyaca Revisia de la Academia
- colombiana de Ciencias exacias, físicas y naturales, 22 (84): 429-432. --- 2000) A new species of frog. genus Fleutherodactylus (Leptodactylidae), from the Sabana de Bogota Reasta de
- la Academia colombiana de Giencias exactas, físicas y naturales, 24 (92), 435-439. 200, a A small amphibian fauna from a previously unexplored paramo of the Cordillera Occidental in western Colombia. Journal of Herpetology, 35 (2): 226-231
- ---- 2001b Three new rainfrogs of the Eleutheroductylus diastema group from Colombia and Panama Revista de la Academia colombiana de Ciencias exactas, físicas y naturales, 25 (95): 287-297.
- 2002 A new species of the genus Ostascephalus (Hylidae Anura) from the western Amazon Renisa de la
- Academia colombiana de Cuencia sexatas, fiscas y naturales, 26 (88): 289-292.

 LYNCH, J D & ARDILA ROBAYO, M C, 1999 The Fleutherodacrylus of the taematus complex in western Colombia taxonomy and distribution. Reasta de la Academia colombiana de Ciencias exuctas, fisicas y naturales, 23 (89)
- Lynch, J. D. & Rueda-Almonacid, J.V., 1998a. Additional new species of frogs (genus Eleutherodactylus) from cloud forests of eastern Departamento de Caldas, Colombia Revista de la Academia colombiana de Giricias exocias. fisicas y naturales, 22 (83). 287-298
- --- 1998b. New frogs of the genus Eleutherodactylus from the eastern flank of the northern Cordillera Central of Colombia Resusta de la Academia colombiana de Ciencias exactas, fisicas y naturales, 22 (85): 561-570 999 New species of frogs from low and moderate elevations from the Caldas transect of the eastern flank of
- the Corcullera Central Revista de la Academia colombiana de Ciencias exactas, fisicas y naturales, 23 (87): 307-314. LYNCH, J. D. & SUAREZ MAYORGA A. M., 2000. A new frog (Escutherodactylus Leptodactylidae, from the southern part of the Cordillera Oriental of Colombia, Revista de la Academia colombiana de Ciencias exactas, físicas y
- naturales, 24 (91) 289-293. MACCLLLOCH, R. D & LATHROP A., 2002 [6 August] Exceptional diversity of Sufania (Anura Hylidae) on mount Avanganna, Guyana three new species and new distributional records. Herpitologica, 58 (3) 327-346. [Exact publication date. Herpetologica, 2002, 58 (4) 504]

- MAHONY M. KNOWLES R. FOSTER R. & DONNELLAN S. 2001. Surrematics of the Latoria carreto (Apr. 52: Halidae). complex in northern New South Wales and southern Oueensland, Australia, with the description of a new species. Records of the Australian Museum, 53: 37-48.
- MANAMENDRA-ARACHCHI, K. & PETHIYAGODA, R., 1998. A synopsis of the Sri Lankan Bufonidae (Amphibia Anura), with description of two new species. *Journal of South Asian natural History*, 3 (2): 213-248. -- 2001a Ramanella nagan, a new tree-hole frog (Mycrobyldae) from southern Sri Lanka Tournal of South Avan
- normal History 5 (2): 121-133 2001b. - Polypedates (astron. a new tree frog (Ranidae: Rhacophorinae) from Sri Lanka Tournal of South Asian
 - natural History, 5 (2): 191-199
- MANTHEY, U & STEIOF, C., 1998 Rhacophorus cyanopunctatus sp. n (Anura' Rhacophoridae), em neuer Flugfrosch von der Malauschen Halbinsel. Sumatra und Borneo. Sauria. 20 (3), 37-42 MARTINO, A. L. & SINSCH, U., 2002. Speciation by polyploidy in Odonwphrynus americanus. Yournal of Zoology.
- London 757 (1): 67-81 MATSUL M., NABHITABHATA, L. & PANHA, S., 1998 [29 December] A new Anoma from porthern Thailand (Anura
- Bufonidae) Herpetologica, 54 (4) 448 454 [Exact publication date: Herpetologica, 1999, 55 (1) 129]. - 1999 On Lebiobrachium from Thailand with a description of a new species (Anura Pelobatidae), Japanese
- Yournal of Herpetology, 18 (1): 19-29 MCCannel, I. R. Könier, G. 1999a. A new species of salamander of the Rollogiesa dumu group from Cerro El
- Pital, Honduras and El Salvador (Amphibia, Caudata, Plethodontidae) Senckenbergiana biologica, 78 (1.2) - 1999) - A new species of rainfrog of the Fleithemdactylus colliners group from western Honduras. Senchenhermana
- biologica, 79 (1): 83-87
- MCCRANIE, I.R. & WILSON, I.D., 1997 Two new species of salamanders (Caudata: Plethodontidae) of the genera Robinstage and Nontring from Parties Nacional La Muralla, Honduras Proceeding of the hadronal Servery of Washington, 110 (3): 366-372.
- (1) 96-101
- 1999a. Description of a new species of Pleatochyla from Cetro Celaque, Honduras, formerly referred to Plectrohyla glandulosa (Armhubia, Anura, Hyhdae), Senckenbergiana hologica, 78 (1-2), 231-236. -- 1999b Two new species of the Eleutherodactylus rugulosus group (Amphibia, Anura Leptodactylidae) from
- Honduras, Proceedings of the biological Society of Washington, 112 (3) 515-522. - 2000 A new species of high-crested toad of the *Bula validitions* group from north-central Honduras. *Taurnal of*
- Herpetology, 34 (1): 21-31 McCranie, I. R., Wilson, L. D. & Polisar, L. 1998 [29 December] Another new montane salamander (Amphibia
- Caudata Plethodontidae) from Parque Nacional Santa Barbara, Honduras Herpetologica, 54 (4) 455-461 Exact publication date: Herpetologica, 1999, 55 (1): 1291. MCDONALD, K. R., 1997 A new stream-dwelling Litera from the Melville Range, Australia Memors of the
- Owensland Museum. 42 (1): 307-309
- McGowan, G & Fyans, S E., 1995 Albanerpetontid amphibians from the Cretaceous of Spain Nature, 373 (6510) 143-145 MENDELSON, J. R., III & CAMPBELL, J. A., 1999 [9 March] The taxonomic status of populations referred to Hyla
- changue in southern Mexico, with the description of a new treefrog from Oaxaca, Journal of Herbetology, 33 (1), 80-86. [Publication date according to inside front cover of fascicle]. MENDES CASTANHO, L. & HADDAD, C. F. B., 2000 [4 August] New species of Eleutherodactylus (Amphibia
- Leptodactylidae) from Guaraquecaba, Atlantic Forest of Brazil Copera, 2000 (3) 7/7-781 [Publication date according to front cover of fascicle) MENZIES, J. J. 1999 A study of Albericus (Anura Microhylidae) of New Guinea Australian Tournal of Zoology, 47 (4)
- 327-360 MERCADAL DE BARRIO, I.T. & A. BARRIO (1994 Reconsideración del genero Pseudotaludicala de Argentina y
- descripcion de dos nuevas especies P mirandae y P riopiedadensis (Amphibia, Anura). Revista del Musco arsentino de Ciencias naturales "Bernardino Rivadovia", 16 (6): 65-80
- MIJARES-ÜRRUTIA, A., 1998. Una nueva especie de rana arboricola (Amphibia Hylidae Hyla) de un bosque nublado del oeste de Venezuela. Revista brasileira de Biologia, 58 (4): 659-663
- MHARES-URRUTIA, A. & ARENDS R, A, 1999a [2 March] A new Mannophryne (Anura Dendrobatidae) from western Venezuela, with comments on the generic allocation of Coloriethus larandinus. Herpetologica, 55 (1) 106-114 [Exact publication date Herpetologica, 1999, 55 (2), 293]
- ---- 1999b. Un nuevo Mannophryne (Anura: Dendrobatidae) del Estado Falcon, con comentarios sobre la conservacion del genero en el noroeste de Venezuela Caribbean Journal of Science, 35 (3-4): 231-237
- 2001 [10 December] A new toad of the Bufo margarutar complex (Amphibia Bufonidae) from northwestern Venezuela Herpstologica, 57 (4): 523-531. (Exact publication date Herpstologica, 2002, 58 (1), 138)
 MIJARES-URRUTIA, A., MANZANILLA-PUPPO, J. & LA MARGA, E., 2000 Una nueva especie de Tepinhyla (Anura
- Hylidae) del noroeste de Venezue, a, con comentarios sobre su biogeografia Revisia de Biologia tropical, "1999", 47 (4): 1099-1110 [Printing finished in July 2000 according to last page of fascicle] MIJARES-URRUTIA, A & RIVERO, R A, 2000. A new treefrog from the Szerra de Arora, northern Venezuela Journal
- of Herpetology, 34 (1): 80-84 MIYNARSKI, M. SZYNDLAR, Z., ESTES, R. & SANCHIZ, B., 1984. Amphibians and reptiles from the Phocene locality of Weze 2 near Działoszyn (Poland) Acia palacontologica polonica, 29 (3-4): 209-226.

- MORALES, V. R., 2002. Sintematica y biogeografia del grupo minestita (Amphibia, Anura, Dendrobandae, Cofsiciathia), con descripcion de once nuevas especies. Publicaciones de la Asociación de Amigos de Doñana, "2007", 13 1 59. [Published in April 2002 accordang to personal communication of V. R. Morales to R. I.
- MORALES, V. R. VELAZCO, P. M., 1998 [I December] Una especie nueva de Epipedobatei (Amphibia, Anura, Dendrobatidae) de Peru. Amphibia-Repulia, 19 (4): 369-376 [Exact publication date: Amphibia-Repulia, 20 (1): unide front coursel.
- MYERS, C. W. & Donnelly, M. A., 1997 A Tepui herpetofsuna on a granitic mountain (Tamacuari) in the borderland between Venezuela and Brazil report from the Phipps Tapurapecó expedition. American Museum Numbers, 313: 1-21.
- Novaminis, 34.37 17.17 (Appendium) of the Yutaje-Corocoro massif, Venezuela: second report from the Robert G. Goeket American museum-Terramar expedition to the northwestern Tepuis. Bulletin of the American Museum of nannal History, 261, 1–85.
- MYERS, C. W., RODRIGUEZ, L. O. & ICOCHEA, J., 1998. Epipedobates simulans, a new cryptic species of poison frog from southeastern Peru, with notes on E-macero and E-peters (Dendrobatidae). American Museum Novitates, 338, 1-20.
- NAPOLI, M. F. & CARAMASCHI, U., 1998 Duas novas espécies de Hyla Laurenti, 1768 do Brasil central afins de H. retaemata Bokermann, 1965 (Amphibia, Anura, Hylidae). Boletim do Museu Nacional Río de Janero, 391. 1-
- 1999a Variation and description of two new Brazilian Hyla of the H tritaemata complex (Amphibia, Anura, Hulidge). Roleting do Missey Nacional, Zadonia, Rio de Japeiro, (n.s.) 407: [1,1]
- Hyddae) Boletim do Museu Nacional, Zoologia, Rio de Janeiro, (n. s.), 407: 1-11.
 1999b [17] June] Geographic variation of Hyda rubreundula and Hyda anotalianian, with the description of a new species (Anura, Hyddae) Alvies, 16 (3-4) 105 189. [Exact publication date obtained directly from publisher]
- 2000 [30 June]. Description and variation of a new Brazilian species of the Hyla rubicumdula group (Anura, Hyldae). Alute, 17 (3-4): 165-184. [Exact publication date obtained directly from publisher)
- NASCIMENTO, L. B., POMBAL, J. P. Jr. & HADDAD, C. F. B., 2001. A new frog of the genus Hylodes (Amphibia Leptodacty) Ideal; from Munas Gerais, Brazil Journal of Zoology, London, 254 (4), 421-428. + cover. NAYLOB, B. G., 1983. A new salamander of the family Battactions auroidade from the late Moncene of North America.
- with notes on other batrachosauroidids Paleobios, "1981", 39 1-14. [Publication date Zoological Record, 1985, 120 (16): 39].
- NAYLOR, B. G. & FOX, R. C., 1993. A new ambystomatid salamander; Dicampiodon antiquius n. sp., from the Paleocene of Alberta, Canada. Ganadian Journal of Earth Sciences, 30(4): 814-818.

 NESSON, I. A. 1981. Crescous salamanders and fross of Kuylkum desert. Truds and Just Leminer, 101: 57-88. [In
- Russian]
 1988 Late Mesozoic amphibians and brards of soviet middle Asia. Acta 2001 Cracon. 31 (11-27) 475-486
- 1997 Nemorikie pozvonochnye mdovogo perioda Severnoi Evrazu [Cretaceous nonmarine vertebrates of northern Eurana]. Saint Petersburg, Institute of Earth Crust. 1-218.
- NOONAN, B P & HARVEY, M B , 2000 [8 September] A new species of glass frog (Anura Centrolendae) from the highlands of Guyana Herpetologica, 56 (3) 294-102 [Exact publication date Herpetologica, 2000, 56 (4) also I highlands of Repetologica, 2000, 56 (4) also I have a see that the second procedure of the general Horocaches and the general Horocaches (1) also I have a see that the second procedure of the general Horocaches (1) also I have a see that the second procedure of the general Horocaches (1) also I have a second procedure of the second procedure
- Boulengerula Tormer (Amphibus Gymnophiona, Caecilidae). Copena, 1994 (3): 750-760
 NYSSRUM, R. A. & WILKINSON, M. 1995. A new genus of lungless retrapod a radically divergent caecilian (Amphibus Gymnophiona). Proceedings of the royal Society of Landon, (B), Biological Sciences, 261 (. 362).
- OHLER, A., 1999 [4 November] Une nouvelle espece du genre Leptodacyslodon (Arthroleptidae, Astylosterninae) du Gabon. Alytes. 17 (1-2): 73-80. [Exact publication date obtained directly from publisher].
- Gabon, Alytes, 17 (1-2): '13-80. [Exact publication date obtained directly from publisher].

 Ohler, A., Marquis, O., Swan, S. & Grosjean, S., 2000. Amphibian biodiversity of Hoang Lien Nature Reserve (Lao Chai Province, northern Vietnam) with description of two new species. Herbeigaga, 13 (1-2): 71-87.
- OHLER, A., SWAN, S. R. & DALTRY, J. C., 2002. A recent survey of the amphibian fauna of the Cardamom mountains, southwest Cambodia with descriptions of three new species. The Roffles Buluim of Zoelogy, 50 (2): 465-481.
- Orlov, N. L., Lathrop, A., Muschty, R. W. & Cue, H. T., 2001. Frogs of the family Rhacophondae (Anura Amphiba) in the northern Hoang Lear mountains (mount Fan Si Pan, Sa Pa district, Lao Cai province), Vectuam, Russian Journal of Herpetology, 8 (1). 17-44.
- OSORIO MUÑOZ, M., ARDILA ROBAYO, M. C. & RLIZ-CARRANZA, P. M., 2001. Tres nuevas especies del genero Arcóspio A. M. C. Dumeril & Bibron 1841 (Amphibia Bufonidae) de las partes altas de la Cordillera Oriental Colombiana. Caldona, 23 (2): 509-528.
- PAOLUCCI, C., FUHN, I. E. & BRUNO, S., 1993 L'erpetofauna abruzzese. Documenti e prospettive. Q Am bio, 7 1-286.
- PARRA-OT 12A, G., GARKILA-PARIS, M. & WASA, D. B. '1012. Phylogenetic relationships among the salamanders of the Biolingoism amount spaces group (Amphiba) Plethodontidade, with descriptions of two new species from Owner (Mexico), Journal of Harpetology, 36 (3): 356-366.

 PARRA-OTEM, G., PATENEYLS, T. T. & WARK, D. B., 2001. New species of hingless salamanders of the genus
- PARRA-OLEA, G., PAPENFLSS, T. J. & WAKE, D. B., 2001. New species of lungless salamanders of the genus Pseudoeurvica from Veractus, Mexico. Scientis, Papers, Natural History, Mascaun, The University of Kansus, 20 1.9

- PAWAN, D., NARWAES, P. & TREFAUT RODRIGUES, M., 2001. A new species of leptodactylid frog from the Atlantic forests of southeastern Brazil with notes on the status and on the speciation of the Hybodes species groups. Proper complient & Production. Manual & Academia of Humeradade & San Paulo, 44 (23) 407,425
- Peixoto, O. L., 2002. Uma nova espècie do grupo perpusillus para Santa Tercoa, Estado do Espurio Santo, Brasil (Amphibia, Anura, Hydae). Boleum do Museu de Biologia Mello Lerico, (n.s.), 13, 7–15
- Perez Radios, E & Saliana Spirates), 2000. Una neuva especie de salamandra Pieudoturyesa (Amphibia Caudata Plethodomidae) de la región Amuzga, al sureste de Guerrero, Mexico. Revista digual universitaria, l
 (1) Intro/lowar revista annam mayol 1 art fundes. html
- 2003 Nueva especie de salamandra del genero Pseudoeuryera (Amphibia Caudata: Plethodontidae) de la region Amuzga, al sureste de Guerrero, Mexico. Acia zoologica mexicana, (n.s.), 89: 55-68
- PILLAI, R. S. & PATTABIRAMAN, R., 1990 Amphibians from Sabariguri forest, Western Ghais, Kerala, including a new species of Micricalus, Records of the toological Survey of India, 86 (2.4): 383-390.
- PILIAI, R. S. & RAVIC HANDRAN, M. S., 1999 Gymnophona (Amphibia) of India A taxonomic study. Records of the zoological Surgicy of India Occasional Papers, 172, 1-vv. + 1-117
- POMBAL, J. P. Jr., 2001 [7 June] A new species of Brachycephalus (Anura: Brachycephaludae) from Atlantic rain forest of southeastern Brazil. Amphibra-Repulsa, 22 (2) . 79-185 [Exact publication date. Amphibra-Repulsa, 2001, 22 (2): inside front cover.
- C.: Insare unit coverj.

 POMBAL, J. P. Jr. & BASTOS, R. P., 1998 Nova especie de Hyla Laurenti, 1768 do centro-oeste brasileiro e a posição taxonômica de H. microcephala terrieir Cochran, 1952 e H. microcephala meridiana B. Lutz, 1952 (Anura,
- Hytidae). Boleum do Museu Nacional Rio de Janearo, 390: 1-14

 Pombai, J P Jr., Feto, R. N. & Haddad, C. F. B., 2002 [24 October]. A new species of torrent frog genus Hylodar

 (Anura Leptodacrylidae) from southeastern Brzail Herestolenea, 58 (4): 462-47]. [Exact publication date:
- Herpeslogica, 2003, 59 (1): [43].

 Pombal, J. P. Jr. & Haddid, C. B., 1999 Frogs of the genus Paraselmatobius (Anura Leptodactylidae) with descriptions of two new societe. Cobera, 1999 (4): [014-1026
- POMBAL, J. P. Jr., WISTUBA, E. M. & BORNSCHEIN, M. R., 1998. A new species of brachycephalid (Anura) from the Adantic rain forest of Brazii, Journal of Herpstology, 32 (1), 70-74.
- POYNTON, I C & CLARKE, B T, 1999 Two new species of Stephopaedes (Anura Bufondae) from Tanzania, with a review of the genus African Journal of Herpstology, 48 (1-2):1-14.
- PONTENS, J. HOWEL, K. M. CLERKE, B. T. & LOVETT, J. C., 1999. A CRUGAILY endangered new species of Netophysical Canusa Bullondae) from the Khlanis Gorge, Udrungsa Mountains, Tanzania African Journal of Herpstology, 47 (2): 59-67.
 PRICIONI, C. M. & LANGONE, I. A. 2000. Usa nieva especie de Melanoshrymicus Gallardo, 1961, de Amentina v
- PRIGIONI, C. M. & LANGONE, J. A., 2000. Una nueva especie de Melanophryniscus Gallardo, 1961, de Argentina y Paragusy (Amphibia, Anura, Bufonidae). Comunicaciones zoologicas del Museo de Historia natural de Montevideo, 12 (195): 1–13.
- RAGE J C., MARSHALL, L G & GAYET, M . . 993 Enigmatic Caudata (Amphibia) from the upper Cretaceous of Gondwana. Geobios, Lyon, 26 (4): 515-519
- RAO, D & YANG, D , 1994 The study of early development and evolution of Torrentophryne aspuna Zoological Research, 15: 142-157.
- 1997a The karyotypes of Megophrvinae (Pelobatidae) with a discussion on their classification and phylogenetic relationships. Asianc herpetological Research, 7, 93-, 02
- Research, 18 (2): 157-161 [In Chinese]
 RAVICHANDRAN, M. S. & PILLAI, R. S., 1996 | Amphibia of Maharashtra with description of a new species of torrent
- toad, Ansona Records of the zootogical Survey of India, "1990", 86 (2-4) 505-513 [Publication date Dubots & Ohler, 1999: 178]

 RAY, P., 1992. Description of a new rhacophorid, Chriscalus dudhwaenus (Anusa. Rhacophoridae) from Dudhwa.
- National Park, district Lakhimpur Kheri, Uttar Pradesh, India Indian Journal of Perestry, 15 (3) 260-265

 1997 Amphibia In J. R. B. Alfrein, (ed.), Fauna Nanda Deva Biosphere Reserve. A world heritage side, Calcutta,
 Zoological Survey of India, 109-116.
- 1999 Systematic studies on the amphibian fauna of the district Dehradun, Uttar Pradesh, India Memoirs of the zoological Survey of India, 18 (3), 1-102
- REICHLE, S., LÖTTERS, S. & DE LA RIVA, I., 2001 A new species of the discordalis group of Eleutherodactylus (Anura, Leptodactylidae) from inner-Andean dry valleys of Bolivia Journal of Herpetology, 35 (1): 21-26
- RICHARDS, S. J., 2001. A new species of torrent-dwelling frog (Anura. Hylidae. Litoria) from the mountains of Indonesian New Guinea (West Papus). Announce of the Queensland Missian, 46 (2): 733-739.
 RICHARDS, S. J. & Iskandar, D. 2000. A new minute Organizmo. Annara Microhyddae (from the mountains of Irian
- Jaya, Indonesia. The Raffles Bulletin of Zoology, 48 (2) 257-262

 2001 [31 January] A new species of tree frog (Anura, Hylidae, Luoria) from the mountains of Irian Jaya,
- Indonessa Alves, 18 (3-4): 141-152. (Exact publication date obtained directly from publisher).

 RICHARINS, S. J., JORNSTON, G. R. & BURTON, T. C., 1992. A new species of microhylid frog (genus Coplinxaliu) from the Star Mountains, central New Gumea. Science in New Gumea, 18 (3): 141-141.
- RIEFFEL, O & GRANDE, L. 1998. A well-preserved fossel amphinum d. Lissamphibia. Caudata) from the Eocene Green River Formation of Wyoming. Journal of vertebrate Paleontology, 18 (4): 700-708

- RIVERO, J. A. & SERMA, M. A., 1995 Nuevos Colossethus (Amphibia, Dendrobatidae) del departamento de Antioquia, Colombia, con la descripción del renacuajo de Colossethus fraterdameh. Revista de Ecologia Jamo-americana. 2 (1-13): 45-58.
- ROBERTS, J. D., MAHONY, M., KENDRICK, P. & MAJORS, C. M., 1991 A new species of burrowing frog, Neobatrachus (Anura Myobatrachuse), from the eastern wheatbelt of Western Australia Records of the Western Australian Museum. 15 (1): 23-23.
- RÖDEL, M. O., 1999. A new Hyperolius species from Tai National Park, Ivory Coast (Anura Hyperoliudae: Hyperolimae), Revue francaue d'Aquariologie, 25 (3-4), 123-130.

 RÖDEL, M. O. & ERNEY, R. 2000. Bub Laussin si sp., euro neue Krôte aus dem Tai-Nationalnark. Elfenbenkuste
- KOBEL, M. -U. & ERNST, K., 2000. Bulo talenss n. sp., eine neue Krote aus dem lat-Nationalpark, Eifenbeinkuste
 Herpstofauna, 22 (125): 9-16.
 2002. A new Phryuobatrachus from the upper Guinean rain forest. West Africa, including a description of a new
- 2002.— A new Travisodizacius iron the upper Chinican rain lorest, west fairca, including a description of a new reproductive mode for the genus. Journal of Herpetology, 36 (4): 561-5751 of West African spotted Kazima, including a description of Kazima Athonesis so, nov. (Annibition Antura Hoverchidae). Goinea. 2002. (3)
- BOO 518 A PRAMUK, J B , 2000 [14 January] A new species of Oricocophalus (Anua Hybridinae): overal, nova 137, 800 187.
 Ron S & PRAMUK, J B , 2000 [14 January] A new species of Oricocophalus (Anua Hybridae) from Amazonian Ecuador and Peru. Herotologra. "1999", 55 (4), 433-446. [Exact publication date. Herotologra. 2000. 56 (1)
- 118]
 RUIZ-CARRINZA, P. M. & LYNCH, J. D., 1997. Ranas Centrolenidae de Colombia. X. Los centrolenidos de un perfil
 del flanco oriental de la Cordillera Central en el departamento de Caldas. Revista de la Academa colombiana
- del flanco oriental de la Cordillera Central en el departamento de Caldas. Revisia de la Academia colombiana de Ciencias exactas, fisicas y naturales, 21 (81), 541-553.

 1998. Range Centrolenidas de Colombia XI. Nuevas especies de range entre la genera Husbinobatrachium.
- Rensta de la Academia colombiano de Ciencias exactas, fisicas y naturales, 22 (85): 571-586.

 SANCHEZ-HERRAIZ, M. J., BARBADILLO, L. J., MACHOBOOM, A. & SANCHIZ, B., 2000 [29 February]. A new species of velodud frog from the Ibernan Pennosula Herredolesca, 56 (1) 105-511 [Expect multicarin date: Hernetolescape.
- graa, 2000, \$6 (2): 238]

 SANCHIZ, B., 1998 Salientia In: P. WELLNHOFER (ed.), Handbuch der Paldoherpetologie, Teil 4, München, Friedrich
- Pfeil, 1-XII + 1-275

 SAVAGE, J. M., 2000 A new species of rainfrog of the Eleutherodactylus milest species group (Anura' Leptodactylidae)
- SAVIGE, 1 M., 2000. It new species or lamining of the Estamerolativism mass species group visition. Expiritions from Gratemala, Revista de Biologia tropical, 48 (4): 993-999.

 SAVIGE, J. M., McCranie, J. R. & WILSON, L. D., 1999. A new species of rainfrog of the Eleutherolativity circumstrates around from eastern Hooditars (Annohum) a natural Leotodativity (and Proceedings of the Indonesia Society of
- Withington, 112 (4) 787-792.

 SAVAGE, J. M. & MYERS, C. W., 2002. Frogs of the Eleutherodactylus biporcatus group (Leptodactyludae) of Central
- America and northern South America, including rediscovered, resurrected, and new taxa. American Mueeum Noventates, 3357: 1-48
 SCHARGEL, W. F., GARCIA-PEREZ, J. E. & SMITH, E. N., 2002 A new species of Boltoglosia (Caudata P.ethodont.dae)
- Schargel, W. B., Garcia-Perez, J. E. & SMITH, E. N., 2002. A new species of Boulogiotia (Caudata Prethodont.dae) from the Corbillera de Menda, Venezuela. Proceedings of the biological Society of Washington, 115 (3): 534-542. SCHIOTZ, A., 1999. Teerfows of Africa. Frankfurt am Main, Chimaria: 1-352.
- SCHIOTZ, A & WESTERGARD, M. M., 2000 Notes on some Hyperchiu (Anura Hyperchidae) from Tanzania, with supplementary information on two recently described species. Steenmupa, 25 (1): 1-9
 SCHIERE, H. & ANDERS, C. C., 1987 Emosperam analysis spec now from Nepal, Amphibia, Anura). In H. H.
- SCHLEICH & W. KASTLE (ed.), Contributions to the herpetology of south-Assa (Nepal, India,, Wuppertal, Fullinott-Museum 57-72.

 SCHNEIDER, H. & SINSGH, U. 1992 Mating call variation in .ake frogs referred to as Rana ridibunda Pallas. 1771
- SCHNEIDER, H. & SINSCH, U., 1992. Mating call variation in aske frogs referred to as Rana ridbunda Pallas. 1771.
 Taxonomic implications. Zeitschrift für zoologische Systematik und Evolutioniforschung. 30, 297-315.
- Schneider, H., Sinsch U. & Sofianidou, T. S., 1993. The water frogs of Greece. Bioacoustic evidence for a new species. Zensinfit fur zeologische Systematik und Evocutionsforschung, 31, 47-63.
- SCHMEIDR, H. SOPIAMEDIL, T. S. & KYMAKAPOULOU SKLAVOLNOU, P. 1984. Boacouttic and morphometric studies in water frong segmis. Rand of lisk loamina in Greece, and description of a new species (Anura, Amphibas) Zenischrift für aboligiste Systematik und Evolutionsiforchung. 22, 340-360.
 SCHULTE, R. 1999. Poligifiphica. Articule Pow. Washingen, Imbion. 1-792.
- Seroalis, F., 2001. Una mesa especia de Hydrondariadium. Adura Centrolemidae) de la Cordillera de la Costa,
 Venezuela Memoria Fundacion La Salle de Ciencias naturales, "1999", 59 (152) 133-147. [Printing finished in
- November 2001 according to last page of fascicle)

 RÖRRIS, I. & AVARZAGENA, J., 2002. Una nouva expect de rana cr.stal del genero Hyalmobarra.hmm (Anura
 Centrolendae) del delta del rao Ormoco, Vencueula. Revista de Biologa mpical. "2001", 49 (-34): 1083-1093

 Printing finished in May 2002 according to last page of fascioce), eccest den 9-3/10/10 2012 in the Paris Museumi
 - Central Library:
 2007b A new species of Hyla (Anura Hylidae) from the highlands of Venezuelan Guayana Journal of
 Herpetology, 36 (4): 634-640
- Strants, J. C., Ayarazas, Era, J. & Gorzetta, S., 1996. Revision taxonomica del genero Stejania (Anura, Hylidae, en Wenezuela con la descripción de cinco nuevas especies. Publicaciónes de la Asociación de Anigós de Doliana, 7
- SHEL, C. A. & MENDELSON, J. R. III., 2001 [24 May]. A new species of Homparacuta (Anura: Hylidae Hem.paracutase), and a redescription of H. Johnson Herpstologica, 57 (2) 180-207 [Exact publication date Herpstologica, 2001, 57 (3): 406]

SHEN, Y., 1994 - A new pelobatid toad of the genus Megophrys from China (Anura, Pelobatidae). In Proceeding of the 60th annual foundation of the China goalogical section, Bruing: 603-606.

---- 1997 A new subspecies of Hyla annectans from Hunan (Anaura [sic]: Hylidae) Zoological Research, 18 (2)

SMITH, E. N. & NOONAN, B. P., 2001 A new species of Osteocephalus (Anura Hylidae) from Guyana Revista de Biología tronucal, 49 (1), 347-357

SONG, M., ZENG, X., Wu, G., Liu, Z. & Fu, J., 2001 A new species of Batrachuperus from northwestern China. Asianc herpetological Research, 9: 6-8.

SPINAR, Z. V., 1983 Paleogeography and its significance for the phylogeny of some European fossil frogs. Vestnik utried Vit. God. 58 (1): 52,56

SPINAR, Z. V. & TATARINOV, L. P., 1986 – A new genus and species of discoglossid frog from the Upper Cretaceous of the Gobi desert. Journal of Vertebrate Paleontology, 6 (2), 113-122.

STANISZEWSKI, M., 1996. – Mantellas in captivity Republic, 4 (1): 16-26.

STEVAUX, M. N., 2002 A new species of Bufo (Anura, Bufonidae) from northeastern Brazil Revista brasileira de Zoologia, 19 (sunl. 1): 235-242

STOCK, M., SCHMID, M., STRIJEIR, C. & GROSSE, W.-R., 1999 Mosaicism in somatic triploid specimens of the Bufo surdis complex in the Karakoram with examination of calls, morphology and taxonomic conclusions. Italian Journal of Zoology, 66, 151-232

STUART, B L. & PAPENFUSS, T J., 2002 A new salamander of the genus Paramesotriton (Caudata Salamandridae) from Laos. Fournal of Herbestology. 36 (2): 145-148

STUEBING, R. B. & WONG, A., 2000 A new species of frog, Philautus crythrophthalmus (Rhacophoridae) from southwestern Sabah, Majaswa, The Raffles Bulletin of Zoology, 48 (2): 293-296.

TANDY, M. & PERRET, J.-L., 2000 - The Bufo tuberosia species group with the description of a new species from the rainforest of Cohe-d'Ivoire. Revue state de Zoologie, 107 (2): 389-418.

TIAN, Y. GU, X. & SUN, A. 2000 - A new species of Megophyrin China (Amphibia Pelobardae). Acta zootaxonomica.

smua, 25 (4): 462-466. [In Chinese]
Tian, Y., Gu, X., Sun, A., & Li, S., 1998 A new species of Pseudohynobius grazhouensys (Caudaa Hynbindae)

11MA, T., GO, A., SUN, A. & LL, S., 1996. A new species of residonymobile guizmoientys (Laudaa Hymmadae).

Pseudohymobiles xhuichengenisi sp. nov. [sic]. Journal of the Liupanihui normal University, 4: 7-13. [In Chinese].

USTACIL, P. C., Mendel Son, I. R. III. McDiarmin, R. W. & Campell, I. A. 2009. [I June]. — A new species of Hyda.

(Anura Hylidae) from the Sierra Mozes, Oaxaca, Mexico, with comments on ontogenetic variation in the tadpoles. Herpetologica, 56 (2): 239-250 [Exact publication date: Herpetologica, 2000, 56 (3), 411].

Vallan, D., 2000. A new species of Stumpffia (Amphibia Anura Microhyhdae) from a small forest remnant of the central high plateau of Madagascar. Revue susse de Zoologie, 107 (4): 835-841.

Vallan, D., Glaw, F., Anprelon, F. & Caolle, I. E., 1998 [I December]. A new treefrog species of the genus.

Boophis (Anura Ranidae Rhacophorinae) with dermal fringes from Madagascar. Amphibia-Repulia, 19 (4) 357-368. [Exact publication date Amphibia-Repulia, 20 (1): miside front cover]

VASUDEVAN, K. & DUTTA, S. K., 2000 A new species of Rhacophorus (Anura Rhacophoridae) from the Western Ghats, India Hamadryad, 25 (1), 21-28

VEITH, M., KOSSICH, J., OHLEE, A. & D'LIDOLS, A., 2001 [51 May]. Systematics of Figureary almoschurus (Gravenborst, 1829) (Amphibia, Anturs, Randes) and relates species 2. Morpho.ogical and molecular variation in frugs from the Greater Sunda Islands (Sumatra, Java, Borneo) with the definition of two species. Alpres, 19 (1), 5-28 (Exact publication date obtained directly from published:

VELEZ-RODRIGUEZ, C. M. & RUIZ-CARRANZA, P. M., 1997. Una mueva especie de Atelopus (Amphibia. Anura-Bufon.dae) de la Corchillera Central, Colombia. Revista de la Academia colombiana de Ciencias exactas, fuscas y naturales, 21 (81): 555-563.

2002 24 October] A new species of Bijlo (Anura Bufonidae) from Colombia Herpetologica, 58 (4) 453-462 [Exact publication date Herpetologica, 2003, 59 (1) 143]

VENCES, M., ANDREONE, F., GLAW, F. & MATTIOLI, F., 2002. New dwarf species of Mantidactylus from northwestern Madagascar (Anura Mantellidae). Gopeia, 2002. (4): 1057-1062.

Managasy anurans of the Manufactules ager group (Amphibia, Mantellidae) Africa, 19 (2-4) 107-139 [Exact publication date obtained directly from publisher]

7002 Two new treefrogs of the Boophis rappiedos group from eastern Madagascar (Amphibia Mantellidae Tropical Zoology, 15 (1) 141-163

VENCES, M., GLAW F., ANDREONE, F., JESU, R. & SCHIMMENTI, G., 2007. Systematic revision of the enigmatic Ma.egasy broad headed frogs (Laurentomantia Dubos, 1980), and their phylogenetic position within the endemic mantellife adaption of Madagascar Contributions to Zoology, 70 (4): 919-217.

VENCES, M., GLAW, F. & BOHME, W., 1999 [4] November] — A review of the genus Manufla (Anura, Ranidae, Mantellinae): taxonomy, distribution and conservation of Malagasy poison frogs. Alyres, 17 (1.2). § 72. [Exact pubs.cation date obtained directly from publisher].

VENCES, M., GEAW, F., JESU, R. & SCHIMMENTI, G., 2000. A new species of Hetericalus. Amphibia. Hyperoladac, from western Madagascar. African Zoidogy. 35 (2): 269-276.

- VENESS, M., GLAW, F., KOSICIA, J., DAS, L. & VETTS, M., 2000. Polyphyly of Theoptomic (Amphibia: Randac) based on sequence of the nutrochondral 185 and 125 FRNA genes, and ecological biogeography of Malagay relatamphibian groups. In W. R. Louisasco & S. M. GOODMAN (ed.), Diversite at inclination de Maidagacar, Memorisde 18 States de Theoremental PSQ-342.
- VENCZEL, M., 1999 Land salamanders of the family Hynobiidae from the Neogene and Quarternary of Europe Amphibia Receipta 70 (4): 401-417
- WAKE, D. B. & CAMPBELL, J. A., 2000. A new species of diminutive salamander (Amphibia Caudata Plethodontidae Notorition) from the Montañas del Mico of Guatemala. Proceedings of the biological Society of Washington, 113 (7): 81-819.
- WARE, D. B., YANEV, K. P. & HANSEN, R.W., 2002. New species of slender salamander, genus Bairachoseps, from the southern Sierra Nevada of California. Conea. 2002. (4): 1016–1028.
- WANG, Y. 2000 A new salamander (Amphibia Caudata) from the early Cretaccous Jehol biota Vertebrata palastanca, 38 (2): 100-103.
- Wang, Y. & Gao, K., 1997 Earliest Asian discoglossid frog from western Liaoning. Chinese Science Bulletin, 44 (7) 636-642
- WORTHY, T. H., 2001. A new species of *Platymanus* (Anura, Ranidae) from Quaternary deposits on Viu Levu, Fiji.

 *Palasontology, Oxford, 44 (4): 665-680.

 *Wit. G. & Tias, W. 1995. A new Anados species from southern Yunnan. Subjum Tournal of Zoology, 14 (suppl.)
- 50-52.
 Wil. G. & Zhao, E. 1995. A new rand species from southern relitant. Sichuan Journal of Zoology, 14 (suppl.)
- Wu, G & Zhao, E, 1995. A new ranid species of the spinosa group of Sichuan. Sichuan Journal of Zeology, 14 (suppl.): 52-55
 Yang, D & He, Y. 1990. Relationship between species within tympanumless toad group of Scietizer (Oreolalax).
- YANG, D. & HE, Y. (1990) Relationship between species within tympanumiess toad group of Scalage (Oreolatax) from southwest China. In E. Zhao, (ed.), From water into land, Beijing, Chinese Society for the Study of Amphibians and Repules: 204-209
- YANG, D., Liu, W. & RAO, D., 1996. A new toad genus of Bufonidae. Torrentophryne from transhimalaya mountain of Yunnan of China with its biology. Zoological Research, 17 (4) 353-359.
- YE, C & FEI, L, 1993 A new peloband toad of the genus Megophrys from Xizang, China Acta herpetologica simica, (n.s.), "1992", 1-2: 50-52 [In Chinese] [Publication date: Zhao, Chang & Zhao, 2000. 190].
- 1994a A new toad of the genus Bombina from Hubei, China (Anura Discoglossidae) Acta herpetologica sinica, (n.s.), 3, 22-25. [In Chinese].
- 1994b A new species of family Ranidae Limnonecies funanensis from Funan, China (Amphibia Anura) Acta
 200taxmontas situca, 19 (4), 494-499. [In Chinese]
 1995 Texponomy extitles on the small proc Messodives in China including descriptions of the new species
- (subspecies) (Pelobatidae: genus Megophys), Acta herpetologica sinica, (n.s.), "1995-1996", 4-5: 72-81. [In Chinese]. [Publication date: Zhao, Chang & Zhao, 2000-190]
- Ys, C, Fei, L, & Hu, S, 1993 Rate and economic amphibions of China. Chengdu, Sichuan Publishing House of Science and Technology [r-iii] + 1.2 + 1.2 + 1.7 + 1.412. [In Chinese].

 Ys, C, Fei, L, L, J, S & L, C, 2000 On Infraspectic categories of Hybra ameetans of western China (Amphibia
- YE, C, FEI, L., LI, S & LI, C., 2000 On infraspectic categories of Hyla annectans of western China (Amphibia Hylidae) Cultum herpetologica simica, 8: 88-93. [In Chinese]
- Ye, C., Fei, L. & Matsui, M., 1995. Taxonomic studies of Chinese Rana japonica Gueruner. Acta herpetologica sinica, (n.s.), "1995-1996", 4-8-82-87. [In Chinese]. Publication date. Zhao, Chang & Zhao, 2000: 190]
 YUSTIZ, E., 1991. Une queve Coloszefuel (Amphiba). Dendrobayadec de la Sterta de Barbacoas. Estado Lara.
- YUSTIZ, E., 1991 Une nuevo Colonechus (Amphibia Dendrobandae) de la Sierra de Barbacoas, Estado Lara, Venezuela. Bioagro, 3: 145-150 ZHAO, E.-M., 1999 – Diagnoses of a new frog and a new snake from China Sichuan Journal of Zooogro, 18 (3) inside
- front cover, [In Chinese].
- ZHAO, E.-M. & ADLER, K., 1993 Herpetology of China Oxford, Ohio, USA, SSAR 1-522 + [1-v], pl. 1-48 + 1 ZHAO, E.-M., CHANG, H. W. & ZHAO, H., 2000 Taxonomic bibliography of Chinese Amphibia and Repulsa including
- ZHAO, E.-M., CHANG, H. W. & ZHAO, H. 2000 Jaxonomic ololography of Chinese Amprilota and Replita including karyological Interature. Chengdu, Kaohsiung Fu Wen Publishing Co... 1-ix + 1-261
- Ziegler, T. & Köhler, J., 2001. Rhacophorus orlow sp. n., ein neuer Ruderfrosch aus Vietnam (Amphibia Anura Rhacophoridae). Sauria, 23 (3): 37-46.
 Zweifel, R. G., 2000. Partition of the Austra, oranguan microhylid frog genus Sphenophrone with descriptions of new
- ZWEIFEL, R. G., 2000. Partition of the Austra. opapuan microhylid frog genus Sphenophryne with descriptions of new species. Bulletin of the American Museum of natural History, 253: 1–130

Amphibia Mundi. 1.3. Recent amphibians: suprageneric taxonomic additions (1967-2002)

Alain Dyrnore

Vertebres, Repriles et Amphibiens, USM 0602 Taxonomie and Collections, Departement de Systématique and Evolution, Museum national d'Histoire naturelle, 25 rue Cuvier, 75005 Paris, France Saduboss (Month fix)

The current International Code of Zoological Nomenclasure (ANONYMOUS, 1999) only regulates some of the nomina of zoological taxa, belonging to three "groups of names" or better "nominal-series" (Directs, 2000), the species-series, the genus-series and the family-series. It is currently not concerned with the nomenclature of lower-ranked taxa, i.e. of the "variety-series" (Dubois, 2005c-d), or of higher-ranked taxa, i.e. of the "class-series" (Dubois, 2000, 2005c-d). As a result, the nomenclature of such taxa, supposedly regulated by "usage" and "consensus" among specialists, is in fact arbitrary and chaotic, which causes problem for communication among taxonomists and especially between the latter and all non-specialist users of zoological nomina. For this reason, Dubots (2005c-d) recently proposed a set of rules for the nomenclature of class-series taxa. For the time being, only brief summaries of these proposed rules have been published (Durois, 2004, 2005a), and their discussion by the international community of zoologists, before their possible incorporation in the Gode, may take time Regarding the Neobatracia (i.e., recent amphibians, taxa represented by at least one species in the currently living fauna of our planet, see Dubois, 2004), in the series Amphibia Mundi, for reasons explained in DUBOIS (2005b), such noming are currently not used, but this may change in the future, when more robust hypotheses on the relationships among amphibian fossil and recent groups are available and widely accepted. It will then be useful to have a list of available class-series noming, some of which may have then to be considered as valid. As changes are also likely to occur at family level and below, a similar list for family-series nomina will also be useful

The present list presents additions in the taxonomy of Neodatrachi for taxa above rank genus, published until 2003 after the two lists of such was of KUNN (1967) and DURIOS (1994), or ignored in these two lists. The period cowered by these additions starts in 1984 for family-series taxa of living animans, and in 1967 for all other taxa and norman It ends on 31 December 2002 for all these erous.

New nomina of the family-series (i.e., families, subfamilies, tribes and subtribes; DuBois, 2000, 2005c d) are printed in what Lamin littles, followed by the nomina of their type-genera, and by the country of the type-locality of the type-species of the latter (not the currently known or inferred geographical distribution of the taxon, that may be much larger).

New nomina of the class-series (i.e., orders, classes, etc.; Dubois, 2000, 2005a, c-d) are printed in BOLD SMALL CAPITALS. As class-series nomina below the rank order are not recognized in the

Dymore 71

ergotayonomy used here (Dittoris 2005k), any new namen of this nominal-series is simply listed below the namen of the least inclusive class-series toyon including all its ariginally included genera or conucleogenera (see Durous, 2005d), followed between square brackets by the rank afforded to this nomen in the publication where it was created.

Only new noming are listed, and taxonomic or nomenclatural changes other than additions (e.g., synonymisation or revalidation of nomen, change of rank or or higher taxonomic allocation of taxon. first-reviser action, orthographic emendation) are not considered here. The new nomina are listed below by alphabetical order under taxa according to the conservative general taxonomic frame of DUBOIS (2005b). The nomina of all-fossil taxa are preceded by the sign †. Nomenclaturally unavailable noming (i.e. noming mide and other kinds of anonlonums, as defined by Dunois, 2000) are presented below "between quotation marks"

Classis Ampunia De Rhanville 1816

Subclassis Negratipaciti Sarasin & Sarasin, 1890

Superordo + ALLOCAUDATA Fox & Navlor, 1982

Ordo + ALLOCAUDATA Fox & Navior, 1982

† Allocaudata Fox & Navlor, 1982 fordol.

Superordo Barrachia Brongniart, 1800.

Ordo ANURA Duméril, 1806

ARCHAEOSALIENTIA ROČEK, 1981 [ordo]

ROMBINANTIDA Ford & Capriatella, 1993 ["rayon"].

Discoglossanura Ford & Cannatella, 1993 ["taxon"].

LEIOPELMATANURA Ford & Cannatella, 1993 ["taxon"]

NEOCAUDATA Cannatella & Hillis, 1993 fno rank given?

NEGSALIENTIA Roček, 1981 fordol.

PARATOIDIA Gardiner, 1982 [superordo] - Comment Nomen misspelled Paratoidea by Milner

PIPANURA Ford & Cannatella, 1993 ["taxon"].

PIPIMORPHA Ford & Cannatella, 1993 ["taxon"].

PROCERA Feller & Hedges, 1998 [superordo].

Incertae sedis

- † Prosatirioar Shubin & Jenkins, 1995 Type-genus, by original designation: † Projalities Kuhn, 1964 - USA (Arizona), Jurassic.
- † TRESORGERACHIDAS Holman, 1974 Type-genus, by original designation. † Tregobatrachus Holman, 1964. USA (Kansas), Miocene

Enifamilia Romeinazonoma Grav. 1825

Superfamilia Romentaroporosa Grav. 1825

Familia Bombinatoridae Grav. 1825

Subfamilia + Gonaturas Roček & Nessov. 1993

+ GORGATIDAE Roček & Nessov, 1993. - Mongolia, Cretaceous,

Enifamilia Pri onazorna Bonaparte, 1850

Superfamilia Pelobatoidea Bonaparte, 1850

Familia Pelobatidas Bonaparte, 1850

Subfamilia Megophryinae Noble, 1931 (1850)

Tribus LEPTOBRACHINI Dubois, 1983

"Lettobrachmid" Dubois, 1980. Type-genus, by implicit etymological designation Leptobrachium Tschudi, 1883. – Indonesia (Iava). – Comment: Nomenclaturally unavailable nomen, as published conditionally (Art. 15.1).

Leptobrachiimae Dubois, 1983. Type-genus, by implicit etymological designation. Leptobrachium. Tschudi, 1838. Indonesia (Iava).

OREOLALAZEMAE Tian & Hu, 1985. Type-genus, by original designation: Oreolalax Myers & Leviton, 1962. – China (Sichuan) – Comment The original spelling of this nomen is incorrect and should be emended into OREOLAGEMAE, in suitified emendation which was first used by DUBOSI (1987b).

Subfamilia Pelobatinas Bonaparte, 1850

† EOPELOBATINAL Špinar, 1972 Type-genus, by original designation: † Eopelobates Parker, 1929. Germany. Oligo-Miocene boundary.

Epifamilia PiPOIDIA Gray, 1825

Superfamilia Pipoidea Gray, 1825

Familia Pipidae Gray, 1825

Subfamilia Dactylethrinae Hogg, 1838

SILLERANNAE Cannatella & Trueb, 1988 Type-genus, by implicit etymological designation: Silurana Grav. 1864. – Nigeria.

Dubois 73

Epifamilia Ranoidia Rafinesque-Schmaltz, 1814

Superfamilia Hylotoba Rafinesque, 1815

Familia Buronidae Gray, 1825

STEPHOPAEDINI Dubois, 1987a. Type-genus, by original designation Stephopaedes Channing, 1978 - Zimbabwe.

Superfamilia RANOIDEA Rafinesque-Schmaltz, 1814

Familia Microhylidae Gunther, 1858 (1843)

Subfamilia ASTEROPHRYIMAE Gunther, 1858

Tribus BARYGENYINI Burton, 1986

Barygenym Burton, 1986. Type-genus, by original designation: Barygenys Parker, 1936. Papua New Guinea.

Tribus Callulorini Dubois, 1988

Callulopini Dubois, 1988 Type-genus, by original designation: Callulops Boulenger, 1888.

Papua New Guinea.

Subfamilia Micronylinae Günther, 1858 (1843)

OTOPHRYNIMAE Wassersug & Pyburn, 1987 - Type-genus, by original designation: Otophryne Boulenger, 1900. – Guyana.

Subfamilia Phrynomerinae Noble, 1931

PHRYNOMANTIM Burton, 1986 Type-genus, by original designation Phrynomantis Peters, 1867 South Africa.

Familia BREVICIPITIDAE Bonaparte, 1850

Subfamilia Brevicipitinae Bonaparte, 1850

TOMOSTIFRAINI Dubois, 1987a Type-genus, by original designation: Tomosterna Duméril & Bibron, 1841. - South Africa

Familia Ravinas Rafinesque-Schmaltz, 1814

Subfamilia Consumus Dubois, 1992

CONRAUDAI Dubois, 1992 Type-genus, by original designation: Conraua Nieden, 1908 - Came-

Subfamilia Decengrosswar Anderson 1871

Tribus Lumonscruz Dubois 1992

LIMNONECTIM Dubois, 1992. Type-genus, by original designation: Limnonectes Fitzinger, 1843.
Indonesia (Java).

Tribus Occinozyana Fei. Ve & Huang, 1991

Occidozyginas Fei, Ye & Huang, 1991. Type-genus, by original designation: Occidozyga Kuhl & Van Hasselt, 1822. – Indonesia (Java).

Tribus Pava Dubois, 1992

Paint Dubois, 1992. Type-genus, by original designation Paa Dubois, 1975. Nepal.

Subfamilia Lankaner tinas Dubois & Obler, 2001

LANKANECTIMAF Dubois & Ohler, 2001 Type-genus, by original designation Lankanectes Dubois & Ohler, 2001. – Sri Lanka

Subfamilia Mantellinae Laurent, 1946

Tribus Boophini Vences & Glaw, 2001

Boophis Vences & Glaw, 2001 Type-genus, by original designation. Boophis Tschudi, 1838 - Madagascar.

Tribus Laliostomini Vences & Glaw, 2001

Lating minute Vences & Glaw, 2001. - Type-genus, by original designation. Labottoma Glaw, Vences & Bohme, 1998 Madagascar. Comment The family-series nomen was ill formed as the stem of the nomen Labottoma is Labottomar. However, according to Art. 29 4 of the current version of the Code (ANONYMOUS, 1999), in such cases the original spelling "must be maintained as the correct."

Drinors 75

original spelling", artificially considering that "its stem is formed from the name of the type genus as though it were an arbitrary combination of letters".

Subfamilia Micrimatinas Dubois, Ohler & Biju, 2001

MICRINGLIMAS Dubois, Ohler & Biju, 2001. Type-genus, by original designation: Micrixalus Boulenger, 1888. – "Southern India".

Subfamilia Nyctibatrachinae Blommers-Schlosser, 1993

NYCTIBATRACHIME Blommers-Schlösser, 1993 Type-genus, by original designation: Nyctibatrachus Boulenger, 1882. – India (Kerala).

Subfamilia Ptychadeninae Dubois, 1987

PTYCHADENINI Dubois, 1987a - Type-genus, by original designation: Ptychadena Boulenger, 1917. La Réunion. Mascarene Islands.

Subfamilia Rannar Rafinesque-Schmaltz, 1814

Tribus Ranini Rafinesque-Schmaltz, 1814

"Amological" Yang, 1989. Type-genus, by original designation: Amologs Cope, 1865 - "Afghanistan". Comment: nomen nudum.

AMOLOPSIMAE Yang, 1991 - Type-genus, by original designation: Amolops Cope, 1865 "Afghamstan".

Comment The original spelling of this nomen is incorrect and should be emended into Amolopenda, a unstified emendation which was first used to FEI. Ye. & HUANG (1991).

Subfamilia RANIXALINAE Dubois, 1987

RANIXALIM Dubois, 1987a - Type-genus, by original designation: Ranixalus Dubois, 1986 - India (Karnataka).

INDIRANIMAE Blommers-Schlosser, 1993 Type-genus, by original designation: Indirana Laurent, 1986 – India (Kerala).

Subfamilia Rhacophorinae Hoffman, 1932 (1858)

Tribus BUERGERINI Channing, 1989

Bi LROLERVINAF Channing, 1989 Type-genus, by original designation: Buergeria Tschudi, 1838 Japan.

Ordo Uroper a Duméril, 1806

Incertae redu

Familia † Prosineninas Estes, 1969

† PROSIRENIDAE Estes, 1969 ~ Type-genus by original designation. † Prosiren Goin & Auffenberg, 1958. – USA (Texas), Cretaceous.

Familia + Scapherperontidae Auffenberg & Goin, 1959

† Eoscapherpetonimae Nessov, 1981. - Type-genus by original designation: † Eoscapherpeton Nessov, 1981. - Urbelistan Cretaceous

Enifamilia Cavarosassicaciosa Estainger, 1826

Superfamilia CRYPTOBRANCHOIDEA Fitzinger, 1826

Familia CRYPTOBRANCHIDAE Fitzinger, 1826

† Aviturime Gubin, 1991 Type-genus, by original designation: † Aviturus Gubin, 1991 Mongolia.
Palaeocene.

Familia Hynosupas Cope, 1859 (1856)

Subfamilia Protohynosiinas Fei & Ye. 2000

Реогонумовимає Fci & Ye, 2000. Туре-genus, by original designation: Protohynobius Fci & Ye, 2000. – China (Sichuan).

Epifamilia † Karauroidia Ivachnenko, 1978

Superfamilia + Karauromea Ivachnenko, 1978

Familia † Karaurinas Ivachnenko, 1978

† Karauridat Ivachnenko, 1978 — **Type-genus**, by original designation. † Karaurius Ivachnenko, 1978 — Kazakhstan Jurassic

Epifamilia Sirenoidia Gray, 1825

Superfamilia SIRENOIDEA Gray, 1825

Familia SIRENIDAE Grav. 1825

† NOTEMPETON TIDAE Rage, Marshall & Gayet, 1993 Type-genus, by original designation: † Notempeton Rage, Marshall & Gayet, 1993. – Bolivia. Cretaceous.

Drinois 77

Superordo Gyanopurona Rafinesque-Schmaltz, 1814

Ordo Gymnopumona Rafinesone-Schmaltz 1814

EPICRIDEI Lescure, Renous & Gasc, 1986 [infraordo].

RHINATREMATOIDEI Lescure, Renous & Gasc, 1986 [subordo].

SIRMONORIDE L'escure Renous & Gasc. 1986 [subordo]

Familia Cascillidas Rafinesque-Schmaltz, 1814

- AFROCAECILITI Lescure, Renous & Gasc, 1986. Type-genus, by original designation: Afrocaeciha
 Typior, 1968. Kenya
- BRASHLOTYPHLILI Lescure, Renous & Gasc, 1986 Type-genus, by original designation: Brasilotyphilus Taylor, 1968. Brazil (Amazonas).
- Dermophus Taylor, 1969 **Type-genus**, by original designation. Dermophis Peters, 1879 Mexico.
 Geotypertinal Lescure, Renous & Gasc, 1986. **Type-genus**, by original designation. Geotypetes
 Peters. 1880 Gabon.
- GRANDISONILIAF Lescure, Renous & Gasc, 1986. Type-genus, by original designation: Grandisonia Taylor, 1968. - Sevchelles.
- Gymnopital Lescure, Renous & Gasc, 1986 Type-genus, by original designation: Gymnopis Peters, 1874 Panama
- HERPELINAE Lescure, Renous & Gasc, 1986. Type-genus, by original designation. Herpele Peters, 1879. Gabon.
- Indotyphenia Lescure, Renous & Gasc, 1986 Type-genus, by original designation. Indotyphlus Taylor, 1960. - India (Maharashtra).
- ONLARY HARDAF Lescure, Renous & Gasc, 1986 Type-genus, by original designation: Oscaecilia Taylor, 1968. Panama
- PSEUDOSIPHONOPITI Lescure, Renous & Gasc, 1986 Type-genus, by original designation Pseudosi-phonops Taylor, 1968. Brazil

Familia Ichthyophiinae Taylor, 1968 (1843)

R HTHYOPHIIDAF Taylor, 1968. Type-genus, by original designation: Ichthyophis Taylor, 1968. Sri Lanka

Familia Scolecomorphidae Taylor, 1969

Scoleromorphical Taylor, 1969. Type-genus, by original designation. Scolecomorphic Boulenger, 1883. – Tanzania.

Familia Tiphi onectione Taylor, 1968

- Postums nontron. Lescure. Remous & Gasc., 1986. Type-genus, by original designation. Photonomy phlia. Taylor, 1968. Venezuela. Comment. The original nomen of this family is incorrect and should be emended into Perissory printers, according to Art. 35-4.1 of the Code.
- PARTINO PHILONICITY L'ESCURE, Renous & Gasc, 1986 Type-genus, by original designation Pseudo typhlonectes Lescure, Renous & Gasc, 1986. Colombia.

Typhlonectione Taylor, 1968. Type-genus, by original designation: Typhlonectes Peters, 1879.

French Givana

Familia Hearconnum mar Nusebaum 1979

URABOTYPHLINAE Nussbaum, 1979 Type-genus, by original designation: Uraeotyphlus Peters, 1979.
India (Kerala)

Superfamilia Rumaternatoinea Nosshaum, 1977

Familia Pun atpresatinas Nucchaum 1977

RHINATREMATIDAE Nussbaum, 1977. Type-genus, by original designation: Rhinatrema Taylor, 1968.

Venezuela

Eniformilia + Focusiou tounta Tenkins & Walsh 1993

Superfamilia † Eocaecilioidea Jenkins & Walsh, 1993

Familia + Eocaecustas Jenkins & Walsh, 1993

† Волексилатыя Jenkins & Walsh, 1993. Турье-genus, by original designation: † Encacina Jenkins & Walsh, 1993. USA (Artzona). Jurassic. Comment: The original nomen of this family is incorrect and should be emended into Econestimans, a justified emendation first used by Dubusis (20058). The original spelling was clearly derived from that of the familial nomen Caesculations. The latter spelling was one adopted by ICZN (Arkonymous, 1987) to aword homonymy with a familial nomen of Insects, but this decision was later modified by ICZN (Arkonymous, 1996) to return to the well-known spelling Caesculation! In 1993, the Code in force was the so-called third edition (Arkonymous, 1985) according to which an incorrect original familial nomen must be corrected. This rule was changed in the so-called fourth edition (Arkonymous, 1999; see above under Lukonymous, 1995). The competition of the so-called fourth edition (Arkonymous, 1995). The competition of the solution of the

LITERATURE CITED

- Anonysulos Ilnternations. Commission on Zoological Nomenclature., 985. International code of acological momendaries: Third edition. London, International Trust of extra coological Nomenclature exist. 1-38. 887. Opinion 1462. Caccinides Rafinesque-Scimilaria, 814 (Amph.has, Gyimophiona) and Caecinides Kolhe, 1880 (Insectin, Pacopherea), a tuling to remove the homograph. Bulletin of soological Nomenclature, 44
 - Kolbe, 1680 (Insecta, Psocoptera), a Tuling to remove the normotypy. Buttern of zoological Nomentanian, 42 263-264
 1996 Opinion 1830 Caccinidae Kolbe, 1880 (Insecta, Psocoptera) spelling emended to Caecinisation, or removing the homonymy with Caecinidae Rafinesque, 1814 (Amphiba, Gymnophiona). Bulletin of zoology, of
 - Nomenclature, **53** (1): 68-69 1999 — International, code of a sological nominilature. Fourth edition: London: International Trust for zoological Nomenclature: xxxxx + 1: 306
- BLOMMERS-SCHLÖSSER, R. M. A., 1993 Systematic relationships of the Mantellinae Laurent 1946 (Anura Ranoidea) Ethology, Ecology & Evolution, 5 (2): 199-218
- BURTON, T. C. 1986. A reassessment of the Papuan subfamily Asterophyvinae. Anura Microhylidae, Record of the South Australian Misraim, 110 (4) 155-158

Directs 79

- CANNATELLA, D. C. & HILLIS, D. M., 1993 [30 June]. Amphibian relationships: phylogenetic analysis of morphology and molecules. Herpetological Monograph, 7: 1-7. [Exact publication date: Herpetological Monograph, 1994, 8: hoods command.
- CANNATELLA, D. C. & TRUEB, L., 1988. Evolution of pipoid frogs: intergeneric relationships of the squatic frog family
 Pinitae (Anura). Zaological Journal of the Linnean Society, 94 (1): 1-38.
- CHANNING, A., 1989. A re-valuation of the phylogeny of Old World treefrogs. South African Journal of Zoology, 24 (2):
 116-131.

 DUROIS. A., 1980. Notes sur la systématique et la répartition des Amphibiens Angures de Chine et des récions
- DUBOIS, A., 1980. Notes sur la systématique et la répartition des Amphibiens Anoures de Chine et des régions avoisinantes IV. Classification générique et studgénérique des Pelobatidae Megophryinae. Bulletin mensuel de la Société limienans de Luon. 49 (6): 469-482.
- 1983 [30 December]. Note preliminaire sur le genre Leptolalax Dubois, 1980 (Amphibiens, Anoures), avec diagnose d'une espèce nouvelle du Vietnam. Alynes, 2 (4): 147-153. [Exact publication date obtained directly from publisher].
- 1984. La nomenclature supragénérique des Amphibiens Anoures. Mémoires du Muséum national d'Histoire naturelle, (A) 131: 1-64.
- 1987a [13 May]. Miscellanea taxinomica batrachologica (I). Alyres, "1986", 5 (1-2): 7-95. [Exact publication date obtained directly from publisher].
 1987b [1]. October]. Miscellanea nomenclatorics batrachologica (XIV). Alyres, "1986", 5 (4): 173-174. [Exact
- publication date obtained directly from publisher].
 1986 [1986], 5 (4): 173-174. [Exact publication date obtained directly from publisher].
 1988 [28 December]. Miscellanea nomenclatorica batrachologica (XVII). Alvast. 7 (1): 1-5. [Exact publication date obtained directly from publisher].
- —— 1988 [28 December]. Miscellanea nomenciatorica batrachologica (XVII). Alyses, 7 (1): 1-5. [Exact publication date obtained directly from publisher].
 —— 1992 [7 December]. Notes sur la classification des Ranidae (Amphibiens, Angures). Rulletin mensual de la Società.
- limitenne de Lyon, 61 (10): 305-352. [Publication date taken from mailing label of fascicle].
 2000 [13 July]. Synonymies and related lists in zoology; general proposals, with examples in herpetology.
 Dumerific. 4(2): 32-38. [Fasc publication date obtained directly from publishing from the control of the control
- Demersing 4 (2): 35-56. [Exact profication date obtained directly from profisher].
 2004 [20 December]. The higher nomenclature of recent amphibians. Alynes, 22 (1-2): 1-14. [Exact publication date obtained directly from publisher].
- ---- 2005a. Propositions pour l'incorporation des nomina de taxons de rang supérieur dans le Code international de nomenclature zoologique. In: A. Dubots, O. Poncy, V. Mackecor & N. Léger (ed.), Comment nommer les taxons de range supérieur en zoologie se en hospatione?, Biosvatema. 23: 73-96.
- ---- 2005b. Amphibia Mundi. 1.1. An ergotaxonomy of recent amphibians. Alyter, 23 (1-2): 1-24.
- 2005c. Proposed Rules for the incorporation of nomina of higher-ranked zoological taxa in the International Code of Zoological Nomenclature. 1. Some general questions, concepts and terms of biological nomenclature. Zooxystema, 27 (2): 365-426.
- 2005d. Proposed Rules for the incorporation of nomina of higher-ranked zoological taxa in the International Code of Zoological Nomenclature. 2. The proposed Rules and their rationale. Zoosystema, in press.
- DUBOIS, A. & OHLER, A., 2001 [20 December]. A new genus for an aquatic ranid (Amphibia, Anura) from Sri Lanka. Alyses, 19 (2-4): 81-106. [Exact publication date obtained directly from publisher].

 DUBOIS, A., OHLER, A. & BIJL, S. D., 2001 [20 December]. A new genus and species of Ranidae (Amphibia, Anura)
- from south-western India. Alyses, 19 (2-4): 53-79. [Exact publication date obtained directly from publisher].

 ESTES, R., 1969. Prosirenidae, a new family of fossil salamanders. Nature, 224: 87-88.
- Fei, L. & Ye, C, 2000. A new hynobiid subfamily with a new genus and new species of Hynobiidae from west China (Amphibia: Caudata). Cultum herpetologica sinica, 8: 64-70. [In Chinese].
- FEI, L, YE, C. & HUANG, Y., 1991. Key to Chimese Amphibia. Chongging, Editions of Sciences and Techniques, "1990": [i-iv] + 1-2 + 1-364. [In Chinese]. [Publication date: ZHAO & ADLER, 1993: 367].
- FELLER, A. E. & HEDGES, S. B., 1998. Molecular evidence for the early history of living amphibians. Molecular Phylogenetics & Evolution, 9 (3): 509-516.
 FORD, L. S. & CANAMELLA, D. C., 1993 [30] June]. – The major clades of frogs. Herpetological Monograph. 7: 94-117
- [Exact publication date: Herpetological Mongraph, 1994, 8: back cover].

 Fox, R. C. & NAYLOR, 1982. A reconsideration of the relationships of the fossil amphibian Albanerpeton. Canadian
- Fox, R. C. & NAYLOR, 1982. A reconsideration of the relationships of the fossil amphibian Albanerpeion, Canadic Journal of Earth Sciences, 19 (1): 118-128.
 GARDINER, B. G., 1982. — Tetrapod classification. Zoological Journal of the Linnean Society, 74 (3): 207-232.
- GARDINER, B. G., 1982. Tetrapod classification. Zoological Journal of the Linnean Society, 74 (3): 207-232.
 Gubin, Y. M., 1991. Paleocene salamanders from southern Mongolia. Paleontol. Zhurn., 1991 (1): 96-106.
- Gubin, Y. M., 1991. Paleocene salamanders from southern Mongolia. *Paleoniol. Zhurn.*, 1991 (1): 96-106.

 HOLMAN, J. A., 1974. Herpetofauna of the Wakeeney local fauna (lower Pliocene: Clarendonian) of Trego county.
- Kansas, In: Studies on cenozoic paleontology am stratigraphy in honor of Claude W. Hibbard, University of Michigan Papers on Paleontology, 12: 49-66.

 IVACHENENO, M., 1978. - Urodeles from the Triassic and Jurassic of Soviet central Asia. Paleontal. Zhurn., 12: 362-368.
- IWACHNERNO, MI, 1976. Urodecels from the Frassic and jurians of Osciet Celtura esal. randomic Journa, 12, 502–506.
 JINKINS, F. A. JI, & WALSH, D. Ma, 1983. An early Jurassic caecilian with limbs. Nature, 385 (6443): 246–256.
 KURN, O., 1967. Amphibien und Reptilien. Stuttgart, Gustav Fischer; 19th 4–124.
 LESCURE, J., RHONOS, S. & 686.5. J. J. 1986. Proposition d'une nouvelle classification des Amphibiens Gymnophio-
- nes. Mémoires de la Société zoologique de France, 43: 145-177, 1 tab.

 MILNER, A. R., 1988. The relationships and origin of living amphibisians. In: M. J. Benton (ed.), The phylogeny and
- Nessov, L. A., 1981. Cretaceous salamanders and frogs of Kizylkum desert. Trudy vool. Inst. Leningrad, 101: 57-88.
- [In Kussian].
 NUSSBAUM, R. A., 1977. Rhinatrematidae: a new family of caecilians (Amphibia: Gymnophiona). Occasional Papers of the Museum of Zoology of the University of Michigan, 682: 1–30.

—— 1979. - The taxonomic status of the caecilian genus Uraeotyphlus Peters. Occasional Papers of the Museum of Zoology of the University of Michigan, 687: 1-20

LOURGE OF THE CHEMISTRY OF PAICHING AND STREET OF THE CAUGHT CAUGHT (Amphibia) from the upper Cretaceous of Grandwana, Geobiot. I. Non. 26 (4): 515-519.

ROČEK, Z., 1981. – Cranial anatomy of frogs of the family Pelobatidae Stannius, 1856, with outlines of their phylogeny and systematics. Acta Universitatis Carolinae, (Biologica), 1980 (1-2): 1-164.

and systematics. Acta Ontoerntains Caroninals, (Biologica), 1990 (1-2): 1-104.

ROČEK, Z. & NESSOV, L. A., 1993. – Cretaceous anurans from central Asia. Palaeontographica, (Abt. A), 226: 1-54.

SHURIN, N. H. & JENKINS, F. A., 1995. – An early Turassic Jumping frog. Nature, 377: 49-52.

Shrohn, N. H. & Jerkensen, F. A., 1972. — The early juness, John Jung 100, John June, 377, 4972. Spring, T. S. Spring, R. V., 1972. — Teritary frogs from central Europe. The Hague & Prague, Junk & Academia: 1–286, pl. [i] + 1–184. TAYLOR, E. H., 1968. — The cacellians of the world. A taxonomic review. Lawrence, University of Texas Press: i-xiv + 1.584.

1-646.
1969. A new family of African Gymnophiona. University of Kansas Science Bulletin. 48: 297-305.

Tian, W. & Hu, Q., 1985. – Taxonomical studies on the primitive anurans of the Hengduan mountains, with descriptions of a new subfamily and subdivision of *Bombina*. Acta harpetologica sinica, (2), 4 (3): 219-224. [In Chinese].

Chinese].

VENCES, M. & GLAW, F., 2001. – When molecules claim for taxonomic changes: new proposals on the classification of Old World treefrogs. Softiana. 24 (1): 85-92

YANG, D., 1989. - Phylogenetic systematic of the Amology group of ranid frogs of southeastern Asia and the greater Sunda islands. Proceedings of the 12th congress of China Zoological Association and its 55th annual academic meeting: 756-757.

YANG, D. (ed.), 1991. - The Amphibia fauna of Yunnan. Kunming, China Forestry Publishing House: [i-vii] + i-iv + 1-259. [In Chinesel.

WASSERSUG, R. J. & PYBERN, W. F., 1987. – The biology of the Pe-ret toad, Otophryme robusta (Microhylidae), with special consideration of its fossorial larva and systematic relationships. Zoological Journal of the Linnean Society, 91 (2): 137-169.

71 (2): 131-107.

ZHAO, E.-M. & ADLER, K. 1993. - Hertetology of China. Oxford, Ohio, USA, SSAR: 1-522 + [i-v], nl. 1-48 + 1.

MUSEUM PARIS *



published by ISSCA

EDITORIAL BOARD

Chief Editor: Alain Dubots (Laboratoire des Reptiles et Amphibiens, Muséum national d'Histoire naturelle, 25 rue Cuvier, 75005 Paris, France; <adubois@mnhn.fr>)

Deputy Editor: Thierry Lone (Laboratoire d'Ecologie animale, Université d'Angers, 2 boulevard Lavoisier, 49045 Angers Cedex, France; <a href="mailto:stephengers.com/revalues-news-agers-news-agers-news-news-agers-news-agers-news-agers-news-agers-news-agers-news-agers-news-agers-n

Terrace, Adelaide, S.A. 5000, Australia; 'Richards Steve@saugov.sa.gov.au'>).

Alytes Editorial Board: Franco Andreone (Torino, Italy); Lauren E. Brown (Normal, USA); Janalee P.

CALDWELL (Norman, USA); Ulisses CARAMASCHI (Rio de Janeiro, Brazil); Günter GOLLMANN (Wien, Austria); Heinz GRILLITSCH (Wien, Austria); Tim HALLIDAY (Milton Keynes, United Kingdom); W. Ronald HEYER (Washington, USA); Esteban O. LAVILLA (Tucumán, Argentina); Masafumi MATSUI (Kyoto, Japan); Donald F. McALPINE (Saint John, Canada); Alain PAGANO (Angers, France); John C. POYNTON (London, England); Miguel VENCES (Konstanz, Germany).

Amphibia Mundi Editorial Board: Alain Dubois, Chef Editor (Paris, France); Ronald I. CROMBIE (San Francisco, USA); Stephane Grossean (Paris, France); W. Ronald Heyer (Washington, USA); JIANG Jianping (Chengdu, China); Esteban O. LAVILLA (Tucumán, Argentina); Jean-Claude RAGE (Paris, France); David B. WAKE (Berkeley, USA).

Technical Editorial Team (Paris, France): Alain DUBOIS (texts); Roger BOUR (tables); Annemarie OHLER (figures).

Book Review Editor: Annemarie OHLER (Paris, France).

SHORT GUIDE FOR AUTHORS

(for more detailed Instructions to Authors, see Alytes, 1997, 14: 175-200)

Alytes publishes original papers in English, French or Spanish, in any discipline dealing with amphibians.

Beside articles and notes reporting results of original research, consideration is given for publication to synthetic review articles, book reviews, comments and replies, and to papers based upon original high quality illustrations (such as colour or black and white photographs), showing beautiful or rare species, interesting behaviours, etc. The title should be followed by the name(s) and address(es) of the author(s). The text should be typewritten

or printed double-spaced on one side of the paper. The manuscript should be organized as follows: English abstract, introduction, material and methods, results, discussion, conclusion, French or Spanish abstract, acknowledgements, literature cited, appendix.

Figures and tables should be mentioned in the text as follows: fig. 4 or tab. 4. Figures should not exceed 16 ×

24 cm. The size of the lettering should ensure its legibility after reduction. The legends of figures and tables should be assembled on a separate sheet. Each figure should be numbered using a pencil. References in the text are to be written in capital letters (BOURRET, 1942; GRAF & POLLS PELAZ, 1989; INGER

et al., 1974). References in the Literature Cited section should be presented as follows:

BOURRET, R., 1942. - Les batraciens de l'Indochine, Hanoi, Institut Océanographique de l'Indochine; i-x + 1-547. pl. 1-4

GRAF, J.-D. & POLLS PELAZ, M., 1989. - Evolutionary genetics of the Rana esculenta complex. In: R. M. DAWLEY & J. P. BOGART (ed.), Evolution and ecology of unisexual vertebrates, Albany, The New York State Museum: 289-302

INGER, R. F., VORIS, H. K. & VORIS, H. H., 1974. - Genetic variation and population ecology of some Southeast Asian frogs of the genera Bufo and Rana, Biochem, Genet., 12: 121-145.

Manuscripts should be submitted in triplicate either to Alain Dubois (address above) if dealing with amphibian morphology, anatomy, systematics, biogeography, evolution, genetics, anomalies or developmental biology, or to Thierry Lone (address above) if dealing with amphibian population genetics, ecology, ethology or life history, or to Stephen J. RICHARDS (address above) if dealing with conservation biology, including declining amphibian populations or pathology. Acceptance for publication will be decided by the editors following review by at least two referees.

If possible, after acceptance, a copy of the final manuscript on a floppy disk (3 1/2 or 5 1/4) should be sent to the Chief Editor. We welcome the following formats of text processing: (1) preferably, MS Word (1.1 to 6.0, DOS or Windows), WordPerfect (4.1 to 5.1, DOS or Windows) or WordStar (3.3 to 7.0); (2) less preferably, formated

DOS (ASCII) or DOS-formated MS Word for the Macintosh (on a 3 1/2 high density 1.44 Mo floppy disk only). Page charges are requested only from authors having institutional support for this purpose. The publication of colour photographs is charged. For each published paper, 25 free reprints are offered by ISSCA to the author(s). Additional reprints may be purchased.



Published with the support of AALRAM (Association des Amis du Laboratoire des Reptiles et Amphibiens du Muséum National d'Histoire Naturelle, Paris, France). Directeur de la Publication: Alain Dubois. Numéro de Commission Paritaire: 64851.

Amphibia Mundi 1

Contents

Alain Dubois	
Amphibia Mundi. 1.1.	
An ergotaxonomy of recent amphibians	1-24
Alain Dubois, Ronald I. Crombie & Frank Glaw	
Amphibia Mundi. 1.2.	
Recent amphibians: generic and infrageneric taxonomic additions (1981-2002)	25-69
Alain Dubois	
Amphibia Mundi. 1.3.	
Recent amphibians: suprageneric taxonomic additions (1967-2002)	70-80

Front cover illustration: holotype of Wolterstorffina chirioi Boistel & Amiet, 2001 (Bufonidae) from Cameroon. Drawing by Renaud Boistel, reproduced from original description of species (Alytes, 2001 18: 127-140)

Alvies is printed on acid-free paper.

Alvtes is indexed in Biosis. Cambridge Scientific Abstracts, Current Awareness in Biological Sciences, Pascal, Referativny Zhurnal and The Zoological Record.

Imprimerie F. Paillart, Abbeville, France.

Dépôt légal: 3° trimestre 2005.